

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STAIN BLASTER MULTI-PURPOSE

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/07/2019

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

|| Skin irritation : Category 2  
 Serious eye damage : Category 1  
 Skin sensitization : Category 1

**GHS label elements**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye damage.

Precautionary Statements : **Prevention:**  
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.  
**Disposal:**  
 Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
distillates (petroleum), hydrotreated light	64742-47-8	10 - 30
Propylene glycol	57-55-6	10 - 30
alcohols, c12-16, ethoxylated	68551-12-2	10 - 30
Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1)	27323-41-7	5 - 10
fatty acids, tall-oil, compds. with triethanolamine	68132-46-7	5 - 10
Soap	61790-64-5	5 - 10
triethanolamine	102-71-6	5 - 10
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	1 - 5
Potassium Dodecylbenzenesulphonate	27177-77-1	1 - 5
Limonene	5989-27-5	1 - 5

### SECTION 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z1
		TWA	200 mg/m <sup>3</sup> (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z1
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		STEL (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Propylene glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	AIHA WEEL
triethanolamine	102-71-6	TWA	5 mg/m <sup>3</sup>	ACGIH
Limonene	5989-27-5	TWA	30 ppm	AIHA WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

#### Personal protective equipment

Eye protection	: Wear eye protection/ face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, off-white
Odor	: citrus
pH	: 7.5 - 8.5, (100 %)
Flash point	: Not applicable, Does not sustain combustion.
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0.89 - 1.09
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

VOC : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:  
Carbon oxides  
Nitrogen oxides (NOx)

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes skin irritation. May cause allergic skin reaction.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Irritation, Allergic reactions

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

#### Components

Acute inhalation toxicity : Propylene glycol  
4 h LC50 Rat: > 158.5 mg/l  
Test atmosphere: dust/mist

#### Components

Acute dermal toxicity : alcohols, c12-16, ethoxylated  
LD50 Rabbit: > 2,000 mg/kg

Limonene  
LD50 Rabbit: > 5,000 mg/kg

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### Product

Toxicity to fish : 96 h LC50: 5.7 mg/l

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Components

Toxicity to daphnia and other aquatic invertebrates : distillates (petroleum), hydrotreated light  
48 h EC50: > 1,000 mg/l

Propylene glycol  
48 h EC50: 18,340 mg/l

fatty acids, tall-oil, compds. with triethanolamine  
48 h EC50 Ceriodaphnia dubia (water flea): 609.98 mg/l

triethanolamine  
48 h EC50: 609.88 mg/l

Fattyalcohol ethoxylates > C15 and =< 5EO  
48 h Daphnia magna (Water flea): > 1 mg/l

#### Components

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

Toxicity to algae : distillates (petroleum), hydrotreated light  
72 h EC50: > 1,000 mg/l

Propylene glycol  
96 h EC50: 19,000 mg/l

fatty acids, tall-oil, compds. with triethanolamine  
72 h EC50 *Desmodesmus subspicatus* (green algae): 216 mg/l

triethanolamine  
72 h EC50: > 100 mg/l

#### Persistence and degradability

Biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Dodecylbenzenesulphonic acid, compound with 2,2',2"-nitrilotriethanol (1:1)	27323-41-7	1000	11066

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
distillates (petroleum), hydrotreated light	64742-47-8	Solvent	Not Applicable
Propylene glycol	57-55-6	Solvent	12
alcohols, c12-16, ethoxylated	68551-12-2	Cleaning Agent	Not Applicable
water	7732-18-5	Diluent	Not Applicable
Dodecylbenzenesulphonic acid, compound with 2,2',2"-nitrilotriethanol (1:1)	27323-41-7	Cleaning Agent	Not Applicable
fatty acids, tall-oil, compds. with triethanolamine	68132-46-7	Cleaning Agent	Not Applicable
Soap	61790-64-5	Cleaning Agent	Not Applicable
triethanolamine	102-71-6	Buffer	Not Applicable
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	Cleaning Agent	Not Applicable
Organic salt	Withheld	Cleaning Agent	Not Applicable
Potassium Dodecylbenzenesulphonate	27177-77-1	Cleaning Agent	Not Applicable
Limonene	5989-27-5	Fragrance	FRA
subtilisin	9014-01-1	Cleaning Agent	8
Inorganic Salt	Withheld	Processing Aid	Not Applicable
amylase, α-	9000-90-2	Cleaning Agent	8
Peroxides	Withheld	Cleaning Agent	Not Applicable

\*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory :

All substances listed as active on the TSCA inventory



# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances :

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

### China. Inventory of Existing Chemical Substances in China (IECSC) :


On the inventory, or in compliance with the inventory

### Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3*</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 10/07/2019  
Version : 3.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.