

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STAIN BLASTER MULTI-PURPOSE

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)


Issuing date : 06/25/2015

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin irritation : Category 2  
 Eye irritation : Category 2B  
 Skin sensitization : Category 1

**GHS Label element**

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : Causes skin and eye irritation.  
May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
distillates (petroleum), hydrotreated light	64742-47-8	10 - 30
Propylene glycol	57-55-6	10 - 30
alcohols, c12-16, ethoxylated	68551-12-2	10 - 30
Organic sulfonic acid salt	27323-41-7	10 - 30
fatty acids, tall-oil, compds. with triethanolamine	68132-46-7	5 - 10
fatty acids, coco, compds. with triethanolamine	61790-64-5	5 - 10
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	160875-66-1	1 - 5
triethanolamine	102-71-6	1 - 5
d-Limonene	5989-27-5	1 - 5
potassium hydroxide	1310-58-3	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing	: Fire residues and contaminated fire extinguishing water must be

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

methods : disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Risk of explosion. : Not available.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m <sup>3</sup>	CAD BC OEL
		TWA	200 mg/m <sup>3</sup>	CAD AB OEL
		TWA	525 mg/m <sup>3</sup>	CA ON OEL
		TWA (Mist)	5 mg/m <sup>3</sup>	CAD AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CAD AB OEL
		VME (Mist)	5 mg/m <sup>3</sup>	OEL (QUE)
		STEV (Mist)	10 mg/m <sup>3</sup>	OEL (QUE)
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z1
		TWA	200 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z1
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		STEL (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Propylene glycol	57-55-6	TWA (Aerosol.)	10 mg/m <sup>3</sup>	CA ON OEL
		TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
Propylene glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	AIHA WEEL
triethanolamine	102-71-6	TWA	5 mg/m <sup>3</sup>	CAD AB OEL
		TWA	5 mg/m <sup>3</sup>	CAD BC OEL

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

		TWA	0.5 ppm 3.1 mg/m <sup>3</sup>	CA ON OEL
		VME	5 mg/m <sup>3</sup>	OEL (QUE)
triethanolamine	102-71-6	TWA	5 mg/m <sup>3</sup>	ACGIH
potassium hydroxide	1310-58-3	(c)	2 mg/m <sup>3</sup>	CAD AB OEL
		C	2 mg/m <sup>3</sup>	CAD BC OEL
		C	2 mg/m <sup>3</sup>	OEL (QUE)
potassium hydroxide	1310-58-3	Ceiling	2 mg/m <sup>3</sup>	ACGIH
		Ceiling	2 mg/m <sup>3</sup>	NIOSH REL
d-Limonene	5989-27-5	TWA	20 ppm 111 mg/m <sup>3</sup>	CAD AB OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, off-white
Odour	: citrus
pH	: 7.5 - 8.5, 100 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.95 - 1.05
Water solubility	: slightly soluble

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: 132 m <sup>2</sup> /s (40 °C)
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Causes skin irritation. May cause allergic skin reaction.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: Redness, Irritation, Allergic reactions
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

#### Toxicity

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

#### Components

Acute inhalation toxicity	: Propylene glycol 4 h LC50 rat: > 158.5 mg/l
---------------------------	--

#### Components

Acute dermal toxicity	: alcohols, c12-16, ethoxylated LD50 rabbit: > 2,000 mg/kg  d-Limonene LD50 rabbit: > 5,000 mg/kg
-----------------------	---

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
-----------------------	---

#### Product

Toxicity to fish	: 96 h LC50: 5.7 mg/l
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available

#### Components

Toxicity to daphnia and other aquatic invertebrates	: distillates (petroleum), hydrotreated light 72 h EC50: > 1,000 mg/l
---	--

Propylene glycol  
48 h EC50: 18,340 mg/l

poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-  
48 h EC50 Daphnia: 10 mg/l

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

triethanolamine  
48 h EC50: 609.88 mg/l

### Components

Toxicity to algae : distillates (petroleum), hydrotreated light  
48 h EC50: > 1,000 mg/l

Propylene glycol  
96 h EC50: 19,000 mg/l

triethanolamine  
72 h EC50: > 100 mg/l

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### Other adverse effects

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (TDG)

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

## Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

# SAFETY DATA SHEET

## STAIN BLASTER MULTI-PURPOSE

The components of this product are reported in the following inventories:

**United States TSCA Inventory :**

On TSCA Inventory

**Canadian Domestic Substances List (DSL) :**

All components of this product are on the Canadian DSL.

**Australia. Industrial Chemical (Notification and Assessment) Act :**

not determined

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

On the inventory, or in compliance with the inventory

**Japan. ISHL - Inventory of Chemical Substances (METI) :**

not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**

not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**


This product and/or component(s) are exempt or excluded from the Philippines Inventory of Chemicals and Chemical Substances (PICCS) under the Republic Act 6969 (RA 6969).

**China Inventory of Existing Chemical Substances :**

not determined

### Section: 16. OTHER INFORMATION

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/25/2015  
version : 1.0  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a



## SAFETY DATA SHEET

### STAIN BLASTER MULTI-PURPOSE

warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STAIN BLASTER SPECIALTY

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)


Issuing date : 07/01/2015

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin corrosion : Category 1A  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# SAFETY DATA SHEET

## STAIN BLASTER SPECIALTY

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethylenediamine tetraacetate	64-02-8	30 - 60
Amphoteric surfactants	14960-06-6	1 - 5
sodium hydroxide	1310-73-2	0.1 - 1

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

# SAFETY DATA SHEET

## STAIN BLASTER SPECIALTY

Risk of explosion. : Not available.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 50 °C

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

## SAFETY DATA SHEET

### STAIN BLASTER SPECIALTY

Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: slight
pH	: 11.5 - 13.5, 100 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.2 - 1.35
Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: no data available
VOC	: no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)

# SAFETY DATA SHEET

## STAIN BLASTER SPECIALTY

Sulphur oxides  
Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.  
Skin : Causes severe skin burns.  
Ingestion : Causes digestive tract burns.  
Inhalation : May cause nose, throat, and lung irritation.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

#### Toxicity

Acute oral toxicity : Acute toxicity estimate : 4,700 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Serious eye damage/eye irritation : no data available  
Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

#### Components

Acute dermal toxicity : Amphoteric surfactants  
LD50 rabbit: 6,800 mg/kg

# SAFETY DATA SHEET

## STAIN BLASTER SPECIALTY

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to fish : ethylenediamine tetraacetate  
96 h LC50 Fish: 121 mg/l

Amphoteric surfactants  
96 h LC50 Fish: 17.45 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : sodium hydroxide  
48 h EC50: 40 mg/l

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

UN number : 3267

Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

## SAFETY DATA SHEET

### STAIN BLASTER SPECIALTY

(EDTA salt)  
Class : 8  
Packing group : III  
Environmentally hazardous : No

#### Sea transport (IMDG/IMO)

UN number : 3267  
Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(EDTA salt)  
Class : 8  
Packing group : III  
Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**United States TSCA Inventory :**  
On TSCA Inventory

**Canadian Domestic Substances List (DSL) :**  
All components of this product are on the Canadian DSL.

**Australia. Industrial Chemical (Notification and Assessment) Act :**  
On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**  
On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
On the inventory, or in compliance with the inventory

**Japan. ISHL - Inventory of Chemical Substances (METI) :**  
On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
On the inventory, or in compliance with the inventory

**China Inventory of Existing Chemical Substances :**  
On the inventory, or in compliance with the inventory


### Section: 16. OTHER INFORMATION



# SAFETY DATA SHEET

## STAIN BLASTER SPECIALTY

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 07/01/2015  
version : 1.0  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STAIN BLASTER DESTAINER

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)


Issuing date : 06/10/2015

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin corrosion : Category 1A  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : Mixing this product with acid or ammonia releases chlorine gas.

# SAFETY DATA SHEET

## STAIN BLASTER DESTAINER

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
sodium hypochlorite	7681-52-9	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Risk of explosion. : Not available.

# SAFETY DATA SHEET

## STAIN BLASTER DESTAINER

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	7681-52-9	STEL	2 mg/m <sup>3</sup>	AIHA WEEL
chlorine	7782-50-5	TWA	0.5 ppm 1.5 mg/m <sup>3</sup>	CAD AB OEL
		STEL	1 ppm 2.9 mg/m <sup>3</sup>	CAD AB OEL
		TWA	0.5 ppm	CAD BC OEL
		STEL	1 ppm	CAD BC OEL
		STEV	1 ppm 2.9 mg/m <sup>3</sup>	OEL (QUE)
		VME	0.5 ppm 1.5 mg/m <sup>3</sup>	OEL (QUE)
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m <sup>3</sup>	NIOSH REL
		C	1 ppm 3 mg/m <sup>3</sup>	OSHA Z1

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## SAFETY DATA SHEET

### STAIN BLASTER DESTAINER

#### Personal protective equipment

Eye protection	: Wear eye protection/face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: cloudy, light yellow
Odour	: Chlorine
pH	: 10.5 - 11.5, 100 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.03 - 1.07
Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available

## SAFETY DATA SHEET

### STAIN BLASTER DESTAINER

Oxidizing properties : Yes  
Molecular weight : no data available  
VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Mixing this product with acid or ammonia releases chlorine gas.  
Conditions to avoid : None known.  
Incompatible materials : Acids  
Metals  
Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes : Causes serious eye damage.  
Skin : Causes severe skin burns.  
Ingestion : Causes digestive tract burns.  
Inhalation : May cause nose, throat, and lung irritation.  
Chronic Exposure : Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

##### Toxicity

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available

## SAFETY DATA SHEET

### STAIN BLASTER DESTAINER

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

#### Components

Acute inhalation toxicity : sodium hypochlorite  
4 h LC50 rat: > 5.25 mg/l

#### Components

Acute dermal toxicity : sodium hypochlorite  
LD50 rabbit: > 10,000 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Harmful to aquatic life.

#### Product

Toxicity to fish : 96 h LC50: 20.0 mg/l

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to daphnia and other aquatic invertebrates : sodium hypochlorite  
48 h EC50: 0.071 mg/l

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

## SAFETY DATA SHEET

### STAIN BLASTER DESTAINER

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (TDG)

Not dangerous goods

##### Sea transport (IMDG/IMO)

Not dangerous goods

#### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

##### Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

##### United States TSCA Inventory :

On TSCA Inventory

##### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

##### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

##### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

##### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

##### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

##### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

##### China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory




# SAFETY DATA SHEET

## STAIN BLASTER DESTAINER

### Section: 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/10/2015  
version : 1.0  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.