



InlinePlastics®

Product Catalog



“
Keeping it fresh
since 1968.





Welcome to the Inline Family

When describing Inline Plastics, we think of family. It is at the heart of our company and all of our operations. From our extensive product families, to our fifty plus year history of Orkisz ownership, to how we treat our customers and suppliers - it is all about family and that is why many of our relationships have lasted for decades.

In the 1950's, my father and uncle started their venture into mold making and thermoforming in their Bridgeport, Connecticut family home. That was the birth of Inline Plastics, which is now one of the industry's most innovative packaging manufacturers with facilities across the United States and coming to Canada. Throughout all this growth and development, the company has remained under Orkisz family ownership with a third generation, my daughter, Alicia Orkisz Fitze, joining the organization in 2018.

Core Values

Our success is directly tied to our core values of innovation, sustainability, and customer satisfaction that result in environmentally friendly, high quality, cost-effective packaging and packaging automation solutions. Whether working with our R&D center, sales and marketing, or manufacturing, every team at Inline is committed to providing the best customer service and exceptional products. We never settle and are always looking for creative and pioneering solutions for the ever-changing marketplace.

Sustainability

Family means taking care of one another. That extends beyond our customers and employees, to our communities and the world around us. We support proactive and responsible business operations that encourage environmental sustainability, increase awareness and education about recycling, and reduce negative impacts on our environment. Inline products are 100% curbside recyclable and made with the lowest carbon footprint PET material. Our innovation teams are also hard at work incorporating more post-consumer recycled materials into our production processes.

We look forward to working with you!

Let's Get Started

This catalog provides extensive information on our product lines and our teams are ready to answer questions and creatively provide solutions for your individual packaging needs. Visit us at inlineplastics.com for more information, or reach out to our Chief Fun Officer, Lemon, at lemon@inlineplastics.com, to find out more about our products, services, and how to become a part of the Inline family.

Tom Orkisz



Alicia

Tom

Inline Plastics launches SureLock® technology

The opening of Inline Plastics facility in Poland (later sold)

The opening of Inline Plastics facility in Utah

The opening of Inline Plastics Georgia Plant

Orkisz Legacy Continues: Third Generation, Alicia Orkisz Fitze, joins the Inline team

1968
1985
1988
1991
1999
2003
2006
2009
2016
2018
2018

Inline Plastics is Incorporated

Inline Plastics receives first patent for a locking mechanism

Tom Orkisz becomes Owner, President and CEO of Inline Plastics

Launch of first Safe-T-Fresh® line, after receiving official patent

New Safe-T-Fresh® families are launched, featuring smooth, modern lines

Branding and website are refreshed to coincide with the future vision of the company

Our First 50 Years

Inline Plastics Corp.



ip InlinePlastics

| | |
|------------------------------------------------------------|------------------------------------------------|
| Safe-T-Fresh[®] Rectangles | Essentials SureLock [®] |
| Safe-T-Fresh[®] SquareWare [®] | Essentials SureChoice [®] |
| Safe-T-Fresh[®] SnackCups | Essentials VisiblyFresh [®] |
| Safe-T-Fresh[®] PagodaWare [®] | Essentials CrystalFresh [®] |
| Safe-T-Fresh[®] Bowls | Essentials PartyPlatters |
| Safe-T-Fresh[®] RoundWare [®] | Essentials EZ Open [®] |
| Safe-T-Fresh[®] SnackWare [®] | Essentials ValuPack [®] |

| | |
|------------------------------------------------------------|-------|
| Focus on Sustainability | 6-7 |
| Packaging Automation Solutions | 8-9 |
| SquareWare Snackers™ | 10-11 |
| Safe-T-Fresh[®] Introduction | 12-13 |
| Safe-T-Fresh [®] Rectangles and Inserts | 14-17 |
| Safe-T-Fresh [®] Hangables [®] and Racks | 18-19 |
| Safe-T-Fresh SquareWare [®] | 20-21 |
| Safe-T-Fresh [®] SnackCups | 22-24 |
| Safe-T-Fresh [®] SnackCups Racks | 25 |
| Safe-T-Fresh PagodaWare [®] | 26-27 |
| Safe-T-Fresh [®] Bowls | 28-31 |
| Safe-T-Fresh RoundWare [®] | 32-33 |
| Safe-T-Fresh SnackWare [®] | 34-35 |
| Safe-T-Fresh [®] Vented Solutions | 36-39 |
| Essentials Introduction | 40-41 |
| Essentials SureLock [®] | 42-56 |
| Essentials SureChoice [®] | 57 |
| Essentials Visibly Fresh [®] | 58-59 |
| Essentials Crystal Fresh [®] | 60-61 |
| Essentials Party Platters | 62-63 |
| Essentials EZ Open [®] | 64-65 |
| Essentials ValuPack [®] | 66-67 |
| Container Specification Guide | 68 |
| Material Specifications | 69 |
| Terms and Conditions | 70 |
| Index | 71 |



All containers are manufactured from FDA conforming PET for direct food contact and are 100% recyclable material.





Five Areas of Focus for Environmental Sustainability



1

Solar Power

In 2018, Inline Plastics installed a rooftop system with more than 2600 solar panels covering our roof. Solar Power benefits include: a reduction in air pollution, reduction in carbon dioxide and methane emissions, elimination in greenhouse gas production, and reduction in global warming.



2

Lowest Carbon Footprint Plastic


Our key ingredient is DPET™, a high performing plastic with the lowest carbon footprint on the market today. DPET™ is manufactured in a 3-step energy saving process vs. the traditional 9-step process to produce standard PET.



3

100% Recyclable Products


Our products are made with high value plastic. DPET is the most commonly recycled plastic globally. It is also easy and efficient for consumers and municipalities to collect and recycle.



4

rPET - Recycled post industrial DPET

The Inline rPET is post-industrial recycled DPET. When re-ground, these flakes have a 28% LOWER carbon footprint than rPET made from bottles. Together with our partners, we are working on adding more rPET to our production and look forward to increasing that percentage in the near future.



5

Educating Consumers about Recycling

In our research with consumers, many did not understand the meaning of the recycled symbol that is embossed on most if not all PET containers in the market. This is why we are now including 'PLEASE RECYCLE ME' on the top and bottom of our new containers.

Our commitment to the environment



We support proactive and responsible business practices to protect the world around us



Close the deal on higher profits with **Inline Packaging Automation Solutions**

Inline Plastics is the only thermoformed container manufacturer in the industry providing in-house packaging automation solutions.

Automation Capabilities Include:



We have dedicated over 50 years to packaging innovations. Fully understanding how our customers can benefit from using our automation services quickly became the key input into our development processes.



The Inline Automation team leaves no stone unturned to ensure a reliable and effective automation integration process.



The results translate to a better value proposition for your customers to increase potential new sales. Typically, there is no need for tool change-overs — a simple adjustment of machine settings is all that's necessary.



Machines can be used alone or integrated easily to a packing conveyor or labeler.

Labeling Systems



Our innovative integrated systems will apply a wrapped label to the front edge of the top or the bottom of our PET clamshell containers. Either way, it's tamper evident and secure.

High Speed Closers



Container closing equipment is available for all Inline clamshell containers; closing at rates up to 200 units per minute or more. Change over from one size container to the next takes only minutes.

De-Nesters




Inline equipment is designed to pick and place empty containers onto a packing conveyor quickly, accurately, and efficiently.

Conveyers



We can automate vibrating the containers to settle food; we can flip the container around onto its lid, or turn containers to the desired position for labeling or ink-jetting.

We design around existing equipment or develop an entire line.







To schedule an automation team visit, please contact us at **800-826-5567** or visit **inlineplastics.com**.

Featured Product



ip Safe-T-Fresh[®]
SquareWare Snackers[™]



| Item |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | TS3002 | TS3004 | TS3006 | TS3008 |
| Description | 20Z | 40Z | 60Z | 80Z |
| UPC | 707068012272 | 707068012289 | 707068012296 | 707068012302 |
| Container ID (in) | 2 3/4 X 2 3/4 X 5/8 | 2 3/4 X 2 3/4 X 1 5/16 | 2 3/4 X 2 3/4 X 1 15/16 | 2 3/4 X 2 3/4 X 2 9/16 |
| Container OD (in) | 3 5/8 X 3 7/16 X 1 1/16 | 3 5/8 X 3 7/16 X 1 3/4 | 3 5/8 X 3 7/16 X 2 3/8 | 3 5/8 X 3 7/16 X 3 |
| Case Pack | 336 | 312 | 288 | 288 |
| Case Weight (lbs) | 6.9 | 7.4 | 8.7 | 9.9 |
| TiHi | 5 X 11 | 5 X 11 | 5 X 11 | 5 X 11 |
| Case OD (in) | 22 1/16 X 15 15/16 X 7 5/8 | 22 1/16 X 15 15/16 X 7 5/8 | 22 1/16 X 15 15/16 X 7 5/8 | 22 1/16 X 15 15/16 X 7 5/8 |
| Case Cubic Ft | 1.6 | 1.6 | 1.6 | 1.6 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

ip Safe-T-Fresh®

The industry's first tamper evident container with a unique, patented pull tear strip. Simple to use, ensures food safety and prevents leaks. Unmatched with over 100 packaging solutions available.



Tamper Evident Tear Strip
Consumer-friendly and intuitive; patented technology

Leak Resistant Seal
Seals in freshness and prevents spills

Peace of Mind
Confidence that food will stay safe, fresh and engaging on the shelf

One Step to Protecting Contents
Instantly tamper resistant by simply closing the lid

Maximize Shelf Utilization
Rigid stacking rails enhance multi-level merchandising

No Need for Shrinkbands or Wrap-Around Labels
Easy for packers to close and consumers to open

100% Recyclable

Made in the USA

Market Leader in Tamper Evident, Tamper Resistant Food Packaging Design



ip Safe-T-Fresh® Rectangles



ip Safe-T-Fresh® SquareWare®



ip Safe-T-Fresh® SnackCups



ip Safe-T-Fresh® PagodaWare®



ip Safe-T-Fresh® Bowls



ip Safe-T-Fresh® RoundWare®



ip Safe-T-Fresh® SnackWare®





Market Favorite with Exceptional Quality

Extensive variety to meet a wide range of applications



Expansive Selection
Ranging from 6 to 128 fl oz with both hangable and vented options



Original Design
The first tamper evident and tamper resistant container you'll find everywhere



Robust Design
Made to stack easily and create visually beautiful product displays



All-Purpose
Perfect for many markets and applications

| Item | TS6 | TS8 | TS12 | TS16 | |
|-------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|
| Description | 6oz | 8oz | 12oz | 16oz | |
| UPC | 707068010476 | 707068005632 | 707068005175 | 707068005182 | |
| Container ID (in) | 3 3/4 X 4 3/8 X 7/8 | 3 3/4 X 4 3/8 X 1 5/16 | 3 3/4 X 4 3/8 X 1 3/4 | 3 3/4 X 4 3/8 X 2 1/4 | |
| Container OD (in) | 4 7/8 X 5 3/4 X 1 1/8 | 4 7/8 X 5 3/4 X 1 9/16 | 4 7/8 X 5 3/4 X 2 | 4 7/8 X 5 3/4 X 2 5/8 | |
| Case Pack | 240 | 240 | 240 | 240 | |
| Case Weight (lbs) | 9.2 | 9.8 | 10.4 | 11.7 | |
| TiHi | 10 X 5 | 10 X 5 | 10 X 5 | 10 X 5 | |
| Case OD (in) | 16 1/4 X 11 15/16 X 19 1/2 | 16 1/4 X 11 15/16 X 19 1/2 | 16 1/4 X 11 15/16 X 19 1/2 | 16 1/4 X 11 15/16 X 19 1/2 | |
| Case Cubic Ft | 2.2 | 2.2 | 2.2 | 2.2 | |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | |
| Item | TS20 | TS24 | TS32 | TS35 | TS48 |
| Description | 20oz | 24oz | 32oz | 35oz | 48oz |
| UPC | 707068009975 | 707068005540 | 707068005557 | 707068006707 | 707068006233 |
| Container ID (in) | 6 1/4 X 4 1/16 X 1 1/2 | 6 1/4 X 4 1/16 X 1 7/8 | 6 1/4 X 4 1/16 X 2 7/16 | 7 3/8 X 6 3/8 X 1 5/8 | 7 3/8 X 6 3/8 X 2 |
| Container OD (in) | 7 3/8 X 5 5/8 X 1 13/16 | 7 3/8 X 5 5/8 X 2 5/16 | 7 3/8 X 5 5/8 X 2 3/4 | 8 3/4 X 7 7/8 X 1 7/8 | 8 3/4 X 7 7/8 X 2 3/8 |
| Case Pack | 200 | 200 | 200 | 150 | 150 |
| Case Weight (lbs) | 16.1 | 16.1 | 18.1 | 19.2 | 22.2 |
| TiHi | 5 X 6 | 5 X 6 | 5 X 6 | 5 X 5 | 5 X 5 |
| Case OD (in) | 23 5/16 X 15 13/16 X 14 7/8 | 23 5/16 X 15 13/16 X 14 7/8 | 23 5/16 X 15 13/16 X 14 7/8 | 23 7/8 X 16 1/4 X 17 15/16 | 23 7/8 X 16 1/4 X 17 15/16 |
| Case Cubic Ft | 3.2 | 3.2 | 3.2 | 4.0 | 4.0 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Safe-T-Fresh® Rectangles



Safe-T-Fresh® Rectangles Inserts

| Item | | | | | |
|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------------|
| | TS64 | TS64D | TS64L | TS90PJ | TS112 |
| Description | 640Z | 820Z | 640Z | 900Z | 1120Z |
| UPC | 707068006240 | 707068011268 | 707068006899 | 707068011596 | 707068012470 |
| Container ID (in) | 7 3/8 X 6 3/8 X 2 7/8 | 7 3/8 X 6 3/8 X 3 3/8 | 7 3/8 X 6 3/8 X 2 7/8 | 7 3/8 X 6 3/8 X 4 1/4 | 11 1/2 X 6 13/16 X 2 7/8 |
| Container OD (in) | 8 3/4 X 7 7/8 X 3 1/8 | 8 3/4 X 7 7/8 X 3 1/2 | 8 3/4 X 7 7/8 X 3 1/8 | 8 3/4 X 7 7/8 X 4 5/16 | 12 1/2 X 7 15/16 X 3 3/8 |
| Case Pack | 150 | 150 | 150 | 128 | 60 |
| Case Weight (lbs) | 24.0 | 24.0 | 20.2 | 25.6 | 15.7 |
| TiHi | 5 X 5 | 5 X 5 | 5 X 5 | 5 X 5 | 8 X 5 |
| Case OD (in) | 23 7/8 X 16 1/4 X 17 15/16 | 23 7/8 X 16 1/4 X 17 15/16 | 23 7/8 X 16 1/4 X 17 15/16 | 23 7/8 X 16 1/4 X 17 15/16 | 16 5/16 X 12 15/16 X 19 7/16 |
| Case Cubic Ft | 4.0 | 4.0 | 4.0 | 4.0 | 2.4 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |



Safe-T-Fresh®
Rectangles Inserts
help your lunch
dreams come true.

| Item | | | | | |
|-------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|------------------------|
| | TS16C2 | TS5X5 | TS5X5ST | TS202 | TS1SW |
| Description | 1 X 90Z, 1 X 70Z | 250Z | 270Z | 400Z | 170Z |
| UPC | 707068012159 | 707068011411 | 707068011862 | 707068006684 | 707068009982 |
| Container ID (in) | 6 1/4 X 4 3/8 X 1 7/16 | 4 5/8 X 4 5/8 X 2 3/8 | 4 5/8 X 4 5/8 X 2 5/16 | 7 15/16 X 3 1/4 X 2 3/4 | 6 1/8 X 3 X 3 9/16 |
| Container OD (in) | 7 3/8 X 5 5/8 X 1 13/16 | 5 7/8 X 5 3/4 X 2 5/8 | 5 7/8 X 5 3/4 X 2 3/4 | 9 1/8 X 4 7/8 X 3 | 7 5/16 X 4 1/8 X 3 5/8 |
| Case Pack | 200 | 272 | 272 | 150 | 288 |
| Case Weight (lbs) | 17.4 | 12.8 | 14.3 | 12.4 | 17.0 |
| TiHi | 5 X 6 | 8 X 4 | 8 X 4 | 9 X 5 | 5 X 6 |
| Case OD (in) | 23 5/16 X 15 13/16 X 14 7/8 | 19 15/16 X 12 1/16 X 22 3/8 | 19 15/16 X 12 1/16 X 22 3/8 | 18 13/16 X 10 3/4 X 19 5/8 | 24 X 15 1/16 X 16 1/4 |
| Case Cubic Ft | 3.2 | 3.1 | 3.1 | 2.3 | 3.4 |
| Base / Lid Ratio | 100/0 | 60/40 | 50/50 | 50/50 | 100/0 |






| Item | | | | |
|-------------------|------------------------|------------------------|-------------------------|-------------------------|
| | FMT2MRT | FMT3MRT | FMT2LRT | FMT3LRT |
| Description | 2X 20Z | 2X 10Z, 1X 10Z | 2X 20Z | 2X 10Z, 1X 20Z |
| UPC | 707068012180 | 707068012173 | 707068012197 | 707068011947 |
| Container ID (in) | 6 9/16 X 3 1/8 X 13/16 | 6 9/16 X 3 1/8 X 13/16 | 6 15/16 X 3 5/8 X 13/16 | 6 15/16 X 3 5/8 X 13/16 |
| Container OD (in) | 6 9/16 X 3 1/8 X 13/16 | 6 9/16 X 3 1/8 X 13/16 | 6 15/16 X 3 5/8 X 13/16 | 6 15/16 X 3 5/8 X 13/16 |
| Case Pack | 360 | 360 | 360 | 360 |
| Case Weight (lbs) | 4.6 | 5.1 | 4.6 | 5.1 |
| TiHi | 19 X 6 | 6 X 19 | 6 X 10 | 6 X 10 |
| Case OD (in) | 17 13/16 X 14 7/16 X 6 | 17 13/16 X 14 7/16 X 6 | 17 13/16 X 14 7/16 X 6 | 17 13/16 X 14 7/16 X 6 |
| Case Cubic Ft | 0.9 | 0.9 | 0.9 | 0.9 |
| Base / Lid Ratio | N/A | N/A | N/A | N/A |



Note: FMT-MRT inserts are compatible with TS20, TS24, TS32. FMT-LRT inserts are compatible with TS35, TS48, TS64, TS90PJ.



Safe-T-Fresh®
Rectangles
Hangables® make
food displays
effortless.

| Item |  |  |  |  |  |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | TS6T | TS8T | TS12T | TS16T | TS17VT |
| Description | 6oz | 8oz | 12oz | 16oz | 17oz |
| UPC | 707068010483 | 707068006974 | 707068006981 | 707068006998 | 707068010001 |
| Container ID (in) | 3 3/4 x 4 3/8 x 7/8 | 3 3/4 x 4 3/8 x 1 5/16 | 3 3/4 x 4 3/8 x 1 3/4 | 3 3/4 x 4 3/8 x 2 1/4 | 3 3/4 x 5 1/4 x 1 15/16 |
| Container OD (in) | 4 7/8 x 5 3/4 x 1 1/8 | 4 7/8 x 5 3/4 x 1 9/16 | 4 7/8 x 5 3/4 x 2 | 4 7/8 x 5 3/4 x 2 5/8 | 4 1/2 x 6 5/8 x 2 |
| Case Pack | 240 | 240 | 240 | 240 | 320 |
| Case Weight (lbs) | 9.2 | 9.8 | 10.4 | 11.6 | 14.7 |
| TiHi | 10 x 5 | 10 x 5 | 10 x 5 | 10 x 5 | 6 x 5 |
| Case OD (in) | 16 1/4 x 11 15/16 x 19 1/2 | 16 1/4 x 11 15/16 x 19 1/2 | 16 1/4 x 11 15/16 x 19 1/2 | 16 1/4 x 11 15/16 x 19 1/2 | 23 15/16 x 12 13/16 x 18 3/8 |
| Case Cubic Ft | 2.2 | 2.2 | 2.2 | 2.2 | 3.3 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Item: Floor-Rack
3-Tier Safe-T-Fresh®
Rectangles Hangables
Floor-Rack: 18 hooks and sign holder

| | |
|-------------------|-----------------------------|
| Dimensions | 19 1/2" diameter x 63" tall |
| Case Pack | 1 |
| Case Weight (lbs) | 7.0 |
| Case Cubic Feet | 1.83 |
| UPC Code | 707068009784 |



Item: Counter-Rack
3-Tier Safe-T-Fresh®
Rectangles Hangables
Counter-Rack: 12 hooks and sign holder

| | |
|-------------------|-------------------------|
| Dimensions | 12" diameter x 12" tall |
| Case Pack | 1 |
| Case Weight (lbs) | 5.0 |
| Case Cubic Feet | 1.17 |
| UPC Code | 707068009135 |



| Item | TS4008 | TS4012 | TS4016 | TS4024 | TS4032 |
|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Description | 8oz | 12oz | 16oz | 24oz | 32oz |
| UPC | 707068011497 | 707068011503 | 707068011510 | 707068011527 | 707068011534 |
| Container ID (in) | 4 X 4 X 1 | 4 X 4 X 1 5/8 | 4 X 4 X 2 7/16 | 4 X 4 X 3 1/2 | 4 X 4 X 4 5/8 |
| Container OD (in) | 4 3/4 X 5 X 1 1/2 | 4 3/4 X 5 X 2 1/8 | 4 3/4 X 5 X 3 | 4 3/4 X 5 X 4 | 4 3/4 X 5 X 5 |
| Case Pack | 300 | 288 | 276 | 264 | 240 |
| Case Weight (lbs) | 13.2 | 14.5 | 16.1 | 21.3 | 23.3 |
| TiHi | 6 x 6 | 6 x 6 | 6 x 6 | 6 x 6 | 6 x 6 |
| Case OD (in) | 27 5/16 X 10 3/8 X 14 9/16 | 27 5/16 X 10 3/8 X 14 9/16 | 27 5/16 X 10 3/8 X 14 9/16 | 27 5/16 X 10 3/8 X 14 9/16 | 27 5/16 X 10 3/8 X 14 9/16 |
| Case Cubic Ft | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

Well Crafted, Sturdy 4x4 Squares

Showcases the contents while optimizing critical shelf space



Multiuse

Ranging from 8 to 32 fl oz great for deli, cut fruit, veggies, snacks and more



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Rigid Stacking Rails

Great for multilevel merchandising



Unibody Design

Structurally sound, square, unibody design





Your Solution for **Grab-and-Go**

Perfect design and sizes for snacking in the car or while on-the-go



Versatile

Perfect for many markets and applications



100% Recyclable

#1 PET is the most widely accepted recyclable material








Grab-and-Go




Perfect for snacking in the car or eating on-the-go



Expansive Selection

Ranging from 8 to 16 fl oz that are insert compatible and with flat and dome lids





| Item |  |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Description | 8oz | 8oz dome | 11oz | 12oz sqround | 12oz |
| UPC | 707068010766 | 707068010773 | 707068010759 | 707068010780 | 707068010193 |
| Container ID (in) | 3 1/2 X 3 1/2 X 2 3/8 | 3 1/2 X 3 1/2 X 3 3/8 | 3 1/2 X 3 1/2 X 3 3/8 | 3 1/2 X 3 1/2 X 3 5/16 | 3 1/2 X 3 1/2 X 3 7/16 |
| Container OD (in) | 4 3/8 X 4 7/16 X 2 7/16 | 4 3/8 X 4 7/16 X 3 7/16 | 4 3/8 X 4 7/16 X 3 3/16 | 4 3/8 X 4 1/2 X 3 1/2 | 4 3/8 X 4 7/16 X 3 1/2 |
| Case Pack | 272 | 272 | 256 | 232 | 256 |
| Case Weight (lbs) | 8.6 | 9.0 | 10.0 | 11.1 | 10.0 |
| TiHi | 10 X 5 | 10 X 5 | 10 X 5 | 10 X 5 | 10 X 5 |
| Case OD (in) | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 |
| Case Cubic Ft | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| Base / Lid Ratio | 100/0 | 60/40 | 100/0 | 100/0 | 100/0 |

| Item |  |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Description | 12oz dome | 16oz | 16oz dome |
| UPC | 707068010209 | 707068010797 | 707068010803 |
| Container ID (in) | 3 1/2 X 3 1/2 X 4 3/8 | 3 1/2 X 3 1/2 X 4 3/8 | 3 1/2 X 3 1/2 X 5 3/8 |
| Container OD (in) | 4 3/8 X 4 7/16 X 4 7/16 | 4 3/8 X 4 7/16 X 4 7/16 | 4 3/8 X 4 7/16 X 5 7/16 |
| Case Pack | 256 | 232 | 232 |
| Case Weight (lbs) | 10.0 | 12.0 | 12.0 |
| TiHi | 10 X 5 | 10 X 5 | 10 X 5 |
| Case OD (in) | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 |
| Case Cubic Ft | 1.9 | 1.9 | 1.9 |
| Base / Lid Ratio | 70/30 | 100/0 | 75/25 |



Safe-T-Fresh®
SnackCup Inserts
make multilayer
snacking easy.



| Item |  |  |  |  |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | CC2Q | CC2R | CC4R | CCLR |
| Description | 2OZ | 2OZ | 4OZ | Lid |
| UPC | 707068011145 | 707068010599 | 707068010605 | 707068010612 |
| Container ID (in) | 2 5/8 X 2 5/8 X 15/16 | 2 11/16 X 2 11/16 X 15/16 | 2 11/16 X 2 11/16 X 1 3/4 | 3 X 3 X 1/4 |
| Container OD (in) | 3 5/8 X 3 5/8 X 3/4 | 3 5/8 X 3 5/8 X 15/16 | 3 5/8 X 3 5/8 X 1 3/4 | 3 X 3 X 3/8 |
| Case Pack | 1200 | 1200 | 1200 | 1200 |
| Case Weight (lbs) | 9.4 | 9.4 | 11.7 | 7.3 |
| TiHi | 9 X 5 | 9 X 5 | 9 X 5 | 12 X 5 |
| Case OD (in) | 15 13/16 X 12 7/16 X 18 3/4 | 15 13/16 X 12 7/16 X 18 3/4 | 15 13/16 X 12 7/16 X 18 3/4 | 12 11/16 X 10 7/16 X 17 7/16 |
| Case Cubic Ft | 2.1 | 2.1 | 2.1 | 1.3 |
| Base / Lid Ratio | N/A | N/A | N/A | N/A |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Item: Floor-CarCup-Rack

The Safe-T-Fresh® Car Cup 5-Tier Floor Rack is a 16" wire floor rack that will hold 30 cups. Sign holder included. White epoxy finish. Easy to assemble.

| | |
|-------------------|-------------------------|
| Dimensions | 16" diameter x 61" tall |
| Case Pack | 1 |
| Case Weight (lbs) | 7.0 |
| Case Cubic Feet | 1.81 |
| UPC Code | 707068010636 |



Item: Counter-CarCup-Rack

The Safe-T-Fresh® Car Cup 2-Tier Counter Rack is a 13 13/16" wire counter top rack that will hold 12 cups. Sign holder included. White epoxy finish. Easy to assemble.

| | |
|-------------------|------------------------------------|
| Dimensions | 13 13/16" diameter x 17 9/16" tall |
| Case Pack | 1 |
| Case Weight (lbs) | 3.0 |
| Case Cubic Feet | 0.57 |
| UPC Code | 707068010629 |



The Next Generation of Food Packaging

Uniquely shaped for upscale merchandising that is different from the rest



Find your Size

Ranging from 8 to 64 fl oz, dome & flat lids, we have what you need



Enhanced Stackability

Impressive and impactful presentation at Point of Sale








Versatile






Whether on the go, shopping or taking out, perfect for many markets & applications



Exceptional Clarity

Provides clear view of contents from any angle

| Item |  |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | TS8PW | TS12PW | TS16PW | TS16PWS | TS24PW |
| Description | 8oz | 12oz | 16oz | 16oz shallow | 24oz |
| UPC | 707068011916 | 707068011923 | 707068011930 | 707068011855 | 707068011848 |
| Container ID (in) | 4 9/16 X 4 9/16 X 1 5/8 | 4 9/16 X 4 9/16 X 2 1/8 | 4 9/16 X 4 9/16 X 2 9/16 | 6 5/16 X 6 5/16 X 1 7/8 | 6 5/16 X 6 5/16 X 2 5/16 |
| Container OD (in) | 5 15/16 X 5 3/4 X 1 3/4 | 5 15/16 X 5 3/4 X 2 1/4 | 5 15/16 X 5 3/4 X 2 11/16 | 7 11/16 X 7 1/2 X 2 | 7 11/16 X 7 1/2 X 2 1/2 |
| Case Pack | 168 | 168 | 164 | 174 | 174 |
| Case Weight (lbs) | 9.4 | 10.9 | 11.6 | 16.7 | 17.6 |
| TiHi | 6 x 8 | 6 x 8 | 6 x 8 | 5 x 6 | 5 x 6 |
| Case OD (in) | 23 3/4 X 12 5/16 X 11 3/4 | 23 3/4 X 12 5/16 X 11 3/4 | 23 3/4 X 12 5/16 X 11 3/4 | 23 11/16 X 15 15/16 X 15 3/8 | 23 11/16 X 15 15/16 X 15 3/8 |
| Case Cubic Ft | 2.0 | 2.0 | 2.0 | 3.4 | 3.4 |
| Base / Lid Ratio | 66/34 | 66/34 | 66/34 | 66/34 | 66/34 |

| Item |  |  |  |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | TS24PWF | TS32PW | TS32PWF | TS48PW | TS64PW |
| Description | 24oz flat lid | 32oz | 32oz flat lid | 48oz | 64oz |
| UPC | 707068011985 | 707068011817 | 707068011978 | 707068011831 | 707068011824 |
| Container ID (in) | 6 5/16 X 6 5/16 X 1 7/8 | 6 5/16 X 6 5/16 X 2 13/16 | 6 5/16 X 6 5/16 X 2 5/16 | 8 x 8 x 2 7/8 | 8 x 8 x 3 1/2 |
| Container OD (in) | 7 11/16 X 7 1/2 X 2 | 7 11/16 X 7 1/2 X 3 | 7 11/16 X 7 1/2 X 2 7/16 | 9 1/4 x 9 x 3 | 9 1/4 x 9 x 3 5/8 |
| Case Pack | 174 | 168 | 168 | 88 | 80 |
| Case Weight (lbs) | 16.7 | 18.7 | 18.7 | 15.5 | 16.8 |
| TiHi | 5 x 6 | 5 x 6 | 5 x 6 | 7 x 5 | 7 x 5 |
| Case OD (in) | 23 11/16 X 15 15/16 X 15 3/8 | 23 11/16 X 15 15/16 X 15 3/8 | 23 11/16 X 15 15/16 X 15 3/8 | 19 1/16 X 13 1/8 X 18 9/16 | 19 1/16 X 13 1/8 X 18 9/16 |
| Case Cubic Ft | 3.4 | 3.4 | 3.4 | 2.7 | 2.7 |
| Base / Lid Ratio | 90/10 | 66/34 | 90/10 | 66/34 | 66/34 |



Enhanced with Easy Closing Properties

Leak resistant seal and robust base make for fast closing



Tamper Evident

Recessed lid flange protected by blocking rail assures tamper evidence



New Rib Design

Improved rib design allows for easier closing and improved stacking strength








Container Clarity





Highest quality PET material and minimal ribbing provide a superior clear view



Lid Options

Each size offered with either a dome or shallow lid to perfectly fit your product

| Item |  |  |  |  |  |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | TS8RN | TS8RSN | TS12RN | TS12RSN | TS12RNV |
| Description | 8oz | 8oz shallow | 12oz | 12oz shallow | 12oz vented |
| UPC | 707068010940 | 707068010957 | 707068010964 | 707068010971 | 707068011893 |
| Container ID (in) | 4 11/16 X 4 11/16 X 1 13/16 | 4 11/16 X 4 11/16 X 1 3/8 | 4 11/16 X 4 11/16 X 2 5/16 | 4 11/16 X 4 11/16 X 2 | 4 11/16 X 4 11/16 X 2 5/16 |
| Container OD (in) | 5 7/8 X 5 3/4 X 2 | 5 7/8 X 5 3/4 X 1 5/8 | 5 7/8 X 5 3/4 X 2 9/16 | 5 7/8 X 5 3/4 X 2 1/4 | 5 7/8 X 5 3/4 X 2 9/16 |
| Case Pack | 240 | 240 | 240 | 240 | 240 |
| Case Weight (lbs) | 10.8 | 10.8 | 11.9 | 11.9 | 11.9 |
| TiHi | 6 x 5 | 6 x 5 | 6 x 5 | 6 x 5 | 6 x 5 |
| Case OD (in) | 24 X 12 3/4 X 18 7/8 | 24 X 12 3/4 X 18 7/8 | 24 X 12 3/4 X 18 7/8 | 24 X 12 3/4 X 18 7/8 | 24 X 12 3/4 X 18 7/8 |
| Case Cubic Ft | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| Base / Lid Ratio | 90/10 | 100/0 | 90/10 | 100/0 | 90/10 |

| Item |  |  |  |  |
|-------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | TS16RN | TS16RSN | TS18RN | TS18RSN |
| Description | 16oz | 16oz shallow | 18oz | 18oz shallow |
| UPC | 707068010988 | 707068010995 | 707068011008 | 707068011015 |
| Container ID (in) | 4 11/16 X 4 11/16 X 2 7/8 | 4 11/16 X 4 11/16 X 2 1/2 | 5 3/4 X 5 3/4 X 2 3/16 | 5 3/4 X 5 3/4 X 1 13/16 |
| Container OD (in) | 5 7/8 X 5 3/4 X 3 1/8 | 5 7/8 X 5 3/4 X 2 3/4 | 7 X 7 X 2 7/16 | 7 X 7 X 2 3/16 |
| Case Pack | 240 | 240 | 150 | 150 |
| Case Weight (lbs) | 13.2 | 13.2 | 11.9 | 11.9 |
| TiHi | 6 x 5 | 6 x 5 | 5 x 6 | 5 x 6 |
| Case OD (in) | 24 X 12 3/4 X 18 7/8 | 24 X 12 3/4 X 18 7/8 | 21 13/16 X 14 15/16 X 16 5/8 | 21 13/16 X 14 15/16 X 16 5/8 |
| Case Cubic Ft | 3.3 | 3.3 | 3.1 | 3.1 |
| Base / Lid Ratio | 75/25 | 100/0 | 90/10 | 100/0 |
















Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Safe-T-Fresh® Bowls



Safe-T-Fresh® Bowls

| Item |  |  |  |  |  | Item |  |  |  |  |  |
|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Description | 24oz | 24oz shallow | 24oz vented | 32oz | 32oz shallow | Description | 3x 17oz | 64oz | 64oz shallow | 80oz | 80oz shallow |
| UPC | 707068011022 | 707068011039 | 707068011909 | 707068011046 | 707068011053 | UPC | 707068011091 | 707068011107 | 707068011114 | 707068011121 | 707068011138 |
| Container ID (in) | 5 3/4 x 5 3/4 x 2 7/8 | 5 3/4 x 5 3/4 x 2 1/2 | 5 3/4 x 5 3/4 x 2 7/8 | 5 3/4 x 5 3/4 x 3 5/8 | 5 3/4 x 5 3/4 x 3 1/4 | Container ID (in) | 6 7/8 x 4 x 3 1/8 | 8 1/2 x 8 1/2 x 3 1/4 | 8 1/2 x 8 1/2 x 2 13/16 | 8 1/2 x 8 1/2 x 3 3/4 | 8 1/2 x 8 1/2 x 3 5/16 |
| Container OD (in) | 7 x 7 x 3 1/8 | 7 x 7 x 2 3/4 | 7 x 7 x 3 1/8 | 7 x 7 x 3 7/8 | 7 x 7 x 3 1/2 | Container OD (in) | 9 11/16 x 9 3/4 x 3 3/8 | 9 11/16 x 9 3/4 x 3 1/2 | 9 11/16 x 9 3/4 x 3 1/16 | 9 11/16 x 9 3/4 x 4 | 9 11/16 x 9 3/4 x 3 9/16 |
| Case Pack | 150 | 150 | 150 | 150 | 150 | Case Pack | 100 | 100 | 100 | 96 | 96 |
| Case Weight (lbs) | 12.9 | 12.9 | 12.9 | 14.5 | 14.5 | Case Weight (lbs) | 22.1 | 16.5 | 16.5 | 19.3 | 19.3 |
| TiHi | 5 x 6 | 5 x 6 | 5 x 6 | 5 x 6 | 5 x 6 | TiHi | 6 x 4 | 6 x 4 | 6 x 4 | 6 x 4 | 6 x 4 |
| Case OD (in) | 21 13/16 x 14 15/16 x 16 5/8 | 21 13/16 x 14 15/16 x 16 5/8 | 21 13/16 x 14 15/16 x 16 5/8 | 21 13/16 x 14 15/16 x 16 5/8 | 21 13/16 x 14 15/16 x 16 5/8 | Case OD (in) | 20 1/16 x 16 1/16 x 19 9/16 | 20 1/16 x 16 1/16 x 19 9/16 | 20 1/16 x 16 1/16 x 19 9/16 | 20 1/16 x 16 1/16 x 19 9/16 | 20 1/16 x 16 1/16 x 19 9/16 |
| Case Cubic Ft | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | Case Cubic Ft | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Base / Lid Ratio | 80/20 | 100/0 | 80/20 | 80/20 | 100/0 | Base / Lid Ratio | 100/0 | 85/15 | 100/0 | 80/20 | 100/0 |

| Item |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Description | 48oz deep | 48oz | 48oz shallow |
| UPC | 707068009906 | 707068011077 | 707068011084 |
| Container ID (in) | 5 3/4 x 5 3/4 x 4 7/16 | 8 1/2 x 8 1/2 x 2 9/16 | 8 1/2 x 8 1/2 x 2 3/16 |
| Container OD (in) | 7 x 7 x 4 11/16 | 9 11/16 x 9 3/4 x 2 7/8 | 9 11/16 x 9 3/4 x 2 7/16 |
| Case Pack | 138 | 100 | 100 |
| Case Weight (lbs) | 17.4 | 16.5 | 17.2 |
| TiHi | 5 x 6 | 6 x 4 | 6 x 4 |
| Case OD (in) | 21 13/16 x 14 15/16 x 16 5/8 | 20 1/16 x 16 1/16 x 19 9/16 | 20 1/16 x 16 1/16 x 19 9/16 |
| Case Cubic Ft | 3.1 | 3.6 | 3.6 |
| Base / Lid Ratio | 80/20 | 80/20 | 100/0 |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Ultra Clear Well-Rounded Design

Round stackable containers great for produce, deli and grab-and-go



6 Sizes

Options range from 8 to 32 fl oz



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Multiuse

Great for deli, cut fruit, veggies, pineapple cores, salads, snacks, candy and much more



Robust Hinged Lid

Great for multi-level merchandising

| Item | TS4008R | TS4012R | TS4016R | TS4024R | TS4025R |
|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Description | 8oz | 12oz | 16oz | 24oz | 25oz |
| UPC | 707068011541 | 707068011558 | 707068011565 | 707068011572 | 707068012463 |
| Container ID (in) | 4 3/16 X 4 3/16 X 1 1/8 | 4 3/16 X 4 3/16 X 1 3/4 | 4 3/16 X 4 3/16 X 2 3/8 | 4 3/16 X 4 3/16 X 3 5/8 | 4 3/16 X 4 3/16 X 4 3/16 |
| Container OD (in) | 5 5/16 X 5 1/8 X 1 11/16 | 5 5/16 X 5 1/8 X 2 5/16 | 5 5/16 X 5 1/8 X 2 15/16 | 5 5/16 X 5 1/8 X 4 3/16 | 5 5/16 X 5 1/8 X 4 3/4 |
| Case Pack | 340 | 320 | 300 | 280 | 270 |
| Case Weight (lbs) | 20.8 | 22.7 | 25.2 | 25.7 | 24.8 |
| TiHi | 6 x 5 | 6 x 5 | 6 x 5 | 6 x 5 | 6 x 5 |
| Case OD (in) | 25 9/16 X 11 1/16 X 19 1/4 | 25 9/16 X 11 1/16 X 19 1/4 | 25 9/16 X 11 1/16 X 19 1/4 | 25 9/16 X 11 1/16 X 19 1/4 | 25 9/16 X 11 1/16 X 19 1/4 |
| Case Cubic Ft | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

| Item | TS4032R |
|-------------------|----------------------------|
| Description | 32oz |
| UPC | 707068011589 |
| Container ID (in) | 4 3/16 X 4 3/16 X 5 1/4 |
| Container OD (in) | 5 5/16 X 5 1/8 X 5 13/16 |
| Case Pack | 240 |
| Case Weight (lbs) | 25.6 |
| TiHi | 6 x 5 |
| Case OD (in) | 25 9/16 X 11 1/16 X 19 1/4 |
| Case Cubic Ft | 3.2 |
| Base / Lid Ratio | 100/0 |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Snacking Made Simple

Crystal clear PET containers featuring 1, 2 and 4 compartments



Enhanced Clarity
Makes contents stand out and increase impulse consumer purchases








Diverse
Perfect for many markets and applications





Snack Your Way
Options of single to multiple compartments up to 48 fl oz



Easy Stacking
Efficient stacking and stable design great for multi-level merchandising

| Item |  |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Description | 1X 6OZ, 1X 16OZ | 2X 4OZ, 2X 5OZ | 4X 2.5OZ | 24OZ | 32OZ |
| UPC | 707068011763 | 707068011770 | 707068012098 | 707068012142 | 707068012135 |
| Container ID (in) | 5 1/4 X 5 1/4 X 1 13/16 | 5 1/4 X 5 1/4 X 1 13/16 | 5 1/4 X 5 1/4 X 1 | 5 1/4 X 5 1/4 X 1 7/8 | 5 3/8 X 5 3/8 X 2 1/4 |
| Container OD (in) | 6 1/8 X 6 3/8 X 2 3/16 | 6 1/8 X 6 3/8 X 2 1/4 | 6 1/8 X 6 3/8 X 1 1/2 | 6 1/8 X 6 3/8 X 2 3/8 | 6 1/8 X 6 3/8 X 2 5/8 |
| Case Pack | 252 | 252 | 252 | 252 | 252 |
| Case Weight (lbs) | 22.6 | 22.6 | 20.9 | 24.3 | 27.3 |
| TiHi | 6 X 5 | 6 X 5 | 6 X 5 | 6 X 5 | 6 X 5 |
| Case OD (in) | 23 15/16 X 13 5/16 X 18 5/16 | 23 15/16 X 13 5/16 X 18 5/16 | 23 15/16 X 13 5/16 X 18 5/16 | 23 15/16 X 13 5/16 X 18 5/16 | 23 15/16 X 13 5/16 X 18 5/16 |
| Case Cubic Ft | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

| Item |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Description | 48OZ | 21OZ |
| UPC | 707068011787 | 707068012029 |
| Container ID (in) | 5 1/4 X 5 1/4 X 3 5/8 | 5 1/4 X 5 5/16 X 2 |
| Container OD (in) | 6 1/8 X 6 3/8 X 4 1/8 | 6 1/8 X 6 3/8 X 2 9/16 |
| Case Pack | 216 | 252 |
| Case Weight (lbs) | 28.4 | 20.0 |
| TiHi | 6 X 5 | 6 X 5 |
| Case OD (in) | 23 15/16 X 13 5/16 X 18 5/16 | 23 15/16 X 13 5/16 X 18 5/16 |
| Case Cubic Ft | 3.4 | 3.4 |
| Base / Lid Ratio | 100/0 | 55/45 |














Vented Solutions

Know your product is secure with tamper evident Safe-T-Fresh® containers. Benefits include unique venting solutions for foods that require additional airflow to allow for outgassing.

Specialized venting systems have been strategically designed to allow excess moisture or gases to be released, keeping contents fresher...longer.



| Item |  TS17VT |  TS20V |  TS24V |  TS32V |  TS35V |
|-------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Description | 17OZ | 20OZ | 24OZ | 32OZ | 35OZ |
| UPC | 707068010001 | 707068012258 | 707068012210 | 707068012265 | 707068010742 |
| Container ID (in) | 3 3/4 x 5 1/4 x 1 15/16 | 6 1/4 x 4 1/16 x 1 1/2 | 6 1/4 x 4 1/16 x 1 7/8 | 6 1/4 x 4 1/16 x 2 7/16 | 7 3/8 x 6 3/8 x 1 5/8 |
| Container OD (in) | 4 1/2 x 6 5/8 x 2 | 7 3/8 x 5 5/8 x 1 13/16 | 7 3/8 x 5 5/8 x 2 5/16 | 7 3/8 x 5 5/8 x 2 3/4 | 8 3/4 x 7 7/8 x 1 7/8 |
| Case Pack | 320 | 200 | 200 | 200 | 150 |
| Case Weight (lbs) | 14.7 | 16.1 | 16.0 | 18.1 | 19.2 |
| TiHi | 6 x 5 | 5 x 6 | 5 x 6 | 5 x 6 | 5 x 5 |
| Case OD (in) | 23 15/16 x 12 13/16 x 18 3/8 | 23 5/16 x 15 13/16 x 14 7/8 | 23 5/16 x 15 13/16 x 14 7/8 | 23 5/16 x 15 13/16 x 14 7/8 | 23 7/8 x 16 1/4 x 17 15/16 |
| Case Cubic Ft | 3.3 | 3.2 | 3.2 | 3.2 | 4.0 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 100/0 | 100/0 |

| Item |  TS48V |  TS64LV |  TS112V |  TS128V |
|-------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Description | 48OZ | 64OZ | 112OZ | 128OZ |
| UPC | 707068010735 | 707068010728 | 707068012067 | 707068011640 |
| Container ID (in) | 7 3/8 x 6 3/8 x 2 | 7 3/8 x 6 3/8 x 2 7/8 | 11 1/2 x 6 13/16 x 2 7/8 | 10 9/16 x 6 13/16 x 3 5/8 |
| Container OD (in) | 8 3/4 x 7 7/8 x 2 3/8 | 8 3/4 x 7 7/8 x 3 1/8 | 12 1/2 x 7 15/16 x 3 3/8 | 12 7/16 x 7 15/16 x 4 5/16 |
| Case Pack | 150 | 150 | 60 | 60 |
| Case Weight (lbs) | 22.2 | 20.2 | 15.7 | 15.7 |
| TiHi | 5 x 5 | 5 x 5 | 8 x 5 | 8 x 5 |
| Case OD (in) | 23 7/8 x 16 1/4 x 17 15/16 | 23 7/8 x 16 1/4 x 17 15/16 | 16 5/16 x 12 15/16 x 19 13/16 | 16 5/16 x 12 15/16 x 19 13/16 |
| Case Cubic Ft | 4.0 | 4.0 | 2.4 | 2.4 |
| Base / Lid Ratio | 100/0 | 100/0 | 100/0 | 95/5 |



Types of Vented Solutions



Narrow Vents

Side and bottom vents allow moisture and gases to escape and maintain freshness of herbs, fresh vegetables, and uncut fruit.



Channel Vents






Large vents in the seal area enable airflow through the container. Great for produce needing excess air.



Microvents

These unique microvents permit food gases to escape, maintaining product freshness.



Note: Item numbers ending in V or VT stand for vented.

| Item |  |  |  |  |  |
|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| TS8CCRV | TS8CCRDV | TS12CCRV | TS12CCRDV | TS16CCRV | |
| Description | 8oz | 8oz dome | 12oz | 12oz dome | 16oz |
| UPC | 707068011206 | 707068011213 | 707068011176 | 707068011183 | 707068011220 |
| Container ID (in) | 3 1/2 X 3 1/2 X 2 3/8 | 3 1/2 X 3 1/2 X 3 3/8 | 3 1/2 X 3 1/2 X 3 7/16 | 3 1/2 X 3 1/2 X 4 3/8 | 3 1/2 X 3 1/2 X 4 3/8 |
| Container OD (in) | 4 3/8 X 4 7/16 X 2 7/16 | 4 3/8 X 4 7/16 X 3 7/16 | 4 3/8 X 4 7/16 X 3 1/2 | 4 3/8 X 4 7/16 X 4 7/16 | 4 3/8 X 4 7/16 X 4 7/16 |
| Case Pack | 272 | 272 | 256 | 256 | 232 |
| Case Weight (lbs) | 9.0 | 9.0 | 10.8 | 10.0 | 12.0 |
| TiHi | 10 X 5 | 10 X 5 | 10 X 5 | 10 X 5 | 10 X 5 |
| Case OD (in) | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 | 20 3/16 X 9 7/16 X 17 7/16 |
| Case Cubic Ft | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| Base / Lid Ratio | 100/0 | 60/40 | 100/0 | 70/30 | 100/0 |



| Item |  |
|--------------------------|-------------------------------------------------------------------------------------|
| TS16CCRDV | |
| Description | 16oz dome |
| UPC | 707068011237 |
| Container ID (in) | 3 1/2 X 3 1/2 X 5 3/8 |
| Container OD (in) | 4 3/8 X 4 7/16 X 5 7/16 |
| Case Pack | 232 |
| Case Weight (lbs) | 12.0 |
| TiHi | 10 X 5 |
| Case OD (in) | 20 3/16 X 9 7/16 X 17 7/16 |
| Case Cubic Ft | 1.9 |
| Base / Lid Ratio | 75/25 |



| Item |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| TS12RNV | TS24RNV | |
| Description | 12oz vented | 24oz vented |
| UPC | 707068011893 | 707068011909 |
| Container ID (in) | 4 11/16 X 4 11/16 X 2 5/16 | 5 3/4 X 5 3/4 X 2 7/8 |
| Container OD (in) | 5 7/8 X 5 3/4 X 2 9/16 | 7 X 7 X 3 1/8 |
| Case Pack | 240 | 150 |
| Case Weight (lbs) | 11.9 | 12.9 |
| TiHi | 6 X 5 | 5 X 6 |
| Case OD (in) | 24 X 12 3/4 X 18 7/8 | 21 13/16 X 14 15/16 X 16 5/8 |
| Case Cubic Ft | 3.3 | 3.1 |
| Base / Lid Ratio | 90/10 | 80/20 |



ip Essentials

Economical, efficient and dependable. Our Essentials portfolio includes a proven and comprehensive blend of packaging solutions for every market.



Peace of Mind
Confidence that food will stay safe, fresh and engaging on the shelf

Sturdy Design
Diversified brand of clamshells and two piece containers

Highest Clarity DPET™ Material
Low Carbon Footprint

Maximize Shelf Utilization
Conserve valuable shelf space with stackable packaging

Proven Security
Double line locks keep containers firmly closed

Clear View
Easy open feature with minimal ribbing for enhanced viewing

100% Recyclable

Automation Solutions Available

Diversified brand of clamshells and two piece containers



ip Essentials
SureLock®

ip Essentials
SureChoice®

ip Essentials
VisiblyFresh®

ip Essentials
CrystalFresh®

ip Essentials
PartyPlatters

ip Essentials
EZ Open®

ip Essentials
ValuPack®





The Standard in Dependability

The most complete line of clamshell packaging for every need



Easy to Open

Container and its contents will not be damaged while opening or closing



SureLock® Security

Double line locks provide maximum security and prevent lids from opening



Sanitary Lid Design

Sanitary lid design overlaps base to keep out crumbs and other contaminants








Stackability

Conserve valuable shelf space while creating eye-catching displays



SureLock® Rounds
shaped for all of your pie needs.

| Item |  SLP106 |  SLP108 |  SLP109 |  SLP109SB |  SLP110 |
|-------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Description | 31OZ | 64OZ | 86OZ | 78OZ | 104OZ |
| UPC | 707068007308 | 707068007315 | 707068007322 | 707068008497 | 707068007339 |
| Container ID (in) | 4 x 6 1/2 x 1 15/16 | 5 9/16 x 8 3/8 x 2 1/4 | 6 3/4 x 9 7/16 x 2 1/2 | 6 3/4 x 9 7/16 x 2 | 7 1/8 x 10 x 2 11/16 |
| Container OD (in) | 7 x 7 3/8 x 2 1/16 | 8 7/8 x 9 1/4 x 2 9/16 | 9 7/8 x 10 1/4 x 2 7/8 | 9 7/8 x 10 1/4 x 2 1/2 | 10 9/16 x 11 x 2 15/16 |
| Case Pack | 300 | 200 | 200 | 200 | 200 |
| Case Weight (lbs) | 15.1 | 19.8 | 26.1 | 26.1 | 28.3 |
| TiHi | 6 x 6 | 7 x 5 | 6 x 4 | 6 x 4 | 6 x 4 |
| Case OD (in) | 19 11/16 x 15 13/16 x 14 7/8 | 19 9/16 x 13 9/16 x 18 3/16 | 20 13/16 x 14 13/16 x 20 5/8 | 20 13/16 x 14 13/16 x 20 5/8 | 22 7/8 x 13 13/16 x 21 7/8 |
| Case Cubic Ft | 2.6 | 2.8 | 3.7 | 3.7 | 4.0 |
| Base / Lid Ratio | 70/30 | 65/35 | 65/35 | 55/45 | 65/35 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

| Item | SLP116 | SLP118 | SLP119 | SLP120 | SLP204 |
|-------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Description | 500Z | 910Z | 1200Z | 1420Z | 110Z |
| UPC | 707068007353 | 707068008817 | 707068007377 | 707068007384 | 707068007537 |
| Container ID (in) | 4 x 6 1/2 x 3 1/8 | 5 9/16 x 8 3/8 x 3 5/16 | 6 3/4 x 9 7/16 x 3 1/2 | 7 1/8 x 10 x 3 5/8 | 4 3/8 x 4 3/8 x 1 9/16 |
| Container OD (in) | 7 x 7 3/8 x 3 5/16 | 8 7/8 x 9 1/4 x 3 5/8 | 9 7/8 x 10 1/4 x 3 13/16 | 10 9/16 x 11 x 3 7/8 | 5 1/2 x 4 15/16 x 1 3/4 |
| Case Pack | 300 | 200 | 200 | 200 | 400 |
| Case Weight (lbs) | 20.4 | 22.5 | 29.3 | 34.0 | 12.6 |
| TiHi | 6 x 6 | 6 x 5 | 6 x 4 | 5 x 4 | 8 x 6 |
| Case OD (in) | 20 ¹³ / ₁₆ x 15 ⁵ / ₁₆ x 14 ³ / ₄ | 19 ⁷ / ₁₆ x 15 ⁹ / ₁₆ x 18 ¹ / ₂ | 21 ¹ / ₁₆ x 15 ⁵ / ₁₆ x 20 ⁷ / ₁₆ | 22 ¹³ / ₁₆ x 15 ¹ / ₁₆ x 21 ⁷ / ₈ | 20 ⁵ / ₁₆ x 12 ¹ / ₁₆ x 14 ³ / ₈ |
| Case Cubic Ft | 2.7 | 3.2 | 3.8 | 4.3 | 2.0 |
| Base / Lid Ratio | 45/55 | 45/55 | 50/50 | 50/50 | 65/35 |

| Item | SLP228 | SLP236 | SLP309 | SLP309D |
|-------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Description | 920Z | 550Z | 760Z | 1010Z |
| UPC | 707068007698 | 707068009104 | 707068007773 | 707068007780 |
| Container ID (in) | 8 3/16 x 8 3/8 x 3 3/16 | 6 x 6 x 3 3/8 | 9 1/8 x 9 5/16 x 2 1/4 | 9 1/8 x 9 5/16 x 2 13/16 |
| Container OD (in) | 8 7/8 x 9 1/4 x 3 3/8 | 7 x 7 3/8 x 3 5/8 | 9 7/8 x 10 5/16 x 2 3/8 | 9 7/8 x 10 5/16 x 3 1/16 |
| Case Pack | 200 | 300 | 200 | 200 |
| Case Weight (lbs) | 23.7 | 22.8 | 27.8 | 29.3 |
| TiHi | 6 x 5 | 5 x 6 | 6 x 4 | 6 x 4 |
| Case OD (in) | 19 ⁷ / ₁₆ x 16 ⁵ / ₁₆ x 18 ³ / ₈ | 23 ⁵ / ₁₆ x 15 ⁹ / ₁₆ x 14 ¹ / ₂ | 20 ¹³ / ₁₆ x 14 ¹³ / ₁₆ x 20 ⁵ / ₈ | 20 ¹³ / ₁₆ x 14 ¹³ / ₁₆ x 20 ⁵ / ₈ |
| Case Cubic Ft | 3.4 | 3.0 | 3.7 | 3.7 |
| Base / Lid Ratio | 25/75 | 65/35 | 40/60 | 30/70 |








| Item | SLP208 | SLP209 | SLP210 | SLP218 | SLP227 |
|-------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Description | 250Z | 330Z | 400Z | 1140Z | 640Z |
| UPC | 707068007568 | 707068007575 | 707068007599 | 707068007629 | 707068007674 |
| Container ID (in) | 8 3/16 x 4 1/16 x 1 9/16 | 9 1/16 x 4 1/2 x 2 3/16 | 10 1/16 x 5 x 2 3/16 | 5 9/16 x 8 3/8 x 4 5/16 | 7 1/4 x 7 7/16 x 2 13/16 |
| Container OD (in) | 8 13/16 x 5 3/16 x 1 7/8 | 9 13/16 x 6 1/16 x 2 5/16 | 10 13/16 x 6 1/2 x 2 5/16 | 8 7/8 x 9 1/4 x 4 1/2 | 8 x 8 3/8 x 3 1/16 |
| Case Pack | 250 | 250 | 200 | 150 | 200 |
| Case Weight (lbs) | 12.4 | 19.6 | 15.8 | 21.1 | 20.8 |
| TiHi | 9 x 5 | 6 x 7 | 6 x 6 | 7 x 5 | 6 x 4 |
| Case OD (in) | 17 ⁷ / ₁₆ x 10 ¹³ / ₁₆ x 18 ¹ / ₂ | 20 ⁷ / ₁₆ x 16 ¹ / ₁₆ x 13 | 21 ¹⁵ / ₁₆ x 13 ⁵ / ₁₆ x 13 ⁷ / ₈ | 19 ⁹ / ₁₆ x 13 ⁹ / ₁₆ x 18 ³ / ₁₆ | 17 ⁵ / ₁₆ x 16 ⁹ / ₁₆ x 16 ⁵ / ₈ |
| Case Cubic Ft | 2.0 | 2.5 | 2.3 | 2.8 | 2.8 |
| Base / Lid Ratio | 65/35 | 70/30 | 70/30 | 35/65 | 35/65 |








Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.








SureLock® Rectangles and Squares
shaped for all bakery treats.






| Item |  |  |  |  |  |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | SLP10 | SLP104S | SLP15B | SLP174 | SLP17D |
| Description | 220Z | 380Z | 490Z | 350Z | 210Z |
| UPC | 707068008848 | 707068009111 | 707068007421 | 707068007452 | 707068007469 |
| Container ID (in) | 4 5/8 X 4 5/8 X 2 | 8 7/8 X 4 5/16 X 1 15/16 | 7 3/8 X 3 3/4 X 3 7/16 | 6 5/8 X 3 7/16 X 3 | 6 5/8 X 3 7/16 X 1 3/4 |
| Container OD (in) | 5 1/4 X 5 5/8 X 2 1/8 | 9 1/2 X 5 1/2 X 2 | 8 X 4 13/16 X 3 5/8 | 7 1/4 X 4 7/16 X 3 3/8 | 7 3/4 X 4 7/16 X 1 13/16 |
| Case Pack | 500 | 300 | 500 | 400 | 400 |
| Case Weight (lbs) | 16.5 | 20.1 | 27.6 | 16.7 | 14.2 |
| TiHi | 5 x 8 | 8 x 5 | 5 x 4 | 6 x 6 | 6 x 6 |
| Case OD (in) | 23 1/16 X 16 X 11 3/16 | 16 13/16 X 11 13/16 X 19 3/4 | 21 5/16 X 16 1/2 X 19 7/8 | 18 5/16 X 14 11/16 X 15 1/8 | 18 5/16 X 14 11/16 X 15 1/8 |
| Case Cubic Ft | 2.4 | 2.3 | 4.0 | 2.4 | 2.4 |
| Base / Lid Ratio | 65/35 | 45/55 | 55/45 | 50/50 | 65/35 |













| Item |  |  |  |  |  |
|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | SLP17XD | SLP18 | SLP18D | SLP19 | SLP20 |
| Description | 280Z | 260Z | 360Z | 480Z | 270Z |
| UPC | 707068007476 | 707068007483 | 707068007490 | 707068008862 | 707068007513 |
| Container ID (in) | 6 5/8 X 3 7/16 X 2 7/16 | 7 7/8 X 3 1/2 X 1 3/4 | 7 7/8 X 3 1/2 X 2 5/8 | 7 7/8 X 3 1/2 X 3 7/16 | 4 5/8 X 4 5/8 X 2 9/16 |
| Container OD (in) | 7 3/4 X 4 7/16 X 2 9/16 | 8 1/2 X 4 7/16 X 1 7/8 | 8 1/2 X 4 7/16 X 2 11/16 | 8 1/2 X 4 7/16 X 3 1/2 | 5 1/4 X 5 5/8 X 2 3/4 |
| Case Pack | 400 | 300 | 300 | 300 | 500 |
| Case Weight (lbs) | 16.7 | 15.0 | 18.2 | 18.2 | 17.9 |
| TiHi | 6 x 6 | 8 x 5 | 9 x 5 | 9 x 5 | 5 x 8 |
| Case OD (in) | 18 5/16 X 14 11/16 X 15 1/8 | 20 13/16 X 9 7/16 X 18 1/8 | 23 5/16 X 9 1/16 X 18 3/8 | 23 5/16 X 9 1/16 X 18 3/8 | 23 1/16 X 16 X 11 3/16 |
| Case Cubic Ft | 2.4 | 2.1 | 2.2 | 2.2 | 2.4 |
| Base / Lid Ratio | 50/50 | 50/50 | 65/35 | 50/50 | 50/50 |






| Item |  |  |  |  |  |
|-------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | SLP20D | SLP23 | SLP25 | SLP26 | SLP27 |
| Description | 330Z | 400Z | 460Z | 330Z | 530Z |
| UPC | 707068007582 | 707068008541 | 707068007711 | 707068007018 | 707068007728 |
| Container ID (in) | 4 5/8 X 4 5/8 X 3 1/16 | 6 9/16 X 6 9/16 X 1 7/16 | 5 1/2 X 5 7/16 X 3 1/8 | 6 5/16 X 4 7/8 X 1 15/16 | 6 5/16 X 4 7/8 X 3 5/16 |
| Container OD (in) | 5 1/4 X 5 5/8 X 3 1/8 | 7 9/16 X 8 X 1 3/4 | 6 1/16 X 6 7/16 X 3 5/16 | 6 15/16 X 5 7/8 X 2 1/16 | 6 15/16 X 5 7/8 X 3 1/2 |
| Case Pack | 500 | 300 | 500 | 300 | 300 |
| Case Weight (lbs) | 19.3 | 23.7 | 25.4 | 13.7 | 19.6 |
| TiHi | 5 x 7 | 6 x 6 | 4 x 6 | 6 x 7 | 6 x 6 |
| Case OD (in) | 23 3/16 X 16 11/16 X 12 3/8 | 20 13/16 X 16 11/16 X 15 7/8 | 23 5/16 X 18 15/16 X 13 7/8 | 21 1/16 X 14 3/16 X 12 1/2 | 23 13/16 X 12 7/8 X 14 7/16 |
| Case Cubic Ft | 2.8 | 3.2 | 3.5 | 2.2 | 2.4 |
| Base / Lid Ratio | 55/45 | 70/30 | 60/40 | 60/40 | 70/30 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

| Item |  SLP29 |  SLP30 |  SLP300 |  SLP30S |  SLP30XS |
|-------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Description | 36oz | 52oz | 12oz lid | 47oz | 44oz |
| UPC | 707068007742 | 707068007759 | 707068007186 | 707068007803 | 707068009074 |
| Container ID (in) | 6 ¼ x 4 7/8 x 2 ¼ | 8 ¾ x 5 ¾ x 2 ¼ | 6 7/16 x 5 ¼ x 1 11/16 | 8 ¾ x 5 ¾ x 1 13/16 | 8 ¾ x 5 ¾ x 1 9/16 |
| Container OD (in) | 6 15/16 x 5 15/16 x 2 ½ | 9 3/8 x 6 ¾ x 2 3/16 | 7 3/16 x 5 15/16 x ¾ | 9 3/8 x 6 ¾ x 2 1/16 | 9 3/8 x 6 ¾ x 1 13/16 |
| Case Pack | 300 | 300 | 500 | 300 | 300 |
| Case Weight (lbs) | 18.9 | 20.8 | 14.3 | 20.8 | 20.8 |
| TiHi | 6 x 6 | 7 x 5 | 15 x 7 | 7 x 5 | 7 x 5 |
| Case OD (in) | 23 13/16 x 12 1/8 x 14 7/16 | 19 13/16 x 13 15/16 x 19 5/16 | 16 5/16 x 7 9/16 x 12 ½ | 19 13/16 x 13 15/16 x 19 5/16 | 19 13/16 x 13 15/16 x 19 5/16 |
| Case Cubic Ft | 2.4 | 3.1 | 0.9 | 3.1 | 3.1 |
| Base / Lid Ratio | 85/15 | 55/45 | Match SLP324 base | 50/50 | 55/45 |

| Item |  SLP38D |  SLP40 |  SLP40S |  SLP41 |  SLP49 |
|-------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Description | 77oz | 74oz | 67oz | 83oz | 61oz |
| UPC | 707068007087 | 707068007902 | 707068007926 | 707068007933 | 707068008015 |
| Container ID (in) | 8 7/8 x 4 7/16 x 3 15/16 | 8 ¾ x 5 ¾ x 2 15/16 | 8 ¾ x 5 ¾ x 2 9/16 | 10 1/8 x 5 ¼ x 3 1/8 | 8 ½ x 5 3/8 x 2 ¾ |
| Container OD (in) | 9 ½ x 5 ½ x 4 1/8 | 9 3/8 x 6 ¾ x 3 1/16 | 9 3/8 x 6 ¾ x 2 11/16 | 10 3/4 x 6 ¼ x 3 ¼ | 9 1/16 x 6 3/8 x 2 7/8 |
| Case Pack | 200 | 276 | 300 | 300 | 300 |
| Case Weight (lbs) | 19.6 | 22.6 | 26.3 | 27.6 | 27.1 |
| TiHi | 8 x 4 | 7 x 5 | 7 x 5 | 4 x 6 | 6 x 5 |
| Case OD (in) | 19 15/16 x 11 5/16 x 19 7/8 | 19 13/16 x 13 15/16 x 19 5/16 | 21 5/16 x 13 15/16 x 19 ½ | 22 1/16 x 20 5/16 x 13 3/16 | 22 5/16 x 13 1/16 x 18 13/16 |
| Case Cubic Ft | 2.6 | 3.1 | 3.4 | 3.4 | 3.2 |
| Base / Lid Ratio | 40/60 | 60/40 | 65/35 | 55/45 | 70/30 |

| Item |  SLP32 |  SLP324 |  SLP35 |  SLP37 |  SLP38 |
|-------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Description | 62oz | 24oz | 59oz | 61oz | 67oz |
| UPC | 707068008602 | 707068007193 | 707068007865 | 707068007896 | 707068007070 |
| Container ID (in) | 8 ¾ x 5 ¾ x 2 1/16 | 6 ¾ x 5 ¾ x 1 3/16 | 8 5/16 x 4 15/16 x 3 ¼ | 8 3/16 x 6 1/8 x 2 9/16 | 8 7/8 x 4 7/16 x 3 7/16 |
| Container OD (in) | 9 3/8 x 6 ¾ x 2 5/8 | 7 ½ x 6 5/16 x 1 1/16 | 8 7/8 x 5 5/16 x 3 3/8 | 8 11/16 x 7 1/8 x 2 11/16 | 9 ½ x 5 ½ x 3 5/8 |
| Case Pack | 300 | 500 | 500 | 250 | 192 |
| Case Weight (lbs) | 20.8 | 17.2 | 30.3 | 20.3 | 18.8 |
| TiHi | 7 x 5 | 6 x 4 | 5 x 5 | 6 x 5 | 8 x 4 |
| Case OD (in) | 19 13/16 x 13 15/16 x 19 5/16 | 18 5/16 x 15 11/16 x 19 3/4 | 21 13/16 x 16 1/8 x 18 ½ | 18 5/16 x 14 9/16 x 18 1/8 | 19 15/16 x 11 5/16 x 19 7/8 |
| Case Cubic Ft | 3.1 | 3.3 | 3.8 | 2.8 | 2.6 |
| Base / Lid Ratio | 55/45 | Match SLP300 lid | 50/50 | 60/40 | 30/70 |

| Item |  SLP50 |  SLP510 |  SLP5120 |  SLP5125 |  SLP53 |
|-------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Description | 81oz | 120oz | 73oz | 44oz | 97oz |
| UPC | 707068008022 | 707068008039 | 707068008053 | 707068008077 | 707068008091 |
| Container ID (in) | 8 ½ x 8 ½ x 2 1/16 | 8 ½ x 8 ½ x 3 7/16 | 7 11/16 x 6 7/8 x 2 13/16 | 7 11/16 x 6 11/16 x 1 ¾ | 10 ¼ x 5 5/8 x 3 3/8 |
| Container OD (in) | 9 x 9 ½ x 2 ¼ | 9 x 9 ½ x 3 ½ | 8 ¼ x 7 11/16 x 2 15/16 | 8 ¼ x 7 11/16 x 1 7/8 | 10 7/8 x 6 5/8 x 3 ½ |
| Case Pack | 350 | 200 | 250 | 250 | 300 |
| Case Weight (lbs) | 41.6 | 27.6 | 22.2 | 22.3 | 33.8 |
| TiHi | 4 x 5 | 6 x 5 | 6 x 5 | 6 x 5 | 4 x 6 |
| Case OD (in) | 23 3/16 x 19 9/16 x 19 | 19 9/16 x 16 9/16 x 18 ¾ | 18 15/16 x 16 1/16 x 17 ½ | 18 15/16 x 16 1/16 x 17 ½ | 22 3/8 x 20 13/16 x 13 15/16 |
| Case Cubic Ft | 5.0 | 3.5 | 3.1 | 3.1 | 3.8 |
| Base / Lid Ratio | 55/45 | 55/45 | 60/40 | 50/50 | 65/35 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

| Item | SLP55 | SLP57 | SLP58 | SLP60 | SLP65 |
|-------------------|-------------------------|-------------------------|----------------------------|-----------------------------|----------------------------|
| Description | 550Z | 980Z | 840Z | 950Z | 600Z |
| UPC | 707068007063 | 707068008114 | 707068008138 | 707068008152 | 707068008176 |
| Container ID (in) | 7 1/2 X 7 1/2 X 2 13/16 | 9 7/8 X 7 3/16 X 2 7/16 | 10 7/8 X 7 X 2 1/16 | 13 11/16 X 4 1/2 X 2 15/16 | 11 3/8 X 3 15/16 X 2 1/2 |
| Container OD (in) | 8 9/16 X 9 X 2 15/16 | 10 1/2 X 8 5/16 X 2 5/8 | 11 1/2 X 8 X 2 1/4 | 14 5/16 X 5 7/16 X 3 1/16 | 12 1/4 X 5 1/8 X 2 5/8 |
| Case Pack | 300 | 300 | 200 | 300 | 250 |
| Case Weight (lbs) | 34.3 | 33.2 | 27.2 | 31.9 | 21.7 |
| TiHi | 4 X 5 | 4 X 5 | 5 X 5 | 4 X 6 | 7 X 4 |
| Case OD (in) | 20 1/16 X 18 7/16 X 18 | 21 9/16 X 19 13/16 X 17 | 16 1/16 X 16 7/16 X 24 1/8 | 22 13/16 X 20 1/16 X 15 1/8 | 18 5/16 X 13 1/16 X 21 3/8 |
| Case Cubic Ft | 3.9 | 4.2 | 3.7 | 4.0 | 3.0 |
| Base / Lid Ratio | 55/45 | 50/50 | 55/45 | 50/50 | 50/50 |

| Item | SLP75D | SLP77 | SLP80 | SLP88 | SLP88S |
|-------------------|-----------------------------|-------------------------------|-----------------------------|----------------------------|-----------------------------|
| Description | 710Z | 1210Z | 1300Z | 1940Z | 1390Z |
| UPC | 707068007032 | 707068008244 | 707068007049 | 707068008282 | 707068009319 |
| Container ID (in) | 11 3/8 X 5 3/16 X 2 1/4 | 11 9/16 X 7 3/4 X 2 11/16 | 9 15/16 X 7 3/8 X 3 1/2 | 10 3/16 X 8 3/4 X 4 1/4 | 10 3/16 X 8 3/4 X 3 3/16 |
| Container OD (in) | 12 3/8 X 6 1/4 X 2 3/8 | 12 3/16 X 8 3/4 X 2 3/4 | 10 1/2 X 8 9/16 X 3 5/8 | 10 13/16 X 9 13/16 X 4 3/8 | 10 13/16 X 9 13/16 X 3 5/16 |
| Case Pack | 300 | 150 | 300 | 200 | 200 |
| Case Weight (lbs) | 32.6 | 23.8 | 36.9 | 31.1 | 31.1 |
| TiHi | 4 X 6 | 4 X 7 | 4 X 4 | 4 X 4 | 4 X 4 |
| Case OD (in) | 26 3/16 X 16 9/16 X 13 3/16 | 22 5/16 X 17 15/16 X 12 15/16 | 21 13/16 X 17 1/16 X 21 5/8 | 20 1/16 X 18 5/16 X 22 1/4 | 22 1/16 X 18 5/16 X 20 3/8 |
| Case Cubic Ft | 3.3 | 3.0 | 4.8 | 4.7 | 4.8 |
| Base / Lid Ratio | 50/50 | 50/50 | 70/30 | 55/45 | 70/30 |

| Item | SLP67 | SLP69 | SLP70 | SLP70W | SLP75 |
|-------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Description | 450Z | 430Z | 1010Z | 1010Z | 670Z |
| UPC | 707068007124 | 707068008183 | 707068008190 | 707068011473 | 707068007025 |
| Container ID (in) | 11 13/16 X 4 11/16 X 1 3/8 | 5 5/8 X 5 5/16 X 3 | 7 11/16 X 7 5/8 X 3 3/8 | 7 11/16 X 7 5/8 X 3 7/16 | 11 3/8 X 5 3/16 X 2 |
| Container OD (in) | 12 3/8 X 5 3/4 X 1 11/16 | 6 3/16 X 6 5/16 X 3 3/16 | 8 1/4 X 8 3/4 X 3 1/2 | 8 1/4 X 8 3/4 X 3 1/2 | 12 3/8 X 6 1/4 X 2 1/8 |
| Case Pack | 300 | 300 | 200 | 170 | 300 |
| Case Weight (lbs) | 28.6 | 17.5 | 20.2 | 24.4 | 30.3 |
| TiHi | 4 X 6 | 8 X 4 | 6 X 5 | 6 X 5 | 4 X 6 |
| Case OD (in) | 23 3/16 X 19 13/16 X 13 | 16 5/16 X 13 1/8 X 19 7/16 | 17 13/16 X 14 5/16 X 17 3/8 | 17 13/16 X 14 5/16 X 17 3/8 | 26 3/16 X 16 9/16 X 13 3/16 |
| Case Cubic Ft | 3.5 | 2.4 | 2.6 | 2.6 | 3.3 |
| Base / Lid Ratio | 80/20 | 75/25 | 60/40 | 80/20 | 40/60 |

| Item | SLP90 | SLP95 | SLP97 |
|-------------------|-----------------------------|-----------------------------|--------------------------|
| Description | 890Z | 1010Z | 850Z |
| UPC | 707068008299 | 707068008305 | 707068011251 |
| Container ID (in) | 12 11/16 X 5 5/16 X 2 5/16 | 12 11/16 X 5 5/16 X 2 1/2 | 14 3/4 X 5 3/4 X 1 7/8 |
| Container OD (in) | 13 5/16 X 6 11/16 X 2 1/2 | 13 5/16 X 6 11/16 X 2 3/4 | 15 1/2 X 6 3/4 X 2 |
| Case Pack | 200 | 200 | 180 |
| Case Weight (lbs) | 23.0 | 24.7 | 25.8 |
| TiHi | 5 X 6 | 5 X 6 | 5 X 6 |
| Case OD (in) | 22 15/16 X 14 1/16 X 14 1/8 | 22 15/16 X 14 1/16 X 14 1/8 | 23 3/4 X 13 7/8 X 16 1/8 |
| Case Cubic Ft | 2.6 | 2.6 | 3.1 |
| Base / Lid Ratio | 60/40 | 50/50 | 50/50 |













Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





Essentials SureLock® Cookies with Shelves





Essentials SureLock® Multi Compartment

| Item |  |  |  |  |  |
|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Description | 420Z | 420Z | 2X 250Z | 910Z | 3X 140Z |
| UPC | 707068007094 | 707068007100 | 707068008633 | 707068009388 | 707068007834 |
| Container ID (in) | 9 x 3 3/4 x 2 3/8 | 9 x 3 3/4 x 2 3/8 | 3 1/8 x 7 1/2 x 2 1/4 | 7 3/4 x 8 1/16 x 3 3/16 | 8 9/16 x 6 1/2 x 2 1/4 |
| Container OD (in) | 9 11/16 x 4 3/4 x 2 11/16 | 9 11/16 x 4 3/4 x 2 11/16 | 7 1/4 x 8 3/4 x 2 3/8 | 8 1/2 x 9 3/16 x 3 1/4 | 8 9/16 x 6 1/2 x 2 1/4 |
| Case Pack | 300 | 300 | 300 | 180 | 264 |
| Case Weight (lbs) | 18.5 | 18.4 | 28.2 | 23.0 | 19.4 |
| TiHi | 7 x 4 | 7 x 4 | 4 x 6 | 6 x 5 | 7 x 5 |
| Case OD (in) | 19 7/16 x 12 1/16 x 20 7/16 | 19 7/16 x 12 1/16 x 20 7/16 | 22 5/16 x 17 13/16 x 15 1/8 | 18 13/16 x 15 11/16 x 17 5/8 | 20 1/16 x 13 9/16 x 18 3/8 |
| Case Cubic Ft | 2.8 | 2.8 | 3.5 | 3.0 | 2.9 |
| Base / Lid Ratio | 60/40 | 60/40 | 60/40 | 80/20 | 65/35 |

| Item |  |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Description | 12X 70Z | 4X 40Z | 6X 70Z | 1X 230Z, 1X 460Z | 1X 470Z, 2X 230Z |
| UPC | 707068009760 | 707068007414 | 707068009944 | 707068007940 | 707068008800 |
| Container ID (in) | 3 3/8 x 1 1/4 x 3 3/8 | 2 x 5 1/8 x 1 5/8 | 3 3/8 x 1 1/4 x 3 3/8 | 9 3/8 x 6 3/4 x 2 13/16 | 8 1/4 x 8 3/4 x 3 1/2 |
| Container OD (in) | 9 3/8 x 7 13/16 x 3 1/2 | 7 1/2 x 6 1/2 x 1 11/16 | 5 x 7 9/16 x 3 9/16 | 9 3/8 x 6 3/4 x 2 13/16 | 8 1/4 x 8 3/4 x 3 1/2 |
| Case Pack | 174 | 300 | 192 | 300 | 200 |
| Case Weight (lbs) | 21.3 | 20.5 | 11.2 | 24.5 | 21.7 |
| TiHi | 6 x 4 | 6 x 5 | 6 x 6 | 7 x 5 | 6 x 5 |
| Case OD (in) | 20 1/16 x 15 11/16 x 19 1/2 | 19 13/16 x 15 9/16 x 13 13/16 | 18 15/16 x 15 5/16 x 15 3/4 | 19 13/16 x 13 15/16 x 14 5/16 | 17 13/16 x 14 5/16 x 17 3/8 |
| Case Cubic Ft | 3.6 | 2.5 | 2.6 | 2.3 | 2.6 |
| Base / Lid Ratio | 50/50 | 50/50 | 50/50 | 50/50 | 60/40 |

| Item |  |  |  |  |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Description | 3X 140Z | 2X 350Z | 690Z | 700Z |
| UPC | 707068012012 | 707068007162 | 707068011695 | 707068008060 |
| Container ID (in) | 8 9/16 x 6 1/2 x 2 1/4 | 3 7/8 x 6 1/8 x 3 | 5 3/8 x 8 1/8 x 3 | 7 11/16 x 6 7/8 x 2 13/16 |
| Container OD (in) | 8 9/16 x 6 1/2 x 2 1/4 | 8 7/8 x 7 3/16 x 3 1/16 | 8 7/8 x 7 3/16 x 3 1/16 | 8 1/4 x 7 13/16 x 2 15/16 |
| Case Pack | 240 | 250 | 250 | 250 |
| Case Weight (lbs) | 22.8 | 26.1 | 26.1 | 23.8 |
| TiHi | 7 x 5 | 6 x 5 | 6 x 5 | 6 x 5 |
| Case OD (in) | 20 3/16 x 13 9/16 x 18 3/8 | 19 9/16 x 14 9/16 x 18 1/8 | 19 9/16 x 14 9/16 x 18 1/8 | 18 15/16 x 16 1/16 x 17 1/2 |
| Case Cubic Ft | 2.9 | 3.0 | 3.0 | 3.1 |
| Base / Lid Ratio | 65/35 | 50/50 | 65/35 | 60/40 |



| Item |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Description | 3X 150Z | 2X 170Z |
| UPC | 707068007230 | 707068007735 |
| Container ID (in) | 7 15/16 x 1 7/8 x 1 11/16 | 3 13/16 x 3 5/8 x 2 1/8 |
| Container OD (in) | 8 13/16 x 7 3/16 x 1 7/8 | 8 13/16 x 4 15/16 x 2 5/16 |
| Case Pack | 250 | 300 |
| Case Weight (lbs) | 20.2 | 16.9 |
| TiHi | 5 x 5 | 8 x 5 |
| Case OD (in) | 23 13/16 x 14 9/16 x 18 1/8 | 20 1/16 x 10 9/16 x 18 3/16 |
| Case Cubic Ft | 3.6 | 2.2 |
| Base / Lid Ratio | 60/40 | 60/40 |





SureLock® Muffins and Cupcakes
shaped for perfect dessert displays.

| Item | | | | | |
|--------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-----------------------------|
| Description | 12 standard | 12 mini | 12 mini | 6 standard | 4 standard |
| UPC | 707068007612 | 707068007841 | 707068007858 | 707068007889 | 707068009180 |
| Container ID (in) | 2 3/8 X 2 3/8 X 3 5/16 | 1 5/8 X 1 13/16 X 2 1/8 | 1 5/8 X 1 13/16 X 1 3/4 | 2 1/8 X 2 9/16 X 2 5/16 | 2 1/8 X 2 1/2 X 3 1/4 |
| Container OD (in) | 12 15/16 X 10 1/4 X 3 3/8 | 8 11/16 X 7 1/8 X 2 1/4 | 8 11/16 X 7 1/8 X 1 15/16 | 9 3/8 X 6 3/4 X 2 3/8 | 6 11/16 X 6 11/16 X 3 5/16 |
| Case Pack | 100 | 250 | 250 | 300 | 288 |
| Case Weight (lbs) | 20.2 | 18.7 | 18.7 | 24.5 | 16.9 |
| TiHi | 6 x 6 | 6 x 5 | 6 x 5 | 7 x 5 | 5 x 7 |
| Case OD (in) | 21 1/16 X 16 13/16 X 13 3/4 | 17 13/16 X 14 9/16 X 18 1/8 | 17 13/16 X 14 9/16 X 18 1/8 | 19 13/16 X 13 15/16 X 19 5/16 | 24 3/16 X 13 13/16 X 14 1/8 |
| Case Cubic Ft | 2.8 | 2.7 | 2.7 | 3.1 | 2.7 |
| Base / Lid Ratio | 45/55 | 50/50 | 60/40 | 60/40 | 50/50 |

| Item | | | | | |
|--------------------------|-----------------------------|-----------------------------|-------------------------------|-----------------------------|------------------------------|
| Description | 4 standard | 4 standard | 6 standard | 2 large | 4 large |
| UPC | 707068009197 | 707068007988 | 707068007995 | 707068008084 | 707068009708 |
| Container ID (in) | 2 1/8 X 2 1/2 X 2 9/16 | 2 1/8 X 2 1/2 X 3 3/16 | 2 1/8 X 2 1/2 X 2 3/4 | 2 9/16 X 3 1/8 X 3 5/16 | 2 9/16 X 3 1/8 X 3 1/8 |
| Container OD (in) | 6 11/16 X 6 11/16 X 2 3/4 | 7 5/8 X 8 1/16 X 3 1/4 | 9 3/8 X 6 3/4 X 2 7/8 | 8 7/8 X 5 5/16 X 3 3/8 | 7 5/8 X 8 1/16 X 3 1/4 |
| Case Pack | 288 | 300 | 300 | 500 | 300 |
| Case Weight (lbs) | 16.9 | 25.5 | 22.6 | 35.0 | 25.5 |
| TiHi | 5 x 7 | 5 x 5 | 7 x 5 | 4 x 5 | 6 x 6 |
| Case OD (in) | 24 3/16 X 13 13/16 X 14 1/8 | 23 15/16 X 16 7/16 X 15 3/4 | 19 13/16 X 13 15/16 X 19 5/16 | 21 13/16 X 20 7/16 X 18 5/8 | 20 13/16 X 16 11/16 X 15 7/8 |
| Case Cubic Ft | 2.7 | 3.6 | 3.1 | 4.8 | 3.2 |
| Base / Lid Ratio | 55/45 | 50/50 | 50/50 | 50/50 | 50/50 |

| Item | | | | | |
|--------------------------|------------------------------|----------------------------|------------------------------|----------------------------|-------------------------------|
| Description | 4 large | 6 standard | 4 large | 4 large | 6 large |
| UPC | 707068009692 | 707068007001 | 707068008565 | 707068008220 | 707068008237 |
| Container ID (in) | 2 9/16 X 3 3/8 X 2 3/4 | 2 1/16 X 2 7/16 X 3 7/8 | 2 7/8 X 3 3/8 X 2 9/16 | 2 9/16 X 3 1/8 X 3 | 2 1/2 X 3 1/8 X 3 1/8 |
| Container OD (in) | 7 5/8 X 8 1/16 X 3 | 9 9/16 X 6 15/16 X 4 | 7 5/8 X 8 1/16 X 2 13/16 | 8 1/4 X 8 3/4 X 3 1/8 | 12 3/16 X 8 3/4 X 3 1/4 |
| Case Pack | 300 | 300 | 210 | 300 | 150 |
| Case Weight (lbs) | 23.7 | 29.3 | 19.4 | 25.7 | 23.9 |
| TiHi | 6 x 6 | 6 x 4 | 6 x 6 | 4 x 5 | 4 x 7 |
| Case OD (in) | 20 13/16 X 16 11/16 X 15 7/8 | 19 5/16 X 14 9/16 X 19 7/8 | 20 13/16 X 16 11/16 X 15 7/8 | 35 5/16 X 12 9/16 X 17 1/8 | 22 5/16 X 17 15/16 X 12 15/16 |
| Case Cubic Ft | 3.2 | 3.2 | 3.2 | 4.4 | 3.0 |
| Base / Lid Ratio | 60/40 | 45/55 | 50/50 | 55/45 | 50/50 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

| Item | TT108LCH | TT109L |
|-------------------|-----------------------------|------------------------------|
| Description | 610Z | 860Z |
| UPC | 707068004239 | 707068003294 |
| Container ID (in) | 5 9/16 X 8 3/8 X 2 1/4 | 6 3/4 X 9 7/16 X 2 1/2 |
| Container OD (in) | 8 7/8 X 9 1/4 X 2 9/16 | 9 7/8 X 10 3/4 X 2 7/8 |
| Case Pack | 200 | 200 |
| Case Weight (lbs) | 20.1 | 24.7 |
| TiHi | 7 X 5 | 6 X 4 |
| Case OD (in) | 19 9/16 X 13 9/16 X 18 3/16 | 20 13/16 X 14 13/16 X 20 5/8 |
| Case Cubic Ft | 2.8 | 3.7 |
| Base / Lid Ratio | 65/35 | 65/35 |



ip Essentials
SureChoice®

| Item | TT110L | TT119L | TT120L | TT5120 |
|-------------------|----------------------------|-----------------------------|---------------------------|-----------------------------|
| Description | 1040Z | 1200Z | 1420Z | 730Z |
| UPC | 707068003300 | 707068003324 | 707068003331 | 707068003348 |
| Container ID (in) | 7 1/8 X 10 X 2 13/16 | 6 3/4 X 9 7/16 X 3 1/2 | 7 1/8 X 10 X 3 5/8 | 7 11/16 X 6 7/8 X 2 13/16 |
| Container OD (in) | 10 9/16 X 11 X 2 15/16 | 9 7/8 X 10 1/4 X 3 13/16 | 10 9/16 X 11 X 3 7/8 | 8 3/4 X 7 11/16 X 2 15/16 |
| Case Pack | 200 | 200 | 200 | 250 |
| Case Weight (lbs) | 28.7 | 31.5 | 36.6 | 22.6 |
| TiHi | 6 X 4 | 6 X 4 | 5 X 4 | 6 X 5 |
| Case OD (in) | 22 7/8 X 13 13/16 X 21 7/8 | 21 1/16 X 16 5/16 X 20 7/16 | 22 7/8 X 16 5/16 X 21 7/8 | 18 15/16 X 16 1/16 X 17 1/2 |
| Case Cubic Ft | 4.0 | 4.1 | 4.7 | 3.1 |
| Base / Lid Ratio | 65/35 | 50/50 | 50/50 | 60/40 |

| Item | SC35 | SC35C2 |
|-------------------|-----------------------------|-----------------------------|
| Description | 600Z | 2X 300Z |
| UPC | 707068012227 | 707068012326 |
| Container ID (in) | 8 5/16 X 4 15/16 X 3 3/4 | 8 5/16 X 4 15/16 X 3 3/4 |
| Container OD (in) | 8 7/8 X 5 5/16 X 3 3/8 | 8 7/8 X 5 5/16 X 3 3/8 |
| Case Pack | 500 | 500 |
| Case Weight (lbs) | 34.9 | 34.9 |
| TiHi | 4 X 5 | 4 X 5 |
| Case OD (in) | 21 13/16 X 20 7/16 X 18 5/8 | 21 13/16 X 20 7/16 X 18 5/8 |
| Case Cubic Ft | 4.8 | 4.8 |
| Base / Lid Ratio | 50/50 | 50/50 |

Smooth new design showcases your product with a sleek clear view.





Where Value and Freshness Meet

Enhance product shelf life with perimeter seal technology



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Expansive Selection

From bakery, to deli and produce, and with single and multiple compartments - you're covered



Intuitive Design

Textured grip allows for easy opening



Efficient Stacking

Efficient and stable stacking allow for eye-catching product displays



| Item | VF8050 | VF8060 | VF8090 | VF8091 | VF8092 |
|-------------------|-----------------------------|----------------------------|---------------------------|---------------------------|---------------------------|
| Description | 24OZ | 36OZ | 87OZ | 68OZ | 49OZ |
| UPC | 707068010063 | 707068010148 | 707068010117 | 707068010100 | 707068010094 |
| Container ID (in) | 4 5/8 X 4 5/8 X 2 7/16 | 5 3/8 X 4 15/16 X 2 15/16 | 8 X 6 7/8 X 3 3/4 | 8 X 6 7/8 X 2 3/4 | 8 X 6 7/8 X 1 15/16 |
| Container OD (in) | 5 9/16 X 5 5/8 X 2 9/16 | 6 5/16 X 6 X 3 1/16 | 8 15/16 X 7 7/8 X 3 3/8 | 8 15/16 X 7 7/8 X 2 7/8 | 8 15/16 X 7 7/8 X 2 1/16 |
| Case Pack | 330 | 330 | 110 | 110 | 110 |
| Case Weight (lbs) | 13.1 | 15.8 | 12.3 | 11.7 | 11.0 |
| TiHi | 6 X 5 | 6 X 5 | 5 X 10 | 5 X 10 | 5 X 10 |
| Case OD (in) | 24 3/16 X 11 11/16 X 17 1/8 | 24 3/16 X 12 9/16 X 19 1/8 | 24 3/16 X 16 1/8 X 9 9/16 | 24 3/16 X 16 1/8 X 9 9/16 | 24 3/16 X 16 1/8 X 9 9/16 |
| Case Cubic Ft | 2.8 | 3.4 | 2.2 | 2.2 | 2.2 |
| Base / Lid Ratio | 65/35 | 55/45 | 60/40 | 50/50 | 50/50 |

| Item | VF8099 | VF8100 | VF8109 |
|-------------------|---------------------------|---------------------------|---------------------------|
| Description | 1 X 13OZ, 2 X 6OZ | 91OZ | 1 X 24OZ, 2 X 10OZ |
| UPC | 707068010124 | 707068010070 | 707068010087 |
| Container ID (in) | 8 15/16 X 7 7/8 X 3 3/8 | 8 7/16 X 8 7/16 X 2 7/8 | 9 3/8 X 9 3/8 X 3 |
| Container OD (in) | 8 15/16 X 7 7/8 X 3 3/8 | 9 3/8 X 9 3/8 X 3 | 9 3/8 X 9 3/8 X 3 |
| Case Pack | 110 | 100 | 100 |
| Case Weight (lbs) | 12.3 | 13.2 | 13.2 |
| TiHi | 5 X 10 | 8 X 5 | 8 X 5 |
| Case OD (in) | 24 3/16 X 16 1/8 X 9 9/16 | 19 1/8 X 11 5/16 X 19 1/8 | 19 1/8 X 11 5/16 X 19 1/8 |
| Case Cubic Ft | 2.2 | 2.4 | 2.4 |
| Base / Lid Ratio | 60/40 | 50/50 | 50/50 |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Merchandising Made Crystal Clear

Our advanced seal design controls moisture to keep food fresh



7 Sizes

Perimeter seal enhances shelf life and keeps food fresh



Enhanced Clarity

Puts food center stage and increases impulse consumer purchases



Efficient Stacking

Efficient and stable stacking allows for eye-catching product displays



Intuitive Design

Textured grip tabs allow for easy opening

| Item | CF6030 | CF6035 | CF6040 | CF6070 | CF6080 |
|-------------------|-------------------------|--------------------------|-----------------------|--------------------------|---------------------------|
| Description | 530Z | 600Z | 750Z | 1010Z | 1300Z |
| UPC | 707068010315 | 707068010322 | 707068010339 | 707068010346 | 707068010353 |
| Container ID (in) | 8 3/4 X 5 3/4 X 1 13/16 | 8 5/16 X 4 5/16 X 3 | 8 3/4 X 5 3/4 X 2 3/4 | 7 11/16 X 7 5/8 X 3 1/8 | 9 5/16 X 7 3/8 X 3 3/8 |
| Container OD (in) | 9 3/4 X 6 3/4 X 2 1/16 | 9 5/16 X 5 5/16 X 3 1/4 | 9 3/4 X 6 3/4 X 3 | 8 5/8 X 8 11/16 X 3 3/8 | 10 7/8 X 8 7/16 X 3 5/8 |
| Case Pack | 140 | 192 | 132 | 132 | 132 |
| Case Weight (lbs) | 12.4 | 14.5 | 13.5 | 15.1 | 19.4 |
| TiHi | 5 X 9 | 9 X 5 | 5 X 9 | 4 X 10 | 4 X 8 |
| Case OD (in) | 24 3/16 X 14 X 10 3/8 | 18 3/8 X 11 1/8 X 19 3/8 | 24 3/16 X 14 X 10 3/8 | 24 1/8 X 17 3/4 X 9 5/16 | 24 1/16 X 17 1/4 X 11 1/2 |
| Case Cubic Ft | 2.0 | 2.3 | 2.0 | 2.3 | 2.8 |
| Base / Lid Ratio | 55/45 | 50/50 | 60/40 | 60/40 | 70/30 |

| Item | CF6090 | CF6095 |
|-------------------|-----------------------------|-----------------------------|
| Description | 900Z | 1010Z |
| UPC | 707068010360 | 707068010377 |
| Container ID (in) | 12 11/16 X 5 9/16 X 2 5/16 | 12 11/16 X 5 9/16 X 2 1/2 |
| Container OD (in) | 13 3/4 X 6 3/4 X 2 9/16 | 13 3/4 X 6 3/4 X 2 3/4 |
| Case Pack | 132 | 132 |
| Case Weight (lbs) | 17.2 | 17.2 |
| TiHi | 5 X 6 | 5 X 6 |
| Case OD (in) | 24 3/16 X 13 13/16 X 14 1/2 | 24 3/16 X 13 13/16 X 14 1/2 |
| Case Cubic Ft | 2.8 | 2.8 |
| Base / Lid Ratio | 60/40 | 50/50 |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Your Every Event Platters

Minimal ribbing makes contents stand out for enhanced product visibility



Wide Variety of Options

5 compartment dome-style lid platters from 42 to 142 fl oz that are insert compatible



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases










Offset Lids + Base Tabs

For easier gripping and opening



Efficient Stacking

Efficient and stable stacking allow for eye-catching product displays

| Item |  |  |  |  |  |
|--------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Item | PL042C | PL054C | PL065C | PL096C | PL115C |
| Description | 4X 9OZ, 1X 6OZ | 4X 12OZ, 1X 6OZ | 4X 15OZ, 1X 6OZ | 4X 20OZ, 1X 16OZ | 4X 25OZ, 1X 16OZ |
| UPC | 707068005502 | 707068005519 | 707068005526 | 707068005755 | 707068005748 |
| Container ID (in) | 9 x 9 x 1 3/4 | 9 x 9 x 2 1/4 | 9 x 9 x 2 3/4 | 11 3/4 x 11 3/4 x 2 1/4 | 11 3/4 x 11 3/4 x 2 3/4 |
| Container OD (in) | 10 1/4 x 10 1/4 x 2 1/4 | 10 1/4 x 10 1/4 x 2 3/4 | 10 1/4 x 10 1/4 x 3 1/4 | 13 x 13 x 2 3/4 | 13 x 13 x 3 1/4 |
| Case Pack | 100 | 100 | 100 | 50 | 50 |
| Case Weight (lbs) | 17.1 | 17.1 | 19.5 | 17.1 | 18.4 |
| TiHi | 8 x 3 | 8 x 3 | 8 x 3 | 4 x 7 | 4 x 7 |
| Case OD (in) | 21 1/8 x 10 11/16 x 23 5/8 | 21 1/8 x 10 11/16 x 23 5/8 | 21 3/16 x 10 11/16 x 26 5/8 | 31 3/16 x 13 11/16 x 13 5/8 | 31 3/16 x 13 11/16 x 13 5/8 |
| Case Cubic Ft | 3.1 | 3.1 | 3.5 | 3.4 | 3.4 |
| Base / Lid Ratio | 2 piece | 2 piece | 2 piece | 2 piece | 2 piece |
| Item |  |  | | | |
| Item | PL142C | | | | |
| Description | 4X 30OZ, 1X 22OZ | | | | |
| UPC | 707068005731 | | | | |
| Container ID (in) | 11 3/4 x 11 3/4 x 3 1/2 | | | | |
| Container OD (in) | 13 x 13 x 4 | | | | |
| Case Pack | 50 | | | | |
| Case Weight (lbs) | 19.4 | | | | |
| TiHi | 4 x 7 | | | | |
| Case OD (in) | 33 5/16 x 13 11/16 x 13 5/8 | | | | |
| Case Cubic Ft | 3.6 | | | | |
| Base / Lid Ratio | 2 piece | | | | |

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Our Design is a Piece of Cake

Perfect for cakes sized from 7" to 10", single or double layers



Handful of Options
Available in dome and shallow lid options, for single and double layer cakes



Enhanced Clarity
Puts contents center stage and increases impulse consumer purchases



Intuitive Design
Easy open tabs reduce damage to icing and decorations when opening and closing



100% Recyclable
#1 PET is the most widely accepted recyclable material

| Item | 605BKPET | 1007BK | 1007SBK | 1008BK | 1008SBK |
|-------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|
| Description | 7" & 8" half cake | 7" double layer | 7" single layer | 8" double layer | 8" single layer |
| UPC | 707068006400 | 707068006073 | 707068006066 | 707068005953 | 707068006059 |
| Container ID (in) | 9 5/8 x 5 1/2 x 4 3/8 | 7 1/2 x 8 3/16 x 4 7/16 | 7 1/2 x 8 3/16 x 2 7/8 | 8 1/4 x 9 1/8 x 4 5/8 | 8 1/4 x 9 1/8 x 3 5/16 |
| Container OD (in) | 10 13/16 x 6 1/2 x 4 1/2 | 9 1/16 x 10 3/4 x 5 | 9 1/16 x 10 3/4 x 3 7/16 | 10 3/8 x 11 1/4 x 5 1/8 | 10 1/8 x 11 1/4 x 3 7/8 |
| Case Pack | 100 | 100 | 100 | 100 | 100 |
| Case Weight (lbs) | 14.2 | 16.6 | 14.7 | 20.0 | 18.0 |
| TiHi | 6 x 4 | 4 x 5 | 4 x 5 | 4 x 5 | 4 x 5 |
| Case OD (in) | 22 1/16 x 14 3/16 x 23 3/8 | 19 9/16 x 19 9/16 x 18 1/8 | 19 9/16 x 19 9/16 x 18 1/8 | 20 15/16 x 20 15/16 x 18 1/8 | 20 15/16 x 20 15/16 x 16 1/4 |
| Case Cubic Ft | 4.2 | 4.0 | 4.0 | 4.6 | 4.1 |
| Base / Lid Ratio | 2 piece | 2 piece | 2 piece | 2 piece | 2 piece |

| Item | 1009BK | 1009SBK | 1010BK | 1010SBK |
|-------------------|-------------------------|-------------------------|--------------------------|---------------------------|
| Description | 9" double layer | 9" single layer | 10" double layer | 10" single layer |
| UPC | 707068006097 | 707068006080 | 707068006110 | 707068006103 |
| Container ID (in) | 9 1/2 x 10 3/8 x 5 3/16 | 9 1/2 x 10 3/8 x 3 9/16 | 10 3/8 x 11 3/16 x 4 7/8 | 10 9/16 x 11 3/16 x 3 3/8 |
| Container OD (in) | 11 x 12 7/16 x 5 3/4 | 11 x 12 7/16 x 4 1/8 | 12 1/8 x 13 3/8 x 5 1/2 | 12 1/8 x 13 3/8 x 4 |
| Case Pack | 50 | 50 | 50 | 50 |
| Case Weight (lbs) | 12.5 | 11.3 | 15.7 | 13.4 |
| TiHi | 8 x 4 | 8 x 4 | 8 x 4 | 8 x 4 |
| Case OD (in) | 17 15/16 x 11 5/8 x 23 | 17 15/16 x 11 5/8 x 23 | 18 5/16 x 12 3/4 x 25 | 18 5/16 x 12 3/4 x 25 |
| Case Cubic Ft | 2.8 | 2.8 | 3.4 | 3.4 |
| Base / Lid Ratio | 2 piece | 2 piece | 2 piece | 2 piece |



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Trusted Standard in Utility Packaging

Representing the best combination of value and quality




Expansive Selection
With the options of single or multiple use compartments, we have the container for you



SureLock® Security
Double line locks provide maximum security



Sanitary Lid Design
Sanitary lid design overlaps base to keep out crumbs and other contaminants



Stackability
Conserve valuable shelf space while creating eye-catching displays

| Item | VPP727A | VPP729A | VPP730 | VPP731 | VPP746 |
|-------------------|---------------------------|---------------------------|-------------------------|------------------------|-----------------------------|
| Description | 530Z | 1X 430Z, 2X 210Z | 970Z | 1X 440Z, 2X 220Z | 260Z |
| UPC | 707068010537 | 707068010582 | 707068008350 | 707068008367 | 707068008398 |
| Container ID (in) | 7 7/8 X 6 3/4 X 2 1/16 | 8 7/16 X 7 15/16 X 3 5/16 | 8 1/4 X 7 3/4 X 2 15/16 | 9 X 9 7/16 X 3 | 5 3/16 X 4 15/16 X 2 5/8 |
| Container OD (in) | 8 7/16 X 7 15/16 X 2 3/8 | 8 7/16 X 7 15/16 X 3 5/16 | 9 X 9 7/16 X 3 | 9 X 9 7/16 X 3 | 5 15/16 X 5 15/16 X 2 11/16 |
| Case Pack | 200 | 200 | 200 | 200 | 500 |
| Case Weight (lbs) | 16.8 | 20.5 | 20.9 | 22.4 | 19.6 |
| TiHi | 9 X 5 | 9 X 5 | 8 X 5 | 8 X 5 | 4 X 7 |
| Case OD (in) | 16 3/16 X 13 3/8 X 17 1/4 | 16 3/16 X 13 3/8 X 17 1/4 | 19 3/16 X 12 X 18 5/16 | 19 3/16 X 12 X 18 5/16 | 24 X 19 9/16 X 12 1/2 |
| Case Cubic Ft | 2.2 | 2.2 | 2.4 | 2.4 | 3.4 |
| Base / Lid Ratio | 50/50 | 60/40 | 50/50 | 50/50 | 50/50 |

| Item | VPP747A | VPP756 | VPP757A | VPP781 |
|-------------------|---------------------------|----------------------------|---------------------------|-----------------------------|
| Description | 720Z | 330Z | 900Z | 440Z |
| UPC | 707068010551 | 707068008411 | 707068010568 | 707068008459 |
| Container ID (in) | 7 7/8 X 6 3/4 X 2 13/16 | 5 3/16 X 4 15/16 X 2 15/16 | 7 7/8 X 6 3/4 X 3 1/4 | 8 1/8 X 3 3/4 X 3 |
| Container OD (in) | 8 7/16 X 7 15/16 X 2 7/8 | 5 15/16 X 5 15/16 X 3 1/16 | 8 7/16 X 7 15/16 X 3 5/16 | 8 13/16 X 4 7/8 X 3 3/16 |
| Case Pack | 200 | 500 | 200 | 300 |
| Case Weight (lbs) | 15.6 | 19.6 | 18.0 | 16.5 |
| TiHi | 9 X 5 | 4 X 7 | 9 X 5 | 8 X 5 |
| Case OD (in) | 16 3/16 X 13 3/8 X 17 1/4 | 24 X 19 9/16 X 12 1/2 | 16 3/16 X 13 3/8 X 17 1/4 | 21 11/16 X 10 3/16 X 18 3/8 |
| Case Cubic Ft | 2.2 | 3.4 | 2.2 | 2.3 |
| Base / Lid Ratio | 50/50 | 60/40 | 60/40 | 50/50 |


Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

How to Measure our Containers

Standard volumes listed are base + lid volumes combined. The Inside Dimensions (ID) for containers with multiple compartments reflects each compartment's dimensions.

All IDs are measured at the hinge line.

The IDs for circular compartments (cupcakes, muffins, pies) list bottom diameter, top diameter, and height including lid. Outside Dimensions (OD) are consistent with the diagram, and are listed in order of Length (along hinge) x Width x Height.




Muffin and Cupcake Dimensions

Example:

ID 2-1/8 x 2-3/8 x 5-5/16 equals
(a) base diameter x (b) crown diameter x (c) height

Mini muffins are generally 1-2 oz.
Standard size muffins are generally 4.5-5.5 oz.
Large/Jumbo muffins are generally 6 oz. and above

Base Diameter (a) x Crown Diameter (b) x Height (c)



c. Height

b. Diameter at crown (widest part)

a. Diameter at base of muffin

For more information, please visit inlineplastics.com/advanced-product-search.

Commonly used materials for the manufacture of clamshell and two piece food containers.

| Material Type | PET/RPET ♻️ | OPS ♻️ | L-10A ♻️ | PP ♻️ |
|----------------------------------------------------------------------|------------------|------------------|------------------|-------------------|
| Material | Polyethylene | Polystyrene | Polystyrene | Polypropylene |
| Clarity | Excellent | Excellent | Very Good | Good |
| FDA Compliant to | CFR 21 #177.1630 | CFR 21 #177.1640 | CFR 21 #177.1640 | CFR 21 #177.1520 |
| Specific Gravity (g/cc) | 1.33 | 1.05 | 1.05 | 0.9 |
| Temperature Range⁽¹⁾ | 0°F - 140°F | 20°F - 170°F | -10°F - 170°F | 0°F - 240°F |
| Barrier Properties | | | | |
| Water Vapor | Good | Fair | Fair | Excellent |
| Gas | Excellent | Fair | Fair | Excellent |
| Oxygen Transmission Rate (CC/100 in² - 24hr - atm) | 5 - 15 | 350 | 350 | 150 - 240 |
| Chemical Resistance | | | | |
| Acids | Good | Good | Good | Good |
| Strong Oxidizing Acids | Excellent | Poor | Poor | Excellent |
| Alkalies | Fair | Excellent | Excellent | Excellent |
| Hydrocarbon Solvents | Excellent | Poor | Poor | Good to Excellent |
| Alcohols | Excellent | Excellent | Excellent | Excellent |
| Fat, Grease & Oil | Excellent | Good | Good | Good |
| Sugars, Syrups | Excellent | Excellent | Excellent | Excellent |
| Temperature Tolerance | | | | |
| Blast Freezer | Poor | Poor | Poor | Poor |
| Freezer | Good | Fair | Very Good | Good |
| Refrigerated | Excellent | Very Good | Excellent | Excellent |
| Heat Lamps | Poor | Good | Good | Excellent |
| Microwave | Poor | Fair | Fair | Good |
| Oven | Not Recommended | Not Recommended | Not Recommended | Not Recommended |

Disclaimer: We strongly recommend that customers test products under their specific conditions to determine fitness for use. Please feel free to obtain free samples through our website, inlineplastics.com, or contact your Inline Plastics' representative.

Purchase Order Requirements

All purchase orders must be written for a minimum of 250 (combined) cases to one delivery location in order to qualify for prepaid freight. Safe-T-Fresh® items must be ordered in full pallet quantities per item. The minimum order for all non-Safe-T-Fresh items is one full pallet layer with the exception of CC2R, CC4R, and CCLR which may be ordered by the case. Orders for less than 250 cases will be subject to a \$40 administration fee and the Customer agrees to pay the full freight charge. Inline Plastics reserves the right to select the carrier, routing and rates for shipments less than 250 cases.

Purchase Order Lead Time

Orders for stock items are generally available to ship within 5 business days of Purchase Order confirmation date by Inline Plastics. Confirmation is sent within 24 hours of the receipt of the Purchase Order. Weekends and holidays do not count as business days in lead time calculations. Please contact customer service for the lead time on non-stock items.

Purchase Order Policy

Purchase Orders must be in writing and include the following information:

1. Inline Plastics item number
2. Number of cases ordered
3. Price per case
4. Purchase Order number
5. Requested delivery date
6. Delivery address
7. Delivery appointment phone number
8. Customer's e-mail (and fax number if applicable)

Email the original Purchase Order and any revisions directly to:

customerservice@inlineplastics.com

To arrange EDI transactions, please call to speak with a representative at

800-826-5567

Purchase Order Match

Prior to submitting an order with Inline, please ensure all Purchase Orders reflect the correct prices. Orders submitted with incorrect prices may result in a delay until the discrepancy is resolved. Inline will attempt to resolve any discrepancies in a timely manner.

Customer Pick-Ups

Customer Pick Up (CPU) is available at Inline Plastics' discretion. Please contact Customer Service to make any arrangements.

Invoicing

Terms: 1% 10, Net 30 days from date of invoice.

Product Warranty

Inline Plastics warrants that all products are manufactured free of defects in workmanship. Inline makes no warranty of any other kind, expressed or implied.

Shipping Policy

1. Orders within the continental U.S. and Canada are shipped prepaid freight with Inline's standard transit lead times for orders meeting the minimum requirements.
2. The maximum number of full pallets that can fit in a truckload (53' Trailer) is 30.

Return Goods Policy

1. No return items will be accepted without prior approval.
2. Return freight is the responsibility of the Customer for all returns due to overstock, wrong product ordered or other Customer related issues.
3. Items must be returned within six (6) months from shipment and invoicing by Inline.
4. All items being returned must be in good condition, in original unopened cartons, without any damage to the product; otherwise it will be refused for credit.
5. Once a product return has been approved, Customer is issued a Return Authorization Number (RA Number), and advised of the amount of the credit that may be issued by Inline upon receipt of RESALEABLE* product pending QA inspection.
6. The amount of credit issued by Inline will be the price paid by the Customer less the following:
 - a) A 20% restocking fee
 - b) The freight cost incurred by Inline to ship the product from the Customer's warehouse back to the originating plant
 - c) Any product rejected during QA inspection
7. Embossed or special order items may not be returned.
8. All requests for Return Authorization should be directed to Customer Service, 800-826-5567 or customerservice@inlineplastics.com.

*Resaleable product must pass Inline Plastics' Quality Assurance inspection.

Customer Service 800-826-5567



| Item | Page | Item | Page | Item | Page | Item | Page | Item | Page | Item | Page |
|-----------|--------|-----------|--------|---------|------|----------|------|----------|------|-----------|------|
| CC2Q | 24 | TS16CCRD | 23 | TS64L | 16 | 1007BK | 65 | SLP35 | 48 | SLP118 | 44 |
| CC2R | 24 | TS16CCRDV | 38 | TS64LV | 37 | 1007SBK | 65 | SLP36 | 54 | SLP119 | 44 |
| CC4R | 24 | TS16CCRV | 38 | TS64PW | 27 | 1008BK | 65 | SLP37 | 48 | SLP120 | 44 |
| CCLR | 24 | TS16PW | 27 | TS64RN | 31 | 1008SBK | 65 | SLP38 | 48 | SLP174 | 46 |
| FMT2LRT | 17 | TS16PWS | 27 | TS64RSN | 31 | 1009BK | 65 | SLP38D | 49 | SLP204 | 44 |
| FMT2MRT | 17 | TS16RN | 29 | TS80RN | 31 | 1009SBK | 65 | SLP40 | 49 | SLP206A | 53 |
| FMT3LRT | 17 | TS16RSN | 29 | TS80RSN | 31 | 1010BK | 65 | SLP40S | 49 | SLP208 | 44 |
| FMT3MRT | 17 | TS16T | 18 | TS90PJ | 16 | 1010SBK | 65 | SLP41 | 49 | SLP209 | 44 |
| TS1SW | 16 | TS17VT | 18, 37 | TS112 | 16 | 605BKPET | 65 | SLP42 | 53 | SLP20D | 47 |
| TS5X5 | 16 | TS18RN | 29 | TS112V | 37 | CF6030 | 61 | SLP44A | 54 | SLP210 | 44 |
| TS5X5ST | 16 | TS18RSN | 29 | TS128V | 37 | CF6035 | 61 | SLP44SA | 55 | SLP212 | 54 |
| TS6 | 15 | TS20 | 15 | TS202 | 16 | CF6040 | 61 | SLP45 | 55 | SLP218 | 44 |
| TS6T | 18 | TS20V | 37 | TS3002 | 11 | CF6070 | 61 | SLP46 | 55 | SLP227 | 44 |
| TS8 | 15 | TS24 | 15 | TS3004 | 11 | CF6080 | 61 | SLP49 | 49 | SLP228 | 45 |
| TS8T | 18 | TS24PW | 27 | TS3006 | 11 | CF6090 | 61 | SLP50 | 49 | SLP236 | 45 |
| TS8CCR | 23 | TS24PWF | 27 | TS3008 | 11 | CF6095 | 61 | SLP52 | 55 | SLP270DFS | 52 |
| TS8CCRD | 23 | TS24RN | 30 | TS4008 | 21 | PL042C | 63 | SLP53 | 49 | SLP280FS | 52 |
| TS8CCRDV | 38 | TS24RNV | 30, 39 | TS4008R | 33 | PL054C | 63 | SLP54P | 55 | SLP300 | 48 |
| TS8CCRV | 38 | TS24RSN | 30 | TS4012 | 21 | PL065C | 63 | SLP54SP | 55 | SLP309 | 45 |
| TS8PW | 27 | TS24V | 37 | TS4012R | 33 | PL096C | 63 | SLP55 | 50 | SLP309D | 45 |
| TS8RN | 29 | TS32 | 15 | TS4016 | 21 | PL115C | 63 | SLP56 | 55 | SLP324 | 48 |
| TS8RSN | 29 | TS32PW | 27 | TS4016R | 33 | PL142C | 63 | SLP57 | 50 | SLP3315 | 52 |
| TS11CCRJT | 23 | TS32PWF | 27 | TS4024 | 21 | SC35 | 57 | SLP58 | 50 | SLP3315CS | 52 |
| TS12 | 15 | TS32RN | 30 | TS4024R | 33 | SC35C2 | 57 | SLP60 | 50 | SLP510 | 49 |
| TS12T | 18 | TS32RSN | 30 | TS4025R | 33 | SLP017 | 53 | SLP65 | 50 | SLP5120 | 49 |
| TS12CCQ | 23 | TS32V | 37 | TS4032 | 21 | SLP10 | 46 | SLP67 | 50 | SLP5120CS | 52 |
| TS12CCR | 23 | TS35 | 15 | TS4032R | 33 | SLP14 | 53 | SLP69 | 50 | SLP5125 | 49 |
| TS12CCRD | 23 | TS35V | 37 | TSSB1R | 35 | SLP15B | 46 | SLP70 | 50 | TT108LCH | 56 |
| TS12CCRDV | 38 | TS48 | 15 | TSSB24I | 35 | SLP16CS | 52 | SLP70W | 55 | TT109L | 56 |
| TS12CCRV | 38 | TS48PW | 27 | TSSB32 | 35 | SLP16FS | 52 | SLP72D | 55 | TT110L | 56 |
| TS12PW | 27 | TS48RDP | 30 | TSSB3R | 35 | SLP17D | 46 | SLP73 | 53 | TT119L | 56 |
| TS12RN | 29 | TS48RN | 30 | TSSB48 | 35 | SLP17XD | 47 | SLP74 | 55 | TT120L | 56 |
| TS12RNV | 29, 39 | TS48RSN | 30 | TSSB4C | 35 | SLP18 | 47 | SLP75 | 50 | TT5120 | 56 |
| TS12RSN | 29 | TS48V | 37 | TSSWR | 35 | SLP18D | 47 | SLP75D | 51 | VF8050 | 59 |
| TS16 | 15 | TS52R3N | 31 | | | SLP19 | 47 | SLP76 | 55 | VF8060 | 59 |
| TS16C2 | 16 | TS64 | 16 | | | SLP20 | 47 | SLP77 | 51 | VF8090 | 59 |
| TS16CCR | 23 | TS64D | 16 | | | SLP23 | 47 | SLP80 | 51 | VF8091 | 59 |
| | | | | | | SLP25 | 47 | SLP88 | 51 | VF8092 | 59 |
| | | | | | | SLP26 | 47 | SLP88S | 51 | VF8099 | 59 |
| | | | | | | SLP27 | 47 | SLP90 | 51 | VF8100 | 59 |
| | | | | | | SLP28 | 53 | SLP95 | 51 | VF8109 | 59 |
| | | | | | | SLP29 | 48 | SLP97 | 51 | VPP727A | 67 |
| | | | | | | SLP30 | 48 | SLP104S | 46 | VPP729 | 67 |
| | | | | | | SLP30S | 48 | SLP106 | 43 | VPP730 | 67 |
| | | | | | | SLP30XS | 48 | SLP108 | 43 | VPP731 | 67 |
| | | | | | | SLP32 | 48 | SLP109 | 43 | VPP746 | 67 |
| | | | | | | SLP34 | 54 | SLP109SB | 43 | VPP747A | 67 |
| | | | | | | SLP34DCS | 52 | SLP110 | 43 | VPP756 | 67 |
| | | | | | | SLP34DFC | 52 | SLP112A | 53 | VPP757A | 67 |
| | | | | | | SLP34S | 54 | SLP116 | 44 | VPP781 | 67 |





Lemon, CFO
Chief Fun Officer
Inline Plastics

**Corporate Headquarters and
Connecticut Manufacturing**

42 Canal Street East
Shelton, CT 06484, USA

Phone 800-826-5567
Fax 203-924-0370

Georgia Manufacturing

100 Constitution Drive
McDonough, GA 30253 USA

Phone 678-466-3467
Fax 770-957-4492

Utah Manufacturing

1927 South 4650 West
Salt Lake City, UT 84104, USA

Phone 801-462-9972
Fax 801-462-9936

Sales

Monday - Friday
8:00 am to 5:30 pm

Phone 800-826-5567 x 7046
Fax 203-924-0370

