

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: JURA Descaling tablets (2-phase)**UFI:** 6250-10GK-U00A-V32V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Descaling tablets for fully automatic coffee machines

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: -**Supplier:**JURA Elektroapparate AG
CH-4626 Niederbuchsiten
Tel.: +41 (0)62 389 8181JURA Elektogeräte Vertriebs-GmbH
D-90268 Nürnberg
Tel.: +49 (0)911 25 25 0**Manufacturer:**Oxytabs GmbH
- Member of the Medea Group -
Suhmsberg 40
D-24768 Rendsburg
Germany**Further information obtainable from:**Tel.: +49 4331 69620 0
Fax: +49 4331 69620 22
E-Mail: info@oxytabs.de

1.4 Emergency telephone number:

Poison Centre Berlin - Emergency call of the Charité
D-13437 Berlin
Phone: +49 30 30686 700
Emergency call Vienna
A-1010 Vienna
Phone: +43 1 406 43 43
Tox Info Suisse
CH-8032 Zurich
Phone: +41 442515151

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

| | |
|-------------------|---|
| Acute Tox. 4 | H302 Harmful if swallowed. |
| Skin Irrit. 2 | H315 Causes skin irritation. |
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| STOT SE 3 | H335 May cause respiratory irritation. |
| Aquatic Chronic 3 | H412 Harmful to aquatic life with long lasting effects. |

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 1)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

maleic acid

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

95-14-7 benzotriazole

List II

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| | | |
|--|--|-------------|
| CAS: 110-16-7 EINECS: 203-742-5 Index number: 607-095-00-3 Reg.nr.: 01-2119488705-25 | maleic acid Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.1 % | 25-<50% |
| CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0 Reg.nr.: 01-2119488633-28 | sulphamidic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 | 25-<50% |
| CAS: 95-14-7 EINECS: 202-394-1 Reg.nr.: 01-2119979079-20 | benzotriazole Aquatic Chronic 2, H411; Acute Tox. 4, H302; Eye Irrit. 2, H319 | ≥0.25-<2.5% |

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 2)

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air.**After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose of the material collected according to regulations.

Wash residues with water.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Prevent formation of dust.**Information about fire and explosion protection:** No special measures required.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep container tightly sealed.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.**Hand protection** Protective gloves.**Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.2 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR**Eye/face protection** Safety glasses.**Body protection:** Protective work clothing.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

| | |
|---|-----------------|
| Colour: | white, blue |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Not determined. |
| Boiling point or initial boiling point and boiling range | Not applicable. |
| Flammability | Not determined. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable. |

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 4)

| | |
|--|-----------------|
| Ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| pH at 20 °C | 2.15 (0.1%) |
| Acid/alkali reserve (J.R. Young et al.): | |
| Viscosity: | |
| Kinematic viscosity | Not applicable. |
| Dynamic: | Not applicable. |
| Solubility | |
| water: | Easily soluble. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not applicable. |
| Density and/or relative density | |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Particle characteristics | See item 3. |

9.2 Other information

Appearance:

Form: Tablets

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.
Explosive properties: Product does not present an explosion hazard.

Solvent content:

Organic solvents: 0.0 %
VOC (EC) 0.00 %

Solids content: 100.0 %

Change in condition

Evaporation rate Not applicable.

Information with regard to physical hazard classes

| | |
|--|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

EU

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 5)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Alkali (lye)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:
110-16-7 maleic acid

Oral LD50 708 mg/kg (rat)

Dermal LD50 1,560 mg/kg (rabbit)

95-14-7 benzotriazole

Oral LD50 500 mg/kg (rat) (OECD 423)

Dermal LD50 >2,000 mg/kg (rabbit)

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

95-14-7 benzotriazole

List II

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
110-16-7 maleic acid

LC50/96h 75 mg/l (fish) (EPA 660/3-75-009)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 6)

| | |
|---------------------------------|---|
| EC50/48h | 42.81 mg/l (Daphnia magna) (OECD 202) |
| EC50/72h | 74.35 mg/l (algae) (OECD 201) |
| 5329-14-6 sulphamic acid | |
| LC50/96h | 70.3 mg/l (Pimephales promelas) |
| EC50/3h | >200 mg/l (Belebtschlamm) |
| EC50/48h | 71.6 mg/l (Daphnia magna) |
| EC50/72h | 48 mg/l (Desmodesmus subspicatus) (OECD 201) |
| 95-14-7 benzotriazole | |
| LC50/96h | 180 mg/l (Danio rerio) (OECD 203) |
| EC50/48h | 15.8 mg/l (Daphnia galeata) (OECD 202) |
| EC50/72h | 75 mg/l (Pseudokirchnerella subcapitata) (OECD 201) |

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

| | |
|-----------|--|
| 20 01 29* | detergents containing hazardous substances |
| 15 01 10* | packaging containing residues of or contaminated by hazardous substances |

Uncleaned packaging:

Recommendation: Packaging may be reused or recycled after cleaning.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

Not regulated.

14.2 UN proper shipping name

ADR, IMDG, IATA

Not regulated.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 7)

14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA****Class**

Not regulated.

14.4 Packing group**ADR, IMDG, IATA**

Not regulated.

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

Not regulated.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 GHS label elements

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

The product is subject to be labeled according to the prevailing version of the regulations on hazardous substances.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.04.2022

Version number 2.0 (replaces version 1.0)

Revision: 12.04.2022

Trade name: JURA Descaling tablets (2-phase)

(Contd. of page 8)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method**Department issuing SDS:** Department R&D**Contact:** Dr. Nico Kotzur**Created by:** SKÜ**Date of previous version:** 10.06.2020**Version number of previous version:** 1.0**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data changed with respect to previous version.**