Version 3.2		Revision Date 04/20/2020	Print Date 04/14/2022
SECTION 1. PRODUCT AND CO	OMPA	ANY IDENTIFICATION	
Material name	:	TIMEMIST CINNAMON AIR FRESHEI 12CT	NER 30 DAY 12N5.3
Material number	:	0000000001042746	
Manufacturer or supplier's	deta	ils	
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	404-352-1680	

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

#### **GHS Classification**

Flammable aerosols	: Category 1
Gases under pressure	: Liquefied gas
Eye irritation	: Category 2A
Skin sensitisation	: Category 1
Specific target organ toxicity -	: Category 3 (Central nervous system)
single exposure	

#### **GHS** label elements

Hazard pictograms



Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022	
Signal word	: Danger	: Danger	
Hazard statements	H280 Contains gas under pressu H317 May cause an allergic skin H319 Causes serious eye irritatio	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>	
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot s and other ignition sources. No sm P211 Do not spray on an open fla P251 Pressurized container: Do n use.</li> <li>P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after P271 Use only outdoors or in a w P272 Contaminated work clothing the workplace.</li> <li>P280 Wear protective gloves/ eye <b>Response:</b></li> <li>P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALEE and keep comfortable for breathin CENTER/doctor if you feel unwell P305 + P351 + P338 IF IN EYES for several minutes. Remove com easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or ra advice/ attention.</li> <li>P337 + P313 If eye irritation pers attention.</li> <li>P362 + P364 Take off contamination reuse.</li> <li>Storage:</li> <li>P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 1 P403 + P235 Store in a well-ventii Disposal:</li> <li>P501 Dispose of contents/contair regulation.</li> </ul>	hoking. ame or other ignition source. not pierce or burn, even after gas/ mist/ vapours/ spray. handling. /ell-ventilated area. g should not be allowed out of e protection/ face protection. with plenty of soap and water. D: Remove person to fresh air ng. Call a POISON I. S: Rinse cautiously with water tact lenses, if present and ash occurs: Get medical ists: Get medical advice/ ted clothing and wash it before ht. Do not expose to 22 °F. lated place. Keep cool.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
cinnamaldehyde	104-55-2	>= 1 - < 3
eugenol	97-53-0	>= 0.1 - < 1

Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES		
General advice :	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.	
If inhaled :	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.	
In case of skin contact :	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use. Remove contaminated clothing and shoes.	
In case of eye contact :	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
If swallowed :	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.	
Most important symptoms : and effects, both acute and delayed	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.	
	Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards.	
Notes to physician :	Treat symptomatically. Symptoms may be delayed.	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical

Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fightin courses.	ng to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surrounding	
Further information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with Standard procedure for chemical f	e extinguishing water must local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> </ul>

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> <li>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not</li> </ul>
	allergies, chronic or recurrent respiratory disease should not

Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
	be employed in any process in whicused.	ch this mixture is being
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized.</li> <li>exposure and temperatures over 56 or throw into fire even after use. Do red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilate Electrical installations / working ma the technological safety standards.</li> </ul>	0 °C. Do not open by force o not spray on flames or red place.
Materials to avoid	: Oxidizing agents Store and keep away from bases a	ind alkalies.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As	25 mg/l	ACGIH BEI
				soon as		

rsion 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
	exp	ssible after posure pases)
Engineering measures	: effective ventilation in all processing	ng areas
Personal protective equipr	nent	
Respiratory protection	: No personal respiratory protective required.	equipment normally
Hand protection Remarks	: Skin should be washed after conta	act.
Eye protection	: Always wear eye protection when eye contact with the product cann	•
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	t the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: partly soluble

Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 36.56 kJ/g	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Bases Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

## SECTION 11. TOXICOLOGICAL INFORMATION

## **Potential Health Effects**

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure		Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.
		Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction.

Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
	Review section 2 of SDS to see al Treat symptomatically. Symptoms	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable	
ACGIH	human carcinogen by IARC. No component of this product present equal to 0.1% is identified as a carcin	-
OSHA	carcinogen by ACGIH. No component of this product presen	t at levels greater than or
NTP	equal to 0.1% is on OSHA's list of reg No component of this product presen- equal to 0.1% is identified as a known by NTP.	t at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
cinnamaldehyde: Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritati	on	
Product:		

Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

### Product:

Remarks: Causes sensitisation.

#### **Components:**

**cinnamaldehyde:** Classification: May cause sensitisation by skin contact.

#### eugenol:

Classification: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

Version 3.2	Revision Date 04/20/2020	Print Date 04/14/2022
Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> cinnamaldehyde :	: Remarks: No data available	
Partition coefficient: n- octanol/water eugenol :	: Pow: 1.83	
Partition coefficient: n- octanol/water	: log Pow: 2.7	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel):

Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

### California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**

Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

## **Further information**

### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 3.2

Revision Date 04/20/2020

Print Date 04/14/2022

occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash it before reuse. **Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.2
Revision Date:	04/20/2020
Print Date:	04/14/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.