

Remco
a Vikan company

2019

Full-Line Catalog



Table of Contents

- Remco and Vikan3
- Color-Coding System 4-5
- Ultra Safe Technology 6-7
- New Colors Introduction 8-9
- New Products 10-11
 - Reusable Food-Safe Garments 12-13
- Material Handling Tools..... 14
 - Product Selection Guide..... 15
 - Shovels 16
 - Fork, Rake, and Paddles 17
 - Dustpans and Bowl Scoops 18
 - Hand Scoops 19
 - Scrapers 20-21
 - Wall Brackets 22
 - Buckets..... 23
 - Metal Detectable 24-25
 - Tubs and Undercarriages..... 26-27
- Cleaning Tools 28
 - Product Selection Guide..... 29
 - Sweeping Brooms..... 30-31
 - Deck Scrubs and Tank Brushes..... 32-33
 - Hand Brushes 34-37
 - Tube and Valve Brushes 38-41
 - Special Application Brushes 42-43
 - Squeegees 44-47
 - Handles..... 48-51
 - Waterfed 52-53
 - Pad Holder System 54-55
 - Floor and Drain Collection 56-57
- Industrial Tools..... 58
 - Product Selection Guide..... 59
 - Industrial and Safety Shovels..... 60-61
 - Hazmat Tools 62-63
- Product Awards..... 64
- Education & Technical Support 65
- Index 66



The products that put food safety in your hands.

Remco
a Vikan company



Solid hygiene & performance

Seamless injection molded tools from Remco deliver the ultimate in hygienic material handling. One-piece construction eliminates areas for bacteria to hide in and multiply, resulting in a durable tool that performs beautifully in even the most rigorous applications.

The best of both hygiene & efficiency

Hygiene-essential environments demand efficient and easy-to-use tools that maintain or advance hygienic standards. Vikan's products are designed to improve the quality and reduce the cost of cleaning, while motivating hygienic behavior.


Global Scope. Local Support.

Remco, Vikan's dedicated presence in North America, draws upon a combined wealth of knowledge and world-class manufacturing capabilities to provide even greater value to our customers – innovating new cleaning tools, increasing our industry-leading product availability and delivering unmatched levels of customer service.

Visit us on social media: remcoproducts.com/socialmedia.

Color-Coding

Minimizing risks and improving food safety



Minimizing the risk of cross-contamination is key to maintaining a safe processing facility and is imperative for meeting today's food safety guidelines. Changes with SQF Edition 8, BRC, and FSMA all require better methods of zoning, which can be easily and efficiently done with color-coding. Color-coding is a proven practice that effectively communicates hazards and helps food processors achieve high-quality food safety standards.

As a trusted supplier to leading food processors, Remco can work with you to develop a color-coding system that is customized to your facilities' unique needs and products. Through the program development process, Remco will help you identify different processing zones or tasks. We will also help your workers understand and implement your color-coding plan. Color-coding is a helpful tool in maintaining HACCP compliance, as well as for preventing food safety and quality lapses before they happen. By design, most Remco and Vikan tools further contribute to effective color-coding plans with a wide range of total-color products.

Get the color-coding kit at remcoproducts.com/toolkit.

Tips to Help Build an Effective Color-Coding Plan

According to the Centers for Disease Control's foodborne outbreak tracking & reporting, 48 million (about 1 in 6) people in the U.S. get sick each year from eating contaminated food. There are more than 250 pathogens and toxins that are known to cause foodborne illness. A number of these occurrences are considered preventable and an effective color-coding plan can help guard against these costly mistakes. To prevent cross-contamination from wreaking havoc throughout a facility, consider these tips for implementing a color-coding plan:



1. Keep it Simple

Avoid complicated color assignments and keep your system simple. Color-code only the most important areas or items used to control cross-contamination.

2. Pick Logical Colors

Ensure that the colors you select are easily recognized and understood by everyone involved. They should also be able to be spotted against product in case a tool is dropped.

3. Make it Clear

Reinforce your color assignments with consistent and appropriate signage. Provide clearly marked storage areas throughout your facility and grounds.

4. Communicate the Program


Have a communication strategy for rolling out the program to your employees. Revisit it regularly to ensure it's working.

Remco welcomes the opportunity to work with your food safety and quality teams to ensure your color-coding system is a complete success.

Get Ready for a Hygiene Revolution

With Ultra Safe Technology

Vikan's award-winning Ultra Safe Technology is a revolutionary line of brooms and brushes that help improve food safety and quality, minimize food waste, and increase cleaning efficiency.



Secure Bristles with Fully-Molded Design

Bristles in traditional staple-set or resin-set tools start to loosen and detach with use. Once bristles begin to dislodge, the bundle loosens and more will fall out.

UST bristles are individually molded to the brush and don't loosen over time.

3x

Bristle fixation is 3 times more consistent in UST brushes than in drilled & stapled ones.

52%

It takes 52% more force to loosen a UST bristle than the bristles on a traditional brush.


Optimized Bristle Patterns

Each UST brush and broom features a purpose-designed, efficiency-boosting bristle pattern.




Hand Brush

Angled and circular arrangement for scrubbing and washing in a circular motion.



Broom / Deck scrub

Angled arrangement of the Bristle Security Units enabling more efficient cleaning.



Bench Brush

Bristles Security Units are arranged to enable the efficient and effective removal of fine powders and loose debris.

41793



UST Tools Meet Hygienic Design Principles

Hygienic design principles are built into UST tools because even cleaning equipment can be a vector of contamination.




- ✓ Easy to clean and dry
- ✓ Durable and well-constructed
- ✓ Smooth surface finish (under 0.8µm)
- ✓ Absence of acute internal angles
- ✓ Made of food-safe materials
- ✓ Fully tested and documented

47%
of cleaning equipment tests positive for listeria*
* Study conducted by Campden BRI




An extremely low surface roughness reduces the risk of contaminants sticking to the surface of the brush and makes it easier to clean.



Superior Cleanability

Vikan dramatically reduced the depth of the UST brush-head recess, making brushes easier to clean by eliminating drilled holes, metal staples, and resins.



For more details, visit <http://ust.vikan.com/us>



66

Brown

77

Lime

88

Gray

Introducing 3 New Colors!

The additions of brown (66), lime (77), and gray (88) to the other nine colors Remco and Vikan offer give more options to production facilities that utilize color-coding as a safety measure. Color-coding can help prevent cross-contamination when used appropriately. The inclusion of these new colors gives a total of 12 unique colors to effectively begin or expand a color-coding plan.

Item No.	Description	Item No.	Description
101666 / 101677 / 101688	Wall Bracket Hooks	650066 / 650077 / 650088	82 oz. Scoop
101766 / 101777 / 101788	Wall Bracket, 1-3 Items, 6"	695966 / 695977 / 695988	Mini Bench Scraper
101866 / 101877 / 101888	Wall Bracket, 4-6 Items, 15.5"	696066 / 696077 / 696088	Bench Scraper
101966 / 101977 / 101988	Wall Bracket Clips	696166 / 696177 / 696188	3" Hand Scraper
293566 / 293577 / 293588	51" Aluminum Handle	696266 / 696277 / 696288	4" Hand Scraper
293766 / 293777 / 293788	59" Aluminum Handle	697166 / 697177 / 697188	1.5" Stainless Scraper
296266 / 296277 / 296288	59" Ultra Hygiene Handle	697266 / 697277 / 697288	3" Stainless Scraper
317466 / 317477 / 317488	Broom, Push, Soft/Stiff, 16.5"	698166 / 698177 / 698188	11" One-Piece Shovel
419266 / 419277 / 419288	Brush, Washing, Stiff, 10"	698266 / 698277 / 698288	14" One-Piece Shovel
458766 / 458777 / 458788	Soft Bench Brush	703766 / 703777 / 703788	Stiff Tank Brush
458966 / 458977 / 458988	Medium Bench Brush	704766 / 704777 / 704788	High-Low Brush
566066 / 566077 / 566088	Handheld Dust Pan	706066 / 706077 / 706088	12" Deck Scrub
568666 / 568677 / 568688	3 Gallon Bucket	714066 / 714077 / 714088	16" Ultra Hygiene Squeegee
568766 / 568777 / 568788	3 Gallon Bucket Lid	716066 / 716077 / 716088	24" Ultra Hygiene Squeegee
568866 / 568877 / 568888	1.5 Gallon Bucket	775466 / 775477 / 775488	24" Foam Blade Squeegee
568966 / 568977 / 568988	1.5 Gallon Bucket Lid	980166 / 980177 / 980188	1" Rubber Bands
630066 / 630077 / 630088	16 oz. Scoop	980266 / 980277 / 980288	1.5" Rubber Bands
640066 / 640077 / 640088	32 oz. Scoop		



What our new colors can do for you

- Lime is recommended for allergen control, while brown and gray are often used outside actual food production areas.
- Ideal for complex color-coding setups and large facilities with many zones and potential risks.
- New colors available for lots of tools and applications, enabling complete coverage in lime, brown, and gray zones.





More info on pg.43

Vikan 1" Pastry/Detail Brush - 555230x

Available in 5 colors



The thin and soft bristles easily apply marinades, eggs, or icing to products. The narrow size also makes this brush excellent at detail cleaning.

Features

- » FDA compliant
- » Dual purpose
- » Total color
- » Available in 5 colors



More info on pg.43

Vikan 2" Pastry/Detail Brush - 555250x

Available in 5 colors



The slightly wider pastry/detail brush is still a great choice for cleaning in narrow spaces, and can make faster work of marinating meats or applying washes or icing to baked goods.

Features

- » FDA compliant
- » Dual purpose
- » Total color
- » Available in 5 colors



More info on pg.43

Vikan 3" Pastry/Detail Brush - 555270x

Available in 5 colors



Thin, soft bristles allows this wider version of the pastry/detail brush to clean more efficiently while still being gentle enough to work with pastries.

Features

- » FDA compliant
- » Dual purpose
- » Total color
- » Available in 5 colors



More info on pg.18

Remco Lobby Dustpan Set - 6250x

Available in 9 colors



This set includes a dustpan and upright broom. The dustpan has no hard angles that could trap food residue or bacteria, and it can be easily disassembled and reassembled for regular washing and sanitizing. The large, 7" by 14" bin allows for big and small cleanup jobs. The tall 37" handles prevent back pain that stems from leaning over shorter dustpans and brooms.

Features

- » FDA compliant
- » Available in 9 colors
- » Locking pan lid
- » Matching broom & dustpan
- » Durable

New Products



More info on pgs.8-9

3 New Colors Available - Brown, Lime, and Gray

35 products now include 3 new colors

These three additional colors give facilities even more options. These tools run the gamut from our most popular shovels and brushes to specialty pieces like our wall brackets and tank brushes. Brown and gray are subtle colors that are ideal for use in high-visibility areas such as hallways and corridors. Brown is also a good replacement for wooden products. Because it's so visually distinct, lime is being used by many facilities as a part of their allergen control plans. Visit remcoproducts.com/colors for more details.



More info on pg.21

Vikan Flexible Hand Scraper - 4051x

Available in 5 colors



Our flexible scraper is suitable for cleaning work benches and conveyor belts, as well as emptying containers and buckets. It has a scraping edge on three sides.

Features

- » FDA compliant
- » Available in 5 colors
- » Flexible
- » Durable
- » One-piece construction



More info on pg.20

Vikan Nylon Scraper with Threaded Handle - 4012x

Available in 5 colors



Loosen stubborn dirt like pastry, chocolate, burnt-on food, and more with this scraper. The nylon blade is a good alternative to a stainless steel blade and can be used on sensitive surfaces to avoid scratching equipment or conveyor belts. The hard blade can withstand hot surfaces when used at a maximum of 2-minute intervals. Can be used with any Vikan handle.

Features

- » FDA compliant
- » Threaded handle
- » Available in 5 colors
- » Durable
- » Gentle on sensitive surfaces
- » Fully tested and documented



More info on pg.30

Vikan Split Bristle Angle Head Broom - 2916x

Available in 6 colors



The split bristle angle head broom is designed to handle fine particles like dust, flour, and powdered sugar. The soft/split bristles gently sweep away these powders without leaving residues. The broom head, made of FDA-compliant materials, comes in six colors, making it a great addition to any color-coded food safety or sanitation plan.

Features

- » FDA compliant
- » Available in 6 colors
- » Good on fine particles
- » Use with any Vikan handle
- » Durable

Durability and Dependability

With Top Dog Reusable Garments

Remco is the new exclusive U.S. distributor of Top Dog's reusable color-coded garments. The Top Dog line supports color-coding programs by providing an additional level of visual verification which helps ensure the right people are working in specified zones.



Features of Top Dog garments:

- Food safe (FDA-compliant)
- Reusable for 3 months or more, depending on application
- Waterproof
- Virtually non-stick and non-staining
- Resistant to chemical and acid sanitation products
- Non-porous surface – will not host bacteria or mold
- Recyclable
- Washer and dryer safe
- Will not crack or stiffen in low temperatures or with repeated cleaning
- Impervious to animal fats and degreasers
- Completely latex-free for sensitive users
- Easily repairable
- Very high abrasion resistance



6 Mil Die Cut Apron w/
45" Length
8001x



Colors Available:	
Length:	45"
Thickness:	6 mil
Weight:	0.4 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	36 units



6 Mil Die Cut Apron w/
50" Length
8002x



Colors Available:	
Length:	50"
Thickness:	6 mil
Weight:	0.45 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	36 units



8 Mil Die Cut Apron w/
45" Length
8101x



Colors Available:	
Length:	45"
Thickness:	8 mil
Weight:	0.55 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	24 units



8 Mil Die Cut Apron w/
50" Length
8102x



Colors Available:	
Length:	50"
Thickness:	8 mil
Weight:	0.6 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	24 units

Reusable Food-Safe Garments



80012

84023



80023



86046



86034

These products are durable and hygienic, making them an excellent complement to Remco's cleaning and material handling tools. The total-color garments provide protection to the wearer and are easy on the environment because they are reusable. Depending on applications, garments may last 3 months or more. These garments are made from an ether-based polyurethane film, making them ideal for the food and beverage industry.



6 Mil Gown w/ 45" Length
8603x



Colors Available:	2 3 4 5 6
Length:	45"
Thickness:	6 mil
Weight:	0.7 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	10 units



6 Mil Gown w/ 50" Length
8604x



Colors Available:	2 3 4 5 6
Length:	50"
Thickness:	6 mil
Weight:	0.73 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	10 units

Top Dog garments ship in full cases only.

84025

86045



69813 / 69013

Additional sizes, colors, and styles are available upon request.



18" Length Sleeves
8401x



Colors Available:	2 3 4 5 6
Length:	18"
Thickness:	6 mil
Weight:	0.15 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	24 pairs



21" Length Sleeves
8402x



Colors Available:	2 3 4 5 6
Length:	21"
Thickness:	6 mil
Weight:	0.2 lbs.
Maximum Temperature:	180°F
Material:	Polyurethane
Case Quantity	18 pairs



MATERIAL HANDLING TOOLS

In food processing environments, material handling tools must be purpose-built for the task. Due to their nature, these tools come into direct contact with food products. The material handling tools in your facility should improve your food safety efforts—not create a potential risk of contamination.

Material handling tools from Remco and Vikan are carefully designed and produced from materials that comply with regulatory standards. Any tool that contacts food should be backed by the appropriate documentation to support a written food safety plan, which we can provide to all our customers.

But why stop at satisfying the requirements? Our superior lines are ergonomically built, eliminating excessive stress and strain on the user. This improves the productivity of your workforce and ultimately your overall operation.



Material Handling Product Selection Guide

Remco and Vikan offer a range of scraping, material measuring, and material transporting tools to meet the varying demands of food processors.

Choose the material handling option that best fits the application:



- **Shovels** — Composed solely of FDA-compliant polypropylene, our shovels are hygienic and durable. They also have the added benefits of being total color, fully molded, and non-sparking, making them a top choice in the food industry.



- **Scoops** — Remco scoops are durable and hygienically designed with smooth edges for easy cleaning.



- **Dustpans** — From our award-winning lobby dustpan and broom set to Vikan's hygienic dustpan, we can help keep floors clean of debris.



- **Buckets** — Vikan buckets make transporting and storing bulk ingredients a snap. Good for handling up to 5 gallons of materials or liquids.



- **Tubs** — Remco tubs and undercarriages come in a variety of sizes and shapes to fit your needs. From adding lids to customizable plugs, we have the tubs that will help you move and store products. Best option for moving contents of up to or about 100 gallons.

Choose the blade material that best fits your specific needs:



- **Stainless Steel Blade** — These blades are good for removing stubborn or burnt-on foodstuff from smooth surfaces. Certain stainless steel scrapers may be mounted on handles to provide greater reach.



- **Polypropylene Blade** — Plastic blades provide a durable scraping option that won't damage surfaces. Hand scrapers, bench scrapers, and paddle scrapers are available in standard polypropylene and metal detectable polypropylene.



- **Nylon Blade** — Rigid and durable, nylon scrapers provide a good option where scrapers are required in high-temperature situations. Certain nylon tools require handles for proper use.

Choose the measurement tool that best fits your specific needs:



- **Bowl Scoops** — Vikan bowl scoops include measurement marks in liters, fluid ounces (U.S.), and fluid ounces (U.K.). These scoops are often used in dairy and baking applications and are ideal for keeping allergens separated. They pair perfectly with Vikan buckets, allowing for precise measuring and mixing.



- **Mega Scoops/Dippers** — These scoops include measurement markings in liters on one side and quarts on the other. Commonly used in conjunction with Remco tubs, these scoops can move large, yet precise amounts of material efficiently.



- **Buckets** — With measurement marks in liters, gallons (U.S.), and gallons (U.K.), these Vikan buckets are well suited for measuring, transporting, or storing bulk ingredients. These buckets are often used in dairy and baking applications.

Shovels



698288

56116

56013

69844

698166

56045

These tools are a cost-effective alternative to stainless steel and are ergonomically designed to reduce stress on the user's back. Durable and lightweight, plastic tools won't damage equipment like metal tools can.

Remco One-Piece Shovel
w/ 10" Blade
6981x



Now in New Colors!



Colors Available:

Length:	Width:	Depth:
37.5"	10.2"	5.9"
Weight:	2.6 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco One-Piece Shovel
w/ 14" Blade
6982x



Now in New Colors!



Colors Available:

Length:	Width:	Depth:
42.5"	13.75"	6.6"
Weight:	3.56 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco One-Piece Dual Grip
Shovel w/ 14" Blade
6984x



Colors Available:

Length:	Width:	Depth:
47.5"	13.6"	6.25"
Weight:	4.84 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Vikan. Ergonomic Shovel-
Large Blade
5601x



Colors Available:

Length:	Width:	Depth:
51.2"	13.5"	9.8"
Weight:	4.05 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene / Aluminum	

Vikan. Ergonomic Shovel-
Large Sieve
56045



Colors Available:

Length:	Width:	Depth:
44.9"	13.7"	8.3"
Weight:	3.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. Ergonomic Shovel-
Small Blade
5611x



Colors Available:

Length:	Width:	Depth:
50"	10.7"	8.1"
Weight:	3.39 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene / Aluminum	

Fork and Rake



56905



56915

Hygienically designed fork and rake are ideally suited for moving bulk food material.

Paddles



67754

67772

67763

67746

These paddles can reach into deep vats to help combine ingredients.

Vikan. Hygienic Fork 56905



Colors Available:	White	
Length:	Width:	Depth:
49"	9.2"	5.1"
Weight:	3.18 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. Hygienic Rake 56915



Colors Available:	White	
Length:	Width:	Height:
7.9"	8"	8.9"
Weight:	0.91 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Remco 40" Mixing Paddle w/ Holes 6774x



Colors Available:		
Length:	Width:	Thickness:
39.75"	6"	1.3"
Weight:	2.11 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 40" Mixing Paddle 6775x



Colors Available:		
Length:	Width:	Thickness:
39.75"	6"	1.4"
Weight:	2.19 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 52" Mixing Paddle w/ Holes 6776x




Colors Available:		
Length:	Width:	Thickness:
51.8"	5.9"	1.4"
Weight:	2.64 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 52" Mixing Paddle 6777x



Colors Available:		
Length:	Width:	Thickness:
51.8"	5.9"	1.4"
Weight:	2.66 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Dustpans



Bowl Scoops



Durable, total-color dustpans have become a staple in many color-coded sanitation programs.

Vikan. Dustpan 5660x



Colors Available: 

Length:	Width:	Height:
11.4"	13.2"	3.5"
Weight:	0.66 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Remco Lobby Dustpan w/ Broom 6250x



Colors Available: 

Length:	Width:	Height:
47.5"	14.56"	7.13"
Weight:	3.43 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Aluminum/Polyester	

Remco Utility Dustpan 6350



Colors Available:  Black

Length:	Width:	Height:
12.2"	12.1"	4.1"
Weight:	0.47 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	



Vikan. 32 oz. Round Scoop 5681x



Colors Available: 

Length:	Width:	Height:
11.6"	6.75"	5.25"
Weight:	0.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. 64 oz. Round Scoop 5682x



Colors Available: 

Length:	Width:	Height:
13"	8.25"	6.13"
Weight:	0.57 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Hand Scoops



65525 / 29815



65527



650077



63001



64008



65506

Color-coded scoops are useful in preventing cross-contact between allergens and supporting HACCP plans and regulatory food safety efforts.

Remco 16 oz. Hand Scoop 6300x



Colors Available:		
Length:	Width:	Height:
10.4"	3.2"	2"
Weight:	0.21 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene		

Remco 32 oz. Hand Scoop 6400x



Colors Available:		
Length:	Width:	Height:
11.5"	4.3"	3"
Weight:	0.39 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene		

Remco 82 oz. Hand Scoop 6500x



Colors Available:		
Length:	Width:	Height:
15.1"	5.9"	3.3"
Weight:	0.65 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene		

Remco 128 oz. Mega Scoop 6550x



Colors Available:		
Length:	Width:	Height:
11"	8.7"	6.7"
Weight:	1.35 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene		

Remco 128 oz. Mega Dipper 6552x*



Colors Available:		
Length:	Width:	Height:
11"	8.7"	7.3"
Weight:	1.48 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene / Stainless Steel		

Recommended handles for use with the Remco Mega Scoop Dipper:

- » 2935x - 51" Color-Coded Aluminum Handle
- » 2945 - 51" Light-Duty Aluminum Handle
- » 2959x - Color-Coded Full Aluminum Handle

For more handle options, see page 48 or visit Remco's website at remcoproducts.com

Bench & Handle Mounted Scrapers



Scraping tools from Remco offer solutions for a variety of bench top, food prep, and floor applications. These tools are ideal when you need a hygienic option for effectively moving materials, and they are rigid enough to perform without bending or breaking.

Remco Food Hoe
2900x



Colors Available:

Length:	Thickness:	Height:
11.25"	2"	8"
Weight:	1.13 lbs.	
Deflection / Softening Temps: 410°F / 419°F		
Material:	Nylon	

Vikan. Stainless Steel
Floor Scraper
2910x



Colors Available:

Length:	Thickness:	Height:
10.25"	1.25"	6.9"
Weight:	0.56 lbs.	
Maximum Temperature: 250°F		
Material:	Polypropylene / Stainless Steel	

Remco Nylon Floor Scraper
2911x



Colors Available:

Length:	Thickness:	Height:
10.25"	1"	6.9"
Weight:	0.65 lbs.	
Deflection / Softening Temps: 410°F / 419°F		
Material:	Nylon	

Vikan. 2" Stainless Steel Handle
Mounted Scraper
4010x



New Item!



Colors Available:

Height:	Width:	Thickness:
8.07"	1.97"	1.26"
Weight:	0.18 lbs.	
Maximum Temperature: 392°F		
Material:	Polypropylene / Stainless Steel	

Vikan. 4" Stainless Steel Handle
Mounted Scraper
4011x



New Item!



Colors Available:

Height:	Width:	Thickness:
8.07"	3.94"	1.26"
Weight:	0.2 lbs.	
Maximum Temperature: 392°F		
Material:	Polypropylene / Stainless Steel	

Vikan. Nylon Scraper with
Threaded Handle
4012x



New Item!



Colors Available:

Height:	Width:	Thickness:
8.07"	3.94"	1.26"
Weight:	0.15 lbs.	
Maximum Temperature: 250°F		
Material:	Polypropylene / Nylon	

Vikan. Flexible Hand Scraper
4051x



Colors Available:

Thickness:	Width:	Height:
0.08"	6.5"	3.62"
Weight:	0.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Remco 5" Mini Bench Scraper
6959x



Colors Available:

Thickness:	Width:	Height:
0.3"	5.25"	3.4"
Weight:	0.09 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 8" Bench Scraper
6960x



Colors Available:

Thickness:	Width:	Height:
0.9"	8.3"	5.2"
Weight:	0.29 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	


Remco 3" Scraper
6961x



Colors Available:

Thickness:	Width:	Height:
0.75"	3"	7.8"
Weight:	0.1 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 4" Scraper
6962x



Colors Available:

Thickness:	Width:	Height:
0.88"	4.25"	9.19"
Weight:	0.15 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco 4" High Temperature Scraper
6963



Colors Available: Blue

Thickness:	Width:	Height:
0.88"	4.25"	9.38"
Weight:	0.25 lbs.	
Deflection/Softening Temps:	424°F / 392°F	
Material:	Nylon / Fiberglass	

Remco 1.5" Stainless Steel Scraper
6971x



Colors Available:


Thickness:	Width:	Height:
1"	1.5"	8.9"
Weight:	0.21 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene / Stainless Steel	

Remco 3" Stainless Steel Scraper
6972x



Colors Available:

Thickness:	Width:	Height:
1"	3"	8.9"
Weight:	0.25 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene / Stainless Steel	



Vikan. Stiff Paddle Scraper
7011x



Colors Available:

Length:	Width:	Thickness:
8.75"	4.3"	1"
Weight:	0.32 lbs.	
Maximum Temperature:	338°F	
Material:	Nylon	

Vikan. Flexible Paddle Scraper
7013x



Colors Available:

Length:	Width:	Thickness:
8.75"	4.3"	1"
Weight:	0.26 lbs.	
Maximum Temperature:	176°F	
Material:	Polyethylene	

Recommended handles for use with Remco and Vikan scrapers:

- » 2937x - 59" Aluminum Handle
- » 2939x - 59" Stainless Steel Handle
- » 2962x - 59" Ultra Hygiene Handle

For more handle options, see page 48 or visit Remco's website at remcoproducts.com

Wall Brackets



Protect your tools and keep your area neat with color-coded wall brackets from Vikan. Properly hanging your tools prolongs the life of your equipment. Most brackets are extendable when mounted adjacently and can accommodate nearly any product.

Vikan. Basic Wall Bracket
0615x



Colors Available:

Length:	Width:	Height:
9.4"	6.5"	2.25"
Weight:	0.47 lbs.	
Maximum Temperature:	212°F	
Material:	Polypropylene	

Vikan. Wall Bracket Replacement Hooks
1016x



Colors Available:

Length:	Width:	Height:
3"	0.8"	2.4"
Weight:	0.14 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. Wall Bracket for 1-3 Tools
1017x



Colors Available:

Length:	Width:	Height:
6.1"	3.1"	2.4"
Weight:	0.28 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	

Vikan. Wall Bracket for 4-6 Tools
1018x



Colors Available:

Length:	Width:	Height:
15.3"	2.25"	2.25"
Weight:	0.64 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	

Vikan. Wall Bracket Replacement Clips
1019x



Colors Available:

Length:	Width:	Height:
4.7"	3.9"	1.6"
Weight:	0.11 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	

Vikan. Wall Bracket for Bucket
16200



Compatible with 5686 and 5688

Length:	Width:	Depth:
14.6"	3.1"	2"
Weight:	0.62 lbs.	
Maximum Temperature:	250°F	
Material:	Stainless Steel	

Buckets



Buckets from Vikan are ideal for moving, measuring, and mixing bulk materials, and are color-coded to assist in the prevention of cross-contamination.

Vikan. 3 Gallon Bucket
5686x

Now in New Colors!

Colors Available:

Length:	Width:	Height:
12.81"	12.88"	12.7"
Weight:	2.18 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Stainless Steel	

Vikan. 3 Gallon Bucket Lid
5687x

Now in New Colors!

Colors Available:

Length:	Width:	Height:
14"	12.38"	1"
Weight:	0.49 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. 1.5 Gallon Bucket
5688x

Now in New Colors!

Colors Available:

Length:	Width:	Height:
10"	9.6"	7.1"
Weight:	1.2 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Stainless Steel	

Vikan. 1.5 Gallon Bucket Lid
5689x

Now in New Colors!

Colors Available:

Length:	Width:	Height:
11.3"	9.75"	0.5"
Weight:	0.26 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Vikan. 5 Gallon Bucket
5692x

Colors Available:

Length:	Width:	Height:
15"	18.5"	18.5"
Weight:	4.37 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Stainless Steel	

Vikan. 5 Gallon Bucket Lid
5693x

Colors Available:

Length:	Width:	Height:
14.37"	12.2"	1.6"
Weight:	1 lb.	
Maximum Temperature:	250°F	
Material:	Polypropylene	

Metal Detectable



6981MD4 6777MD2 6982MD5

Produced with a specially formulated FDA-compliant polypropylene resin, our tools can be identified by standard metal detection equipment. They are a great alternative to stainless steel.

Remco 32 oz. Metal Detectable Hand Scoop
6400MDx



Colors Available:



Length:	Width:	Height:
11.5"	4.3"	3"
Weight:		0.53 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco 82 oz. Metal Detectable Hand Scoop
6500MDx



Colors Available:



Length:	Width:	Height:
15.1"	5.9"	3.3"
Weight:		0.87 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco 52" Metal Detectable Mixing Paddle
6777MDx



Colors Available:



Length:	Width:	Thickness:
51.7"	6"	1.4"
Weight:		3.63 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco 5" Metal Detectable Mini Bench Scraper
6959MDx



Colors Available:



Thickness:	Width:	Height:
0.3"	5.25"	3.4"
Weight:		0.12 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco 8" Metal Detectable Bench Scraper
6960MDx



Colors Available:



Thickness:	Width:	Height:
0.9"	8.3"	5.2"
Weight:		0.39 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco 3" Metal Detectable Scraper
6961MDx



Colors Available:



Thickness:	Width:	Height:
0.75"	3"	7.88"
Weight:		0.15 lbs.
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		



6400MD4

Remco 4" Metal Detectable Scraper
6962MDx



Colors Available:



Thickness:	Width:	Height:
0.82"	4.25"	9.19"
Weight:	0.25 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco One-Piece Metal Detectable Shovel w/ 10" Blade
6981MDx



Colors Available:



Length:	Width:	Depth:
37.5"	10.2"	5.9"
Weight:	3.53 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		



Remco One-Piece Metal Detectable Shovel w/ 14" Blade
6982MDx



Colors Available:



Length:	Width:	Depth:
42.5"	13.75"	6.6"
Weight:	5.49 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Remco Metal Detectable Test Kit
MDTK




Colors Available:

Blue

Length:	Height:	Thickness:
4.3"	1.9"	0.5"
Weight:	0.03 lbs.	
Deflection / Softening Temps: 183°F / 266°F		
Material: Polypropylene/Semi-Ferrous Additive		

Approximate Detectability of Remco Metal Detectable Line



Due to variables in the testing environment, the exact level of detection should be determined by in-house testing.

The Metal Detectable Test Kit is available to allow testing for detectability with specific equipment. Many variables contribute to detectability. Please call Remco for guidance in testing with your system.

i Colors of metal detectable products differ from other products due to semi-ferrous additive.

Tubs & Undercarriages



Remco tubs are designed for bulk material handling jobs that require containers made of FDA-compliant materials. Constructed with high-density polyethylene, they can be used for transporting, freezing, and storing.



Remco Angled Dump Tub
6901x



Colors Available:	2 3 4 5 6	
Length:	Width:	Height:
54.6"	32"	21.7"
Weight:	28 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Angled Dump Tub Lid
6902x



Colors Available:	2 3 4 5 6	
Length:	Width:	Height:
56"	32"	4.3"
Weight:	15 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Regular Undercarriage
6903



Colors Available:	Steel	
Length:	Width:	Height:
41.1"	27.3"	19.1"
Weight:	69.5 lbs.	
Material:	Galvanized Steel	

Remco Low Undercarriage
6904



Colors Available:	Steel	
Length:	Width:	Height:
40.25"	26.9"	8.9"
Weight:	85.5 lbs.	
Material:	Galvanized Steel	

Remco Angled Dump Tub w/
Drain Plug
6905x



Colors Available:	2 3 4 5 6 B	
Length:	Width:	Height:
54.6"	32"	21.7"
Weight:	28 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Stainless Steel
Undercarriage
6906



Colors Available:	Steel	
Length:	Width:	Height:
41.1"	27.3"	19.1"
Weight:	57 lbs.	
Material:	Stainless Steel	

Remco Transport Storage Tub
6911x



Colors Available:	2 3 4 5 6	
Length:	Width:	Height:
46.8"	26.5"	16.9"
Weight:	20.5 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Transport Storage Tub Lid
6912x



Colors Available:	2 3 4 5 6	
Length:	Width:	Height:
46.9"	26.9"	1.7"
Weight:	10.5 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Galvanized Steel Undercarriage
6913



Colors Available:	Steel	
Length:	Width:	Height:
42.5"	21.6"	9.4"
Weight:	57.5 lbs.	
Material:	Galvanized Steel	

Remco Transport Storage Tub w/ Drain Plug
6915x



Colors Available:	2 3 4 5 6	
Length:	Width:	Height:
46.8"	26.5"	16.9"
Weight:	20.5 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Aero Tote Tub
6921



Colors Available:	White	
Length:	Width:	Height:
40.7"	37"	20.7"
Weight:	25.5 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Aero Tote Tub Lid
6922



Colors Available:	White	
Length:	Width:	Height:
41.2"	37.2"	2.75"
Weight:	13.5 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Aero Tote Pallet
6923



Colors Available:	White	
Length:	Width:	Height:
37.4"	32.6"	9.8"
Weight:	18 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	

Remco Aero Tote Tub w/ Drain Plug
6925



Colors Available:	White	
Length:	Width:	Height:
40.7"	37"	20.7"
Weight:	25.50 lbs.	
Deflection/Softening Temps:	173°F to 258°F	
Material:	Polyethylene	





CLEANING TOOLS

Maintaining a sanitary environment is an absolute necessity in a food processing facility, but production time is also an important focus. The ideal sanitation program integrates efficacy and efficiency. Compromise is never an option when it comes to keeping consumers safe from contamination.

For over 120 years, Vikan has focused on developing the most hygienic and effective cleaning tools in the world. With Vikan's product development emphasis on efficiency, functionality, and ergonomics, sanitation professionals have access to tools that are precisely suited for the most complex cleaning tasks.

With Remco's local support, your facility is afforded the ability to meet and exceed the highest food safety and quality standards in the industry—protecting the safety of your food products and the integrity of your brand.



Cleaning Tools Product Selection Guide

Remco Products and Vikan offer a range of brush styles, squeegee blades, and handle types to meet the varying demands of food processors.

Choose the brush that best fits the application:



■ **Soft** — Ideal for sweeping dry, fine particles like flour and sugar.



■ **Medium** — Can be used for wet or dry applications; great for sweeping larger food particles, such as peelings.



■ **Stiff** — Perfect for scrubbing difficult dirt and for wet use with cleaning agents.



■ **Soft/Stiff Combo** — The best of both worlds, offering stiff bristles that loosen stubborn dirt and soft bristles that sweep away fine particles.



■ **Soft/Split** — Split bristle fibers hold more water and cleaning agent to achieve a maximum washing effect.

Choose the blade that best fits the application:



■ **Single Blade Ultra Hygiene** — Zero seams or cracks for bacteria to hide in, providing the highest level of hygiene. The hygienic design has smooth, rounded surfaces with elongated ends to protect the rubber blade and guard against splashes.



■ **Double Blade Ultra Hygiene** — Efficient in areas such as large food production facilities, it collects every particle with flexible non-porous rubber blades. These squeegees feature replaceable rubber cassettes designed to move liquids and debris on tiled, uneven surfaces.



■ **Double Blade Foam Rubber** — The neoprene rubber blades make this squeegee the most effective at moving large amounts of liquid on smooth and tiled surfaces. The soft black blade is intended for use on floors only and is not FDA-compliant.

Choose the handle that best fits the application:



■ **Ultra Hygiene** — Composed solely of FDA-compliant polypropylene, this handle is uniquely hygienic and durable in its construction. It also boasts the added benefit of being total color, making it an excellent choice for inclusion in a color-coding system.



■ **Stainless Steel** — Stainless steel handles stand up to the most aggressive chemicals, making them a great choice for environments where chemical resistance is critical.



■ **Aluminum** - Aluminum handles are a solid option in any hygiene-sensitive environment. Aluminum provides a cost-effective and reliable solution to a facility's needs.



■ **Fiberglass** - Fiberglass handles are scheduled to phase out in 2020. Remco strongly recommends transitioning to total-color Ultra Hygiene handles. Please contact us for more details.

Sweeping Brooms



29165



29206



29147



31784



29152



31668



31043



12" Angle Broom
2914x



Colors Available:



Length:	Width:	Height:
11.8"	1.4"	10.6"
Weight:	1.01 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan sweeping brooms are designed for environments where hygiene and efficiency are essential.



13" Push Broom
2915x



Colors Available:



Length:	Width:	Height:
13"	2.9"	6.9"
Weight:	1.68 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



12" Split Bristle
Angle Broom
2916x



New Item!



Colors Available:



Length:	Width:	Height:
11.8"	1.75"	9.25"
Weight:	0.9 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



20" Push Broom
2920x



Colors Available:



Length:	Width:	Height:
20.1"	3"	6.9"
Weight:	2.63 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



10" Upright Broom
3104x



Colors Available:



Length:	Width:	Height:
9.6"	1.4"	6.9"
Weight:	0.71 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



12" Upright Broom
3166x



Colors Available:



Length:	Width:	Height:
12.4"	1.9"	5.5"
Weight:	0.99 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



16" Fine Particle
Push Broom
3178x



Colors Available:



Length:	Width:	Height:
16.25"	2.8"	4.2"
Weight:	1.03 lbs.	
Maximum Temperature:	185°F	
Material:	Polypropylene/SS	



Sweeping Brooms



These brooms come in a variety of bristle options to accommodate cleaning and sanitation efforts in any food production facility. For more information regarding bristle types and intended usage, see the Product Selection Guide found on page 29.

Vikan. 16" UST Soft Push Broom
3171x



Colors Available: 1 2 3 4 5 6 7 8

Length:	Width:	Height:
15.25"	1.88"	4.7"
Weight:	0.78 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Vikan. 16" UST Medium Push Broom
3173x



Colors Available: 1 2 3 4 5 6 7 8

Length:	Width:	Height:
15.25"	1.875"	4.7"
Weight:	0.78 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Vikan. 16" Combo Push Broom
3174x



Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Length:	Width:	Height:
16.1"	2.6"	4.2"
Weight:	1.13 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 16" Small Particle Push Broom
3179x



Colors Available: 1 2 3 4 5 6 7 8

Length:	Width:	Height:
16.4"	2.8"	4.6"
Weight:	1.16 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 24" Combo Push Broom
3194x



Colors Available: 2 3 4 5 6 7 8 9

Length:	Width:	Height:
24.4"	2.8"	4.5"
Weight:	1.81 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 24" Small Particle Push Broom
3199x



Colors Available: 2 3 4 5 6 7 8 9 10

Length:	Width:	Height:
24.4"	2.8"	4.5"
Weight:	1.80 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Deck Scrubs



Deck scrubs and tank brushes from Vikan are available in a variety of bristle options and are designed to accommodate cleaning and sanitation efforts in any food production facility. Additional information regarding bristle types and usage can be found in the Product Selection Guide on page 29. More information and a complete listing of Vikan waterfed products offered by Remco can be found on pages 52 and 53.

Vikan. Grout Brush
7040x



Colors Available: 

Length:	Width:	Height:
9.25"	1.5"	6.25"
Weight:	0.5 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA



Vikan. Narrow Flared Deck Scrub
7044x*



Colors Available: 

Length:	Width:	Height:
9.1"	2.8"	3.7"
Weight:	0.72 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA



Vikan. High-Low Brush
7047x



Colors Available: 

Length:	Width:	Height:
10.4"	5.5"	3.9"
Weight:	1.06 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA





70404

Vikan. 12" Deck Scrub
7060x



Colors Available: 

Length:	Width:	Height:
11.8"	2.8"	4.5"
Weight:	1.32 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA



Vikan. Waterfed Washing Brush w/ Angle Adjustment
7067x



Colors Available: 



Length:	Width:	Height:
9.25"	2.75"	5.5"
Weight:	0.92 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

SOFT/SPLIT
FDA




Deck Scrubs

Tank Brushes



Vikan. Stiff Tank Brush
7037x

Now in New Colors!

STIFF
FDA
WATERFED
UST

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12

Length:	Width:	Height:
8.3"	5.1"	3.7"
Weight:	1 lb.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. Medium Tank Brush
7039x

MED.
FDA
WATERFED
UST

Colors Available: 2 3 4 5 6

Length:	Width:	Height:
8.3"	5.1"	3.7"
Weight:	1.05 lbs.	
Maximum Temperature:	185°F	
Material:	Polypropylene/SS	

Vikan. 11" Extra-Stiff Deck Scrub
7041x

STIFF
FDA
WATERFED
UST

Colors Available: 2 3 4 5 6 7

Length:	Width:	Height:
10.75"	3"	3.7"
Weight:	0.87 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 11" Deck Scrub
7043x

MED.
FDA
WATERFED
UST

Colors Available: 2 3 4 5 6

Length:	Width:	Height:
10.9"	3"	3.7"
Weight:	0.91 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 19" Deck Scrub
7062x

STIFF
FDA
WATERFED
UST

Colors Available: 2 3 4 5 6

Length:	Width:	Height:
19.1"	2.6"	4.5"
Weight:	1.92 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. 16" UST Deck Scrub
7064x

STIFF
FDA
WATERFED
UST

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12

Length:	Width:	Height:
15.25"	1.875"	3.9"
Weight:	0.9 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Hand Brushes



Hand brushes from Vikan cover a wide range of scrubbing and cleaning applications while providing an ergonomic grip for the user. Each hand brush is designed to perform a specific cleaning function based on design and bristle type. Additional information regarding bristle types and respective intended use is available in the Product Selection Guide found on page 29.

Vikan. Medium Hand Brush
3587x



Colors Available: 

Length:	Width:	Height:
6.4"	1.7"	1.4"
Weight:	0.24 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA
176°F
TYPE

Vikan. Round Hand Brush
3885x



Colors Available: 

Length:	Width:	Height:
3.75"	3.75"	5.1"
Weight:	0.49 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
176°F
TYPE

Vikan. Large Hand Brush
3890x



Colors Available: 

Length:	Width:	Height:
7.5"	2.5"	2.4"
Weight:	0.48 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
176°F
TYPE

Vikan. Extra-Large Hand Brush
3892x



Colors Available: 

Length:	Width:	Height:
9.8"	4.75"	2.4"
Weight:	0.72 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
176°F
TYPE

Vikan. Detail Brush
4401x



Colors Available: 

Length:	Width:	Height:
7.9"	0.5"	0.9"
Weight:	0.06 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
176°F
TYPE

Now in additional colors!

Vikan. Small Hand Brush
6440x



Colors Available: 

Length:	Width:	Height:
4.9"	1.9"	1.5"
Weight:	0.22 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
176°F
TYPE

Hand Brushes



Vikan. Narrow Utility Brush
4195x

STIFF

Colors Available: 2 3 4 5 6 8

Length:	Width:	Height:
11.8"	0.8"	2.8"
Weight:	0.21 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. UST Soft Bench Brush
4581x

SOFT

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Length:	Width:	Height:
13"	1.5"	3.9"
Weight:	0.4 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Vikan. Baker's Brush
4582x

SOFT

Colors Available: 2 3 4 5 6 8

Length:	Width:	Height:
11"	1.2"	3.7"
Weight:	0.67 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. UST Medium Bench Brush
4585x

MED.

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Length:	Width:	Height:
13"	1.5"	3.9"
Weight:	0.4 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Vikan. Soft Bench Brush
4587x

SOFT

Now in New Colors!

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Length:	Width:	Height:
13"	1.3"	3.3"
Weight:	0.38 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. Medium Bench Brush
4589x

MED.

Now in New Colors!

Colors Available: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Length:	Width:	Height:
13"	1.3"	3.3"
Weight:	0.37 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Hand Brushes



Whether sweeping dry, fine particles or scrubbing stubborn debris in a wet environment, Vikan offers a range of ergonomically designed hand brushes with varying bristle options designed to tackle the task at hand.

Vikan. Ergonomic Washing Brush
4167x



Colors Available: 

Length:	Width:	Height:
12.4"	3.9"	3.9"
Weight:	0.62 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. Ergonomic Scrubbing Brush
4169x



Colors Available: 

Length:	Width:	Height:
12.5"	3.9"	3.5"
Weight:	0.58 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. UST Short Handle Scrubbing Brush
4179x



Colors Available: 

Length:	Width:	Height:
10"	2.88"	2.75"
Weight:	0.36 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

Vikan. Short Handle Utility Brush
4190x



Colors Available: 

Length:	Width:	Height:
9.8"	2.75"	2.6"
Weight:	0.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Vikan. Short Handle Scrubbing Brush
4192x



Colors Available: 

Length:	Width:	Height:
9.8"	2.6"	2.6"
Weight:	0.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	



Vikan. Short Handle Washing Brush
4194x



Colors Available: 

Length:	Width:	Height:
9.75"	2.75"	3.1"
Weight:	0.46 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

Hand Brushes



Vikan. Small Utility Brush
3088x



Colors Available: 

Length:	Width:	Height:
10.24"	1.57"	2.76"
Weight:	0.22 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA
BPA Free
BPA Free

Vikan. Long Handle Utility Brush
4182x



Colors Available: 

Length:	Width:	Height:
15.75"	2.75"	2.8"
Weight:	0.53 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA
BPA Free
BPA Free

Vikan. Long Handle Scrubbing Brush
4186x



Colors Available: 

Length:	Width:	Height:
15.75"	2.75"	2.8"
Weight:	0.53 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
BPA Free
BPA Free

Vikan. UST Long Handle Scrubbing Brush
4196x



Colors Available: 

Length:	Width:	Height:
15.5"	2.88"	2.75"
Weight:	0.44 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

STIFF
FDA
BPA Free
BPA Free

Vikan. Dish Brush w/ Scraper
4237x



Colors Available: 

Length:	Width:	Height:
10.8"	2.4"	2"
Weight:	0.11 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA
BPA Free
BPA Free

Vikan. Narrow Dish Brush
4287x




Colors Available: 

Length:	Width:	Height:
11"	0.9"	2"
Weight:	0.1 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

MED.
FDA
BPA Free
BPA Free

Tube Brushes



Tube and valve brushes are designed to facilitate cleaning in the narrowest spaces. They are suitable for a variety of cleaning tasks including drains, meat mincers, and graters.

Tube Brush Heads



These tube brushes are compatible with:

- 53515 - Metal Flexible Brush Handle
- 5346 - Metal Flexible Brush Handle Extension
- 5350 - Long Metal Flexible Brush Handle
- 53525 - Long Nylon Flexible Brush Handle

Vikan. Stainless Steel Flex Rod Extension for Handle (53515)
5346

Colors Available:	White/Steel
Length:	Diameter:
30.8"	1.1"
Weight:	0.23 lbs.
Maximum Temperature:	250°F
Material:	Stainless Steel

Vikan. Long Stainless Steel Flex Rod Handle 5350

Colors Available:	White/Steel
Length:	Diameter:
61.4"	1"
Weight:	0.50 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Stainless Steel

Vikan. Stainless Steel Flex Rod Handle 53515

Colors Available:	White/Steel
Length:	Diameter:
30.3"	0.2"
Weight:	0.27 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Stainless Steel

Vikan. Nylon Flex Rod Handle 53525

Colors Available:	White
Length:	Diameter:
59.7"	0.3"
Weight:	0.19 lbs.
Maximum Temperature:	250°F
Material:	Polyamide/Stainless Steel/Polypropylene

Vikan. Ø0.5" Tube Brush for Flex Rod 5354x

Colors Available:	
Length:	Diameter:
7.9"	0.4"
Weight:	0.04 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel

Vikan. Ø2.4" Tube Brush for Flex Rod 5356x

Colors Available:	
Length:	Diameter:
7.1"	2.3"
Weight:	0.1 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel



Ø0.6" Drain Cleaning Brush 5360x



Colors Available:	3 4 5 6
Length:	Diameter:
12.2"	0.6"
Weight:	0.1 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø0.8" Tube Brush for Flex Rod 5365x



Colors Available:	2 3 4 5 6
Length:	Diameter:
7.9"	0.8"
Weight:	0.07 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel



Ø1.6" Tube Brush for Flex Rod 5368x



Colors Available:	2 3 4 5 6
Length:	Diameter:
7.9"	1.6"
Weight:	0.09 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel



Ø2.4" Tube Brush 5370x



Colors Available:	2 3 4 5 6 7 8 9
Length:	Diameter:
19.4"	2.5"
Weight:	0.2 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø0.4" Tube Brush 5375x



Colors Available:	2 3 4 5 6
Length:	Diameter:
19.9"	0.4"
Weight:	0.15 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø0.9" Tube Brush 5376x



Colors Available:	2 3 4 5 6 7 8 9
Length:	Diameter:
19.9"	0.9"
Weight:	0.15 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø1.5" Tube Brush 5378x



Colors Available:	2 3 4 5 6 7 8 9
Length:	Diameter:
19.9"	1.5"
Weight:	0.17 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø2" Tube Brush 5379x



Colors Available:	2 3 4 5 6
Length:	Diameter:
20.1"	2"
Weight:	0.19 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene



Ø3.5" Pipe Brush for Flex Rod 5391x



Colors Available:	2 3 4 5 6
Length:	Diameter:
7.7"	3.5"
Weight:	0.15 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel



53563 / 5352

Tube Brushes



Valve Brushes



When narrow spaces make cleaning a challenge, Vikan tube and valve brushes can help. These products are well-suited for cleaning drains and other equipment in areas where accessibility may be difficult.

Vikan. Ø2" Pipe Brush
5380-50-x*



Colors Available: 

Length:	Diameter:
5.5"	2"
Weight:	0.22 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

STIFF
FDA
MED.
Autoclavable
Dishwasher Safe

Vikan. Ø2.5" Pipe Brush
5380-63-x*



Colors Available: 

Length:	Diameter:
5.6"	2.4"
Weight:	0.24 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

STIFF
FDA
MED.
Autoclavable
Dishwasher Safe

Vikan. Ø3" Pipe Brush
5380-77-x*



Colors Available: 

Length:	Diameter:
6.1"	3"
Weight:	0.29 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

MED.
FDA
Autoclavable
Dishwasher Safe

Vikan. Ø3.5" Pipe Brush
5380-90-x*



Colors Available: 

Length:	Diameter:
6.1"	3.5"
Weight:	0.31 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

MED.
FDA
Autoclavable
Dishwasher Safe

Vikan. Ø4" Pipe Brush
5380-103-x*



Colors Available: 

Length:	Diameter:
6.5"	3.9"
Weight:	0.33 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

MED.
FDA
Autoclavable
Dishwasher Safe

Vikan. Ø1" Tube Brush w/
3' Flex Handle
53815



Colors Available: 

Length:	Diameter:
36.2"	1"
Weight:	0.31 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

STIFF
FDA
Autoclavable
Dishwasher Safe

Vikan. Ø2" Tube Brush w/
3' Flex Handle **SOFT**
53825



Colors Available:	White/Steel
Length:	Diameter:
36"	1.9"
Weight:	0.34 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Vikan. Ø3" Tube Brush w/
3' Flex Handle **SOFT**
53835



Colors Available:	White/Steel
Length:	Diameter:
36.25"	3"
Weight:	0.37 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Vikan. Ø1" Tube Brush w/
5' Flex Handle **STIFF**
53865



Colors Available:	White/Steel
Length:	Diameter:
59.8"	1"
Weight:	0.5 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Vikan. Ø2" Tube Brush w/
5' Flex Handle **SOFT**
53875



Colors Available:	White/Steel
Length:	Diameter:
59.25"	1.8"
Weight:	0.5 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Vikan. Ø3" Tube Brush w/
5' Flex Handle **SOFT**
53885



Colors Available:	White/Steel
Length:	Diameter:
59.8"	2.75"
Weight:	0.55 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Vikan. Ø5" Pipe Brush
7035x* **MED.**



Colors Available:	2 3 4 5 6
Length:	Diameter:
4.4"	5.25"
Weight:	0.65 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Polypropylene/Stainless Steel

Vikan. Ø3.5" One-Piece
Pipe Brush **STIFF**
5381-90-x



Colors Available:	2 3 4 5 6
Length:	Diameter:
16.9"	3.5"
Weight:	0.35 lbs.
Maximum Temperature:	250°F
Material:	Polyester/Stainless Steel/Polypropylene

Recommended handles for use with
Vikan Pipe Brushes:

- » 2960x - 51" Ultra Hygiene Handle
- » 2962x - 59" Ultra Hygiene Handle
- » 2964x - 67" Ultra Hygiene Handle
- » 2935x - 51" Color-Coded Aluminum Handle
- » 2945 - 51" Aluminum Handle

For more handle options, see page 48 or visit
Remco's website at remcoproducts.com



5381-90-6

Special Application Brushes



Vikan special application brushes solve specific cleaning challenges in hygienic environments.



53723 / 29643

Vikan. Blade Cleaning Brush w/ Hand Guard
41845



Colors Available: White

Length:	Width:	Height:
18.9"	5.5"	5.5"
Weight:	0.39 lbs.	
Maximum Temperature:	250°F	
Material: Polyester/Stainless Steel/Polypropylene		

MED. FDA Autoclavable Recycled

Vikan. Hook Brush
5372x



Colors Available: 2 3 4 6 8 9

Length:	Width:	Height:
15.5"	2.25"	7.6"
Weight:	0.35 lbs.	
Maximum Temperature:	250°F	
Material: Polyester/Stainless Steel/Polypropylene		

STIFF FDA Autoclavable Recycled

Vikan. Soft Overhead Brush
53713



Colors Available: Blue

Length:	Width:	Height:
21.7"	10.6"	5.5"
Weight:	1.21 lbs.	
Maximum Temperature:	250°F	
Material: Polyester/Stainless Steel/Polypropylene		

SOFT FDA Autoclavable Recycled

Vikan. Medium Overhead Brush
53743



Colors Available: Blue

Length:	Width:	Height:
20.5"	8.25"	2.6"
Weight:	0.84 lbs.	
Maximum Temperature:	250°F	
Material: Polyester/Stainless Steel/Polypropylene		

MED. FDA Autoclavable Recycled

Special Application Brushes



5551303

5552302

5552504

5552706

Vikan special application brushes can help in environments where tools fit for very specific jobs may be required.

Vikan. UST Detail Brush
555130x



New Item!

Colors Available: 

Length:	Thickness:	Height:
1.18"	0.39"	8.07"
Weight:	0.07 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester	

SOFT
FDA
BPA Free
Dishwasher Safe
Recyclable

Vikan. 1" Pastry/Detail Brush
555230x



New Item!

Colors Available: 

Length:	Thickness:	Height:
1.18"	0.57"	7.68"
Weight:	0.07 lbs.	
Maximum Temperature:	250°F	
Material:	Polyester/Polypropylene/Stainless Steel	

SOFT
FDA
BPA Free
Dishwasher Safe
Recyclable

Vikan. 2" Pastry/Detail Brush
555250x



New Item!

Colors Available: 

Length:	Thickness:	Height:
1.97"	0.57"	7.68"
Weight:	0.09 lbs.	
Maximum Temperature:	250°F	
Material:	Polyester/Polypropylene/Stainless Steel	

SOFT
FDA
BPA Free
Dishwasher Safe
Recyclable

Vikan. 3" Pastry/Detail Brush
555270x



New Item!

Colors Available: 

Length:	Thickness:	Height:
2.76"	0.57"	7.68"
Weight:	0.13 lbs.	
Maximum Temperature:	250°F	
Material:	Polyester/Polypropylene/Stainless Steel	

SOFT
FDA
BPA Free
Dishwasher Safe
Recyclable



5551303

Squeegees



77152



77142



77132



77656



77646




77636



77553



77543



77533



77523



71704



71604



71504



71404

Ultra Hygiene squeegees are perfect for food contact surfaces, while foam blade squeegees powerfully tackle floors and drains. Replacement blades are available for foam blade and double blade Ultra Hygiene squeegees. See page 47 for replacement blade options.



16" Single Blade Ultra Hygiene Squeegee
7140x



Colors Available:

Length:	Width:	Height:
15.4"	3.5"	3.5"
Weight:	0.54 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



20" Single Blade Ultra Hygiene Squeegee
7150x



Colors Available:

Length:	Width:	Height:
19.5"	3.5"	4.1"
Weight:	0.55 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



24" Single Blade Ultra Hygiene Squeegee
7160x



Colors Available:

Length:	Width:	Height:
23.3"	3.4"	3.7"
Weight:	0.79 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	





28" Single Blade Ultra Hygiene Squeegee
7170x



Colors Available:		
Length:	Width:	Height:
27.2"	3.1"	3.9"
Weight:	0.86 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



20" Double Blade Ultra Hygiene Squeegee
7713x



Colors Available:		
Length:	Width:	Height:
19.75"	3"	4"
Weight:	0.72 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



24" Double Blade Ultra Hygiene Squeegee
7714x



Colors Available:		
Length:	Width:	Height:
23.6"	3.7"	4.3"
Weight:	0.84 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



28" Double Blade Ultra Hygiene Squeegee
7715x



Colors Available:		
Length:	Width:	Height:
27.6"	3.2"	4.3"
Weight:	0.88 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



16" Foam Blade Squeegee
7752x^{††}



Colors Available:		
Length:	Width:	Height:
15.75"	3.5"	4.25"
Weight:	0.53 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



20" Foam Blade Squeegee
7753x^{††}



Colors Available:		
Length:	Width:	Height:
19.75"	3"	4"
Weight:	0.64 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



24" Foam Blade Squeegee
7754x^{††}



Now in New Colors!



Colors Available:		
Length:	Width:	Height:
23.6"	3.7"	4.3"
Weight:	0.75 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



28" Foam Blade Squeegee
7755x^{††}



Colors Available:		
Length:	Width:	Height:
27.5"	3.5"	3.75"
Weight:	0.85 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



20" Swivel Neck Foam Blade Squeegee
7763x



Colors Available:		
Length:	Width:	Height:
19.7"	3.9"	4.5"
Weight:	0.73 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



24" Swivel Neck Foam Blade Squeegee
7764x



Colors Available:		
Length:	Width:	Height:
23.6"	4.3"	4.5"
Weight:	0.79 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



28" Swivel Neck Foam Blade Squeegee
7765x



Colors Available:		
Length:	Width:	Height:
27.6"	3.9"	3"
Weight:	0.95 lbs.	
Maximum Temperature:	199°F	
Material:	Polypropylene/Foam Rubber	



77133 / 29383

^{††} Black foam blades are not FDA compliant.

Squeegees

77352



77342



77332



77312



Replacement blades are available for Double Blade Ultra Hygiene and Foam Blade squeegees. See page 47 for replacement blade options.



77163

When condensation forms in high places, you can efficiently remove it with this unique ceiling squeegee.



77516



77112



71254

Vikan bench squeegees are perfect for a variety of countertop applications.



10" Single Blade Ultra Hygiene Bench Squeegee
7125x†



Colors Available:



Length:	Width:	Height:
9.4"	3.5"	3.4"
Weight:	0.45 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



10" Double Blade Ultra Hygiene Squeegee
7711x†



Colors Available:



Length:	Width:	Height:
9.8"	3.3"	3.9"
Weight:	0.48 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



16" Condensation Squeegee
7716x



Colors Available:



Length:	Width:	Height:
15.6"	4.7"	3.1"
Weight:	0.6 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/TPE Rubber	



10" Double Blade Refill Cartridge for 7711x
7731x



Colors Available:

Length:	Width:	Height:
9.9"	1"	1.7"
Weight:	0.16 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



20" Double Blade Refill Cartridge for 7713x
7733x



Colors Available:

Length:	Width:	Height:
19.7"	0.8"	1.7"
Weight:	0.33 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



24" Double Blade Refill Cartridge for 7714x
7734x



Colors Available:

Length:	Width:	Height:
23.7"	1"	1.7"
Weight:	0.39 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



28" Double Blade Refill Cartridge for 7715x
7735x



Colors Available:

Length:	Width:	Height:
27.6"	1"	1.8"
Weight:	0.45 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Rubber	



10" Foam Blade Squeegee
7751x†



Colors Available:

Length:	Width:	Height:
9.8"	3.1"	3"
Weight:	0.43 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	



10" Foam Blade Refill Cartridge for 7751x or 7761x
77715



Colors Available: White

Length:	Width:	Height:
9.8"	0.8"	1.7"
Weight:	0.11 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	



16" Foam Blade Refill Cartridge for 7752x or 7762x
7772x††



Colors Available:

Length:	Width:	Height:
15.6"	0.9"	1.7"
Weight:	0.17 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	



20" Foam Blade Refill Cartridge for 7753x or 7763x
7773x††



Colors Available:

Length:	Width:	Height:
17.7"	0.8"	1.7"
Weight:	0.2 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	

Recommended handles for use with Vikan Ceiling Squeegee:

- » 6268B - 16' Extension Handle w/ Bottle
- » 6269B - 16' Extension Handle w/ Bottle
- » 2973Q5 - Waterfed Telescopic Handle

For more handle options, see page 48 or visit Remco's website at remcoproducts.com



24" Foam Blade Refill Cartridge for 7754x or 7764x
7774x††




Colors Available:

Length:	Width:	Height:
23.6"	1.25"	1.7"
Weight:	0.26 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	



28" Foam Blade Refill Cartridge for 7755x or 7765x
7775x††



Colors Available:

Length:	Width:	Height:
27.6"	1"	1.6"
Weight:	0.3 lbs.	
Maximum Temperature:	194°F	
Material:	Polypropylene/Foam Rubber	



†† White foam blades are FDA compliant.
†† Black foam blades are not FDA compliant.

Handles



Vikan handles are designed to meet the needs of the food processing industry. These handles may be paired with Vikan and Remco tools. For more information regarding the differences between handle types, see the Product Selection Guide on page 29.

Vikan. 39" Basic Aluminum Handle
2933x



Colors Available:	
Length:	Diameter:
39.5"	1"
Weight:	0.31 lbs.
Maximum Temperature:	212°F
Material:	Aluminum/Polypropylene

Vikan. 6" Mini Handle
2934x



Colors Available:	
Length:	Diameter:
6.25"	1.25"
Weight:	0.11 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene

Vikan. 51" Aluminum Handle
2935x



Now in New Colors!



Colors Available:	
Length:	Diameter:
51.2"	1.25"
Weight:	1.08 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Aluminum

Vikan. 51" Fiberglass Handle
2936x



Colors Available:	
Length:	Diameter:
51.4"	1.25"
Weight:	1.06 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Fiberglass

Vikan. 59" Aluminum Handle
2937x



Now in New Colors!



Colors Available:	
Length:	Diameter:
59.25"	1.25"
Weight:	1.16 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Aluminum

Vikan. 59" Fiberglass Handle
2938x



Colors Available:	
Length:	Diameter:
59.2"	1.25"
Weight:	1.16 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Fiberglass



59" Stainless Steel Handle
2939x



Colors Available:	
Length:	Diameter:
59.4"	1.25"
Weight:	2.35 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Stainless Steel



51" Aluminum
Light-Duty Handle
2945



Colors Available:	White/Steel
Length:	Diameter:
51.2"	0.9"
Weight:	0.39 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene



50" Basic
Aluminum Handle
2958x



Colors Available:	
Length:	Diameter:
49.6"	1"
Weight:	0.65 lbs.
Maximum Temperature:	212°F
Material:	Aluminum/Polypropylene



59" Basic
Aluminum Handle
2959x



Colors Available:	
Length:	Diameter:
57.5"	1"
Weight:	0.73 lbs.
Maximum Temperature:	212°F
Material:	Aluminum/Polypropylene



51" Ultra Hygiene Handle
2960x



Colors Available:	
Length:	Diameter:
51"	1.25"
Weight:	0.91 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene




59" Ultra Hygiene Handle
2962x



Colors Available:	
Length:	Diameter:
59.1"	1.25"
Weight:	1.05 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene



67" Ultra Hygiene Handle
2964x



Colors Available:	
Length:	Diameter:
66.75"	1.25"
Weight:	1.19 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene



67" Fiberglass Handle
2972x



Colors Available:	
Length:	Diameter:
67"	1.25"
Weight:	1.24 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Fiberglass

Polypropylene

2934x



2960x / 2962x / 2964x



Aluminum

2933x




2935x / 2937x



2945



2958x / 2959x



Stainless Steel

2939x




Fiberglass


2936x / 2938x / 2972x



Handles



Color-Coded Silicone Bands
Can be attached to any handle for inclusion in a color-coding program or for special segregation of tools



Vikan handles come in a variety of lengths and types to meet the needs of a variety of applications. For more on handle types, see the Product Selection Guide on page 29.

Vikan. 62"- 113" Telescopic Aluminum Handle
2975x



Colors Available:	
Length:	Diameter:
61.8" - 112.5"	1.25"
Weight:	2.14 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene

Vikan. 74"- 237" Telescopic Fiberglass Handle
2977



Colors Available:	Gray/Black
Length:	Diameter:
74" - 237"	1.3"
Weight:	4.04 lbs.
Maximum Temperature:	212°F
Material:	Fiberglass/Polypropylene

Vikan. 26" Basic Aluminum Handle
2981x



Colors Available:	
Length:	Diameter:
25.5"	1.25"
Weight:	0.43 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene

Vikan. 39" Stainless Steel Handle
2983x



Colors Available:	
Length:	Diameter:
40.3"	1.25"
Weight:	1.6 lbs.
Maximum Temperature:	250°F
Material:	Polypropylene/Stainless Steel

Vikan. 1" Color-Coding Silicone Band*
9801x



Colors Available:		
Length:	Width:	Height:
1"	1"	1.19"
Weight:	0.04 lbs.	
Maximum Temperature:	250°F	
Material:	Silicone Rubber	

*Fits Vikan handles

Vikan. 1.5" Color-Coding Silicone Band**
9802x



Colors Available:		
Length:	Width:	Height:
1.5"	1.5"	1.19"
Weight:	0.04 lbs.	
Maximum Temperature:	250°F	
Material:	Silicone Rubber	

**Intended for use with other tools like vacuum nozzles

Handles



Extension handles from Remco make easy work of difficult-to-reach cleaning tasks. These handles can be paired with Vikan and Remco tools.

Remco 16' Extension Handle
6268



Colors Available:	Yellow/White/Black
Length:	Diameter:
98.75" - 185.5"	1.26"
Weight:	2.77 lbs.
Deflection/Softening Temps:	203°F / 392°F
Material:	Fiberglass/Aluminum

Remco 16' Extension Handle
w/ Bottle
6268B



Colors Available:	Yellow/White/Black
Length:	Diameter:
99" - 186"	1.26"
Weight:	2.83 lbs.
Deflection/Softening Temps:	203°F / 392°F
Material:	Fiberglass/Aluminum

Remco 16' Extension Handle
w/ Drain
6268N



Colors Available:	Yellow/White/Black
Length:	Diameter:
100" - 187"	1.26"
Weight:	2.83 lbs.
Deflection/Softening Temps:	203°F / 392°F
Material:	Fiberglass/Aluminum

Remco 16' Fiberglass
Extension Handle
6269



Colors Available:	White/Black
Length:	Diameter:
102.25" - 192"	1.26"
Weight:	3.34 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 16' Fiberglass Extension
Handle w/ Bottle
6269B



Colors Available:	White/Black
Length:	Diameter:
102.625" - 192.5"	1.26"
Weight:	4.39 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 16' Fiberglass Extension
Handle w/ Drain
6269N



Colors Available:	White/Black
Length:	Diameter:
103.5" - 193.5"	1.26"
Weight:	4.39 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Waterfed



Ideally suited for many kinds of cleaning projects, the waterfed system puts water where you need it. The heavy-duty water gun controls water consumption and is designed for rinsing chemicals off after scrubbing processes.

Vikan. Deck Scrub - Stiff
7041x



Colors Available: 

Length:	Width:	Height:
10.75"	3"	3.7"
Weight:	0.87 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

STIFF
FDA
Autoclavable
Waterfed
Dishwasher safe

Vikan. Deck Scrub - Soft
7043x



Colors Available: 

Length:	Width:	Height:
10.9"	3"	3.7"
Weight:	0.91 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

SOFT
FDA
Autoclavable
Waterfed
Dishwasher safe

Vikan. Waterfed Hand Brush
7056Qx*



Colors Available: 

Length:	Width:	Height:
12.5"	1.8"	3.7"
Weight:	0.54 lbs.	
Maximum Temperature:	250°F	
Material:	Polyester/Stainless Steel/Polypropylene	

STIFF
FDA
Autoclavable
Waterfed
Dishwasher safe



Vikan. Waterfed Washing Brush w/ Angle Adjustment
7067x



Colors Available: 

Length:	Width:	Height:
9.25"	2.75"	5.5"
Weight:	0.92 lbs.	
Maximum Temperature:	250°F	
Material:	Polypropylene/Polyester/SS	

SOFT/SPLIT
FDA
Autoclavable
Waterfed
Dishwasher safe

Vikan. Spray Gun
9324x



Colors Available: 

Length:	Width:	Height:
5.7"	7.1"	2.25"
Weight:	1.76 lbs.	
Maximum Temperature:	203°F	
Material:	Rubber/Brass/Stainless Steel	

Waterfed
FDA
Autoclavable
Dishwasher safe

9324 does not connect w/ 3/4" GHT. Part number 0703US is required to connect to standard US hose.

Waterfed



The following quick connect products require our Automatic Shut Off Coupling to connect with a standard US 3/4" hose:

- » 7056Qx - Waterfed Handbrush
- » 9324x - Heavy-Duty Water Gun
- » 2973Qx - Waterfed Telescopic Handle
- » 2991Qx - Waterfed Ergonomic Handle

0703US



Automatic Shut Off Coupling
0703US



Colors Available:	Steel
Length:	Diameter:
1.95"	1.02"
Weight:	0.26 lbs.
Maximum Temperature:	250°F
Material:	Chrome Plated Brass



63" - 114" Waterfed Telescopic Handle w/ Barbed Fitting
29735



Colors Available:	White/Metallic
Length:	Diameter:
63.5" - 113.75"	1.25"
Weight:	2.26 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene




63" - 114" Waterfed Telescopic Handle w/ Quick Disconnect Fitting
2973Q5



Colors Available:	White/Metallic
Length:	Diameter:
62.9 - 113.9"	1.25"
Weight:	2.24 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene

Spray Gun Flow Table



Housing in brass. Temp: Max 95° C. Press: Max 24 bar.



62" Waterfed Aluminum Handle w/ Barbed Fitting
29915



Colors Available:	White/Metallic
Length:	Diameter:
61.5"	1.25"
Weight:	1.58 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene



62" Waterfed Handle w/ Quick Disconnect Fitting
2991Q5



Colors Available:	White/Metallic
Length:	Diameter:
60.9"	1.25"
Weight:	1.21 lbs.
Maximum Temperature:	250°F
Material:	Aluminum/Polypropylene

Pad Holder System



Close-up of open locking hook



Vikan's pad holder system uses stainless steel locking hooks to secure the pad firmly in place for cleaning difficult angles and areas. Pads are an excellent option for cleaning surfaces like floors and walls.

Remco Scrub Pad - Coarse
5523



Colors Available:	Brown	
Length:	Width:	Thickness:
10"	4.4"	0.8"
Weight:	0.09 lbs.	
Material:	Polyester Fibers/Abrasive Additives	
	Coarse	

Remco Scrub Pad - Medium
5524



Colors Available:	Blue	
Length:	Width:	Thickness:
10"	4.4"	1"
Weight:	0.09 lbs.	
Material:	Polyester Fibers/Abrasive Additives	
	Medium	

Remco Scrub Pad - Fine
5525



Colors Available:	White	
Length:	Width:	Thickness:
10"	4.5"	1.2"
Weight:	0.05 lbs.	
Material:	Polyester Fibers	
	Fine	

Remco Scrub Pad - Coarse
10 Pack
5523-10PK



Colors Available:	Brown	
Length:	Width:	Thickness:
10"	4.4"	0.8"
Weight:	0.09 lbs.	
Material:	Polyester Fibers/Abrasive Additives	
	Coarse	

Remco Scrub Pad - Medium
10 Pack
5524-10PK



Colors Available:	Blue	
Length:	Width:	Thickness:
10"	4.4"	1"
Weight:	0.09 lbs.	
Material:	Polyester Fibers/Abrasive Additives	
	Medium	

Remco Scrub Pad - Fine
10 Pack
5525-10PK



Colors Available:	White	
Length:	Width:	Thickness:
10"	4.5"	1.2"
Weight:	0.05 lbs.	
Material:	Polyester Fibers	
	Fine	



55002 / 29372



**Cleaning Pad Holder
5500x**



Colors Available:

Length:	Width:	Height:
9"	3.6"	4.7"
Weight:	0.5 lbs.	
Maximum Temperature:	250°F	
Material: Polypropylene/Stainless Steel/Nylon		



55003 / 29383



**Handheld Cleaning
Pad Holder
5510x**



Colors Available:

Length:	Width:	Height:
9.1"	3.8"	3"
Weight:	0.49 lbs.	
Maximum Temperature:	250°F	
Material: Polypropylene/Stainless Steel/Nylon		

Floor & Drain



Floors and drains are key components of any food processing sanitation program, and Remco and Vikan's vast selection of black tools can get the job done while being easily distinguishable from food contact tools. With Remco's durable and functional product lines, sanitation professionals have access to tools that are precisely suited for the most complex floor and drain cleaning tasks.

Vikan.



Basic Wall Bracket
06159

Vikan.



Wall Bracket for 4-6 Tools
10189

Vikan.



Wall Bracket for 1-3 Tools
10179

Vikan.



Wall Bracket
Replacement Hooks
10169

Vikan.



Wall Bracket
Replacement Clips
10199

Vikan.



Stainless Steel
Floor Scraper
29109

Remco



Nylon Floor Scraper
29119

Vikan.



29149: Angle Broom
29169: Split Bristle Broom

Vikan.



13" Push Broom
29159

Vikan.



12" Upright Broom
31669

Vikan.



16" Combo Push Broom
31749

Vikan.



24" Combo Push Broom
31949

Vikan.



24" Small Particle Push Broom
31999

Vikan.



High-Low Brush
70479

Vikan.



12" Deck Scrub
70609

Vikan.



Tank Brush
70379

Vikan.



Hand Brush
38909

Vikan.



Short Handle Scrubbing Brush
41929

Vikan.



Bench Brush
45879

Vikan.



Bench Brush
45899

Vikan.



Small Hand Brush
64409

Vikan.



Ø3" Pipe Brush
5380-77-9

Vikan.



Ø3.5" Pipe Brush
5380-90-9

Vikan.



Ø4" Pipe Brush
5380-103-9

Remco



One-Piece Shovels
11": 69819
14": 69829

Vikan.



3 Gallon Bucket & Lid
Pail: 56869
Lid: 56879

Vikan.



1.5 Gallon Bucket & Lid
Pail: 56889
Lid: 56899

Vikan.



Spray Gun
93249

Remco



Hand Scrapers
3": 69619
4": 69629

Remco

New Item!



Lobby Dustpan w/ Broom
62509

Remco



Utility Dustpan
6350

Vikan.



Ultra Hygiene Squeegees
16": 71409
24": 71609

Vikan.



Double Blade Ultra Hygiene Squeegee
24": 77149

Vikan.



Foam Blade Squeegees
20": 77539
24": 77549

Vikan.



24" Double Blade Refill Cartridge
77349

Vikan.



Foam Blade Refill
20": 77739
24": 77749

Vikan.



59" Ultra Hygiene Handle
29629

Vikan.



59" Aluminum Handle
29379

Vikan.



62" - 113" Telescopic Aluminum Handle
29759

Remco



Floor and Drain Handles
24": 6024DRN
36": 6036DRN
53": 6053DRN



INDUSTRIAL TOOLS

Whether it's a remote space adjacent to a food production area or an industrial production facility, areas not requiring ultimate hygiene still demand safe and durable tools. Remco offers a variety of tough, non-sparking, and chemically-resistant products that serve as economical facility maintenance and safety solutions.

Some environments necessitate the use of tools that are compatible with sensitive materials or hazardous substances. When metal is not the right option for the job, rugged plastic tools may fit the bill. Lightweight, injection-molded polypropylene tools can be the right choice.

Partner with Remco for a comprehensive solution to maintain the condition and integrity of both hygienic and remote areas. Efficiency and cost control is possible with total facility maintenance, and all of the necessary tools should be integrated in your overall cleaning and sanitation plan.



Product Selection Guide

Remco offers a range of safety shovels and hazmat tools to fit the needs of industrial end-users.

Choose the safety shovel to fit the application:



- **Collapsible** — Safety shovels can easily fit in vehicles, hazmat kits, and small areas for when they're needed.



- **Regrind** — An environmentally friendly choice, regrind shovels are strong and durable. The regrind shovel is available with 10" and 14" blade widths and multiple handle lengths.



- **10" Blade** — Shovels with this blade are big enough to get small and medium jobs done properly.



- **14" Blade** — Ideal for moving large amounts of materials, 14" blade shovels can make quick work of big jobs.

Choose the hazmat tool to fit the application:



- **Curved Squeegee** — Disposable head is curved to easily and quickly corral liquid and prevent it from spreading across a floor.



- **8" Straight-Blade Squeegee** — Easy to fit into a hazmat kit, this disposable blade is ideal for small chemical spills.



- **12-18" Straight-Blade Squeegees** — Our standard-sized squeegee heads help clean up any hazmat spills and can be easily stored in a hazmat kit.



- **24-30" Straight-Blade Squeegees** — The widest hazmat squeegees we offer are designed to tackle the largest spills efficiently, and are disposable when the job is done.

Choose the handle that best fits the application:



- **12-36" Hazmat Handles** — When you need a size- and cost-efficient handle for small clean-up jobs, these handles pair well with any of our hazmat tools.
- **53-61" Hazmat Handles** — Medium handles give operators the ability to easily and efficiently clean spills on floors, in between machinery, and off of walls.
- **72-80" Hazmat Handles** - Long hazmat handles keep employees at a safe distance from spills and allow them to reach from high on walls down to in between machines.
- **Telescopic Hazmat Handles** — Whether cleaning spills off of high tanks or in between machinery, telescoping handles have the flexibility to take care of a variety of hazmat situations.

Industrial & Safety Shovels



Dual Thread Adapter

Allows our safety shovels to be used with any Vikan handle.



6898SS

6892SS

6896SS

6985SS

6900SS

6897SS

Injection-molded shovels are ideal for safe material handling in environments that require non-metallic tools. These tools are cost-effective, durable, lightweight, and won't damage equipment like metals tools can.

Remco Dual Thread Adapter 6200



Colors Available:	White	
Length:	Diameter:	
5.4"	1.25"	
Weight:	0.13 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco Collapsible Emergency Blade Shovel 6880EB



Colors Available:		
Length:	Width:	Depth:
36.5"	10.1"	1.7"
Weight:	1.77 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco Safety Shovel w/ 10" Blade- Standard Handle 6892SS



Colors:	Green and Black	
Length:	Width:	Depth:
39"	10.2"	6.1"
Weight:	2.5 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Steel	

Remco Pan Safety Shovel w/ 10" Blade- Handle Cap 6895SS



Colors:	Green and Black	
Length:	Width:	Depth:
20.9"	10.2"	4.9"
Weight:	1.5 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco Safety Shovel w/ 10" Blade- Extended Handle 6896BKSS



Colors:	Black	
Length:	Width:	Depth:
44.1"	10.4"	6.3"
Weight:	3 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Steel	

Remco Safety Shovel w/ 10" Blade- Extended Handle 6896SS



Colors:	Green and Black	
Length:	Width:	Depth:
43.7"	10.4"	6.3"
Weight:	3 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Steel	

Industrial & Safety Shovels



6896BKSS



6895SS



6880EBG



6880EBO



6981RG



6982RG

Remco Safety Shovel w/ 14" Blade- Short Handle
6897SS



Colors:	Green and Black	
Length:	Width:	Depth:
35.4"	14"	6.7"
Weight:	3 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco Safety Shovel w/ 10" Blade- Short Handle
6898SS



Colors:	Green and Black	
Length:	Width:	Depth:
33.1"	10.4"	5.9"
Weight:	2.5 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene	

Remco Safety Shovel w/ 14" Blade- Standard Handle
6900SS



Colors:	Green and Black	
Length:	Width:	Depth:
40.9"	13.8"	7.1"
Weight:	3.5 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Steel	

Remco One-Piece Regrind Shovel w/ 10" Blade
6981RG



Colors:	Gray	
Length:	Width:	Depth:
37.5"	10.2"	5.9"
Weight:	2.59 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene Regrind Material	

Remco One-Piece Regrind Shovel w/ 14" Blade
6982RG



Colors:	Gray	
Length:	Width:	Depth:
42.5"	13.75"	6.6"
Weight:	3.53 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene Regrind Material	

Remco Safety Shovel w/ 14" Blade- Extended Handle
6985SS



Colors:	Green and Black	
Length:	Width:	Depth:
46.1"	13.8"	7.9"
Weight:	4 lbs.	
Deflection / Softening Temps:	183°F / 266°F	
Material:	Polypropylene/Steel	

Hazmat Tools



Remco's hazmat tools provide an economical solution when spills happen. They help you contain hazardous liquids and clean large volumes quickly.

Remco 12" Hazmat Handle 6012



Colors Available:	White
Length:	Diameter:
12"	1"
Weight:	0.34 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 24" Hazmat Handle 6024



Colors Available:	White
Length:	Diameter:
24"	1"
Weight:	0.59 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 36" Hazmat Handle 6036



Colors Available:	White
Length:	Diameter:
36.1"	1"
Weight:	0.84 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 53" Hazmat Handle
6053



Colors Available:	White
Length:	Diameter:
53"	1"
Weight:	1.15 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 61" Hazmat Handle
6061



Colors Available:	White
Length:	Diameter:
60"	1"
Weight:	1.35 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 72" Hazmat Handle
6072



Colors Available:	White
Length:	Diameter:
72"	1"
Weight:	1.61 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 80" Hazmat Handle
6080



Colors Available:	White
Length:	Diameter:
79.9"	1"
Weight:	1.76 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 29"- 46" Compact
Telescopic Hazmat
Handle
6228



Colors Available:	White
Length:	Diameter:
28.5" - 46.3"	1.26"
Weight:	1.25 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 102"- 133" Telescopic
Hazmat Handle
6264



Colors Available:	White
Length:	Diameter:
102.4" - 132.5"	1.26"
Weight:	4.34 lbs.
Deflection/Softening Temps:	160°F / 392°F
Material:	Fiberglass

Remco 28" Curved Disposable
Hazmat Squeegee
6530



Colors Available:	White	
Length:	Width:	Depth:
27.5"	3.75"	5.9"
Weight:	1.49 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Remco 8" Disposable Hazmat
Squeegee
6608



Colors Available:	White	
Length:	Width:	Depth:
8"	5.5"	2.2"
Weight:	0.49 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Remco 12" Disposable Hazmat
Squeegee
6612



Colors Available:	White	
Length:	Width:	Depth:
12"	4.3"	2.8"
Weight:	0.7 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Remco 18" Disposable Hazmat
Squeegee
6618



Colors Available:	White	
Length:	Width:	Depth:
17.5"	5.5"	2.4"
Weight:	1 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Remco 24" Disposable Hazmat
Squeegee
6624



Colors Available:	White	
Length:	Width:	Depth:
24"	5.6"	2"
Weight:	1.3 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Remco 30" Disposable Hazmat
Squeegee
6630



Colors Available:	White	
Length:	Width:	Depth:
30"	5.6"	2"
Weight:	1.55 lbs.	
Deflection/Softening Temps:	165°F / 257°F	
Material:	Polyethylene/Stainless Steel	

Award-Winning Ultra Safe Technology

41962



2015 Best New Product Winner

Award-Winning Lobby Dustpan w/ Broom

62502



2017 Process Expo Innovations Winner



Education & Technical Support

Giving you the knowledge and support you need

At Remco, we know that the decision to implement color-coding or to switch to hygienic design isn't made in a single moment, but rather through a series of discussions, trainings, and learned practices. We're here to help every step of the way with detailed white papers written by experts, short and practical blogs, and on-site training and support from our business development managers.

Blogs and Social Media:

Please visit remcoproducts.com/blog to view our blog articles. We cover topics like handwashing procedures, color-coding, 5S, FDA rulings, and solving common cleaning challenges. Follow us on social media for up-to-date food safety and hygienic design news. You can find our social media channels by visiting remcoproducts.com/socialmedia.

Site Visits:

Our business development managers are happy to visit your facility and offer suggestions for implementing color-coding and/or switching to more hygienic products. They can recommend different zoning techniques they believe will work best for you based on Remco and Vikan's years of experience. To schedule a site visit, please contact our customer service at: cs@remcoproducts.com.

Educational and Technical Resources

Contact our educational and technical resources manager for food safety training information and guidance on best practices. You can also post questions about regulations, certifications, and compliance and be reassured you're getting the best, most up-to-date information possible. Email edtech@remcoproducts.com.

Documents of Compliance:

Food contact surfaces like cleaning and material handling tools must comply with the FDA's rules about what they can contain and how they must be designed. Documents of compliance show that tools fall within these parameters. Remco is happy to provide these documents for your records or in preparation for an audit at your request. Contact cs@remcoproducts.com.

Available White Papers:

- HACCP vs. HARPC
- Cleaning Tool Maintenance
- The Hygienic Design of Food Industry Brushware
- Understanding GMPs in Food Processing
- HACCP Planning for Food Safety
- Making the Decision to Apply Color-Coding
- Selection, Care, and Maintenance Guide for Food Contact Tools and Equipment

Please visit remcoproducts.com/knowledge-center to view and download any of our white papers.

Index

Product	Page
2945	49
2977	50
5346	38
5350	38
5523	54
5524	54
5525	54
6012	62
6024	62
6036	62
6053	63
6061	63
6072	63
6080	63
6200	60
6228	63
6264	63
6268	51
6268B	51
6268N	51
6269	51
6269B	51
6269N	51
6350	18
6530	63
6608	63
6612	63
6618	63
6624	63
6630	63
6880EB	60
6892SS	60
6895SS	60
6896BKSS	60
6896SS	60
6897SS	61
6898SS	61
6900SS	61
6903	26
6904	26
6906	26
6913	27
6921	27

Product	Page
6922	27
6923	27
6925	27
6963	21
6981RG	61
6982RG	61
6985SS	61
0615x	22
0703US	53
1016x	22
1017x	22
1018x	22
1019x	22
16200	22
2900x	20
2910x	20
2911x	20
2914x	30
2915x	30
2916x	11, 30
2920x	30
2933x	48
2934x	48
2935x	48
2936x	48
2937x	48
2938x	48
2939x	49
2958x	49
2959x	49
2960x	49
2962x	49
2964x	49
2972x	49
29735	53
2973Q5	53
2975x	50
2981x	50
2983x	50
29915	53
2991Q5	53
3088x	37
3104x	30

Product	Page
3166x	30
3171x	31
3173x	31
3174x	31
3178x	30
3179x	31
3194x	31
3199x	31
3587x	34
3885x	34
3890x	34
3892x	34
4010x	20
4011x	20
4012x	11, 20
4051x	11, 21
4167x	36
4169x	36
4179x	36
4182x	37
41845	42
4186x	37
4190x	36
4192x	36
4194x	36
4195x	35
4196x	37
4237x	37
4287x	37
4401x	34
4581x	35
4582x	35
4585x	35
4587x	35
4589x	35
53515	38
53525	38
5354x	38
5356x	38
5360x	39
5365x	39
5368x	39
5370x	39

Product	Page
53713	42
5372x	42
53743	42
5375x	39
5376x	39
5378x	39
5379x	39
53815	40
53825	41
53835	41
53865	41
53875	41
53885	41
5391x	39
5500x	55
5510x	55
5601x	16
56045	16
5611x	16
5660x	18
5681x	18
5682x	18
5686x	23
5687x	23
5688x	23
5689x	23
56905	17
56915	17
5692x	23
5693x	23
6250x	10, 18, 64
6300x	19
6400x	19
6400MDx	24
6440x	34
6500x	19
6500MDx	24
6550x	19
6552x	19
6774x	17
6775x	17
6776x	17
6777x	17

Product	Page
6777MDx	24
6901x	26
6902x	26
6905x	26
6911x	27
6912x	27
6915x	27
6959x	21
6959MDx	24
6960x	21
6960MDx	24
6961x	21
6961MDx	24
6962x	21
6962MDx	25
6971x	21
6972x	21
6981x	16
6981MDx	25
6982x	16
6982MDx	25
6984x	16
7011x	21
7013x	21
7035x	41
7037x	33
7039x	33
7040x	32
7041x	33, 52
7043x	33, 52
7044x	32
7047x	32
7056Qx	52
7060x	32
7062x	33
7064x	33
7067x	32, 52
7125x	46
7140x	44
7150x	44
7160x	44
7170x	45
7711x	46

Product	Page
7713x	45
7714x	45
7715x	45
7716x	46
7731x	47
7733x	47
7734x	47
7735x	47
7751x	47
7752x	45
7753x	45
7754x	45
7755x	45
7763x	45
7764x	45
7765x	45
77715	47
7772x	47
7773x	47
7774x	47
7775x	47
8001x	12
8002x	12
8101x	12
8102x	12
8401x	13
8402x	13
8603x	13
8604x	13
9324x	52
9801x	50
9802x	50
555230x	10, 43
555250x	10, 43
555270x	10, 43
555130x	43
5380-50-x	40
5380-63-x	40
5380-77-x	40
5380-90-x	40
5380-103-x	40
5381-90-x	41

Non-stock items:

This catalog covers products that Remco carries in stock, but we also offer other products that are not stocked. Contact Remco or visit remcoproducts.com/nonstock to find out more.

Notes



Remco

a Vikan company

4735 West 106th Street
Zionsville, Indiana 46077

PHONE: 317.876.9856 | FAX: 800.585.8619

cs@remcoproducts.com | www.remcoproducts.com