Detail Brush, 8.1", Extra stiff, Red





Effectively clean around gaskets, rubber strips and joints on machinery, and conveyor belts with this compact Detail Brush.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length Width 0.8 " Height No. 0.0661 lbs	Item Number	44014
Complies with (EC) 1935/2004 on food contact materials' Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-complies with UK 2019 No. 704 on food contact materials Poes of phthalates and bisphenol A Is Halal and Kosher compliant Pesign Registration No. Build Regulation (EC) No. 1907/2006 EU 022364174-1-2 Box Quantity Eu 022364174-1-2 Box Quantity Eugantity Eugan	Visible bristle length	0.6 "
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) S760 Pcs. Quantity Per Layer (Pallet) Length Not Weight Not Weight Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard O.02 lbs Gross Weight Cubic Feet 0.0043 ft3 Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature Max. drying temperature Max. drying temperature Max. ph-value in usage Concentration 10.5 pH GTIN-12 Number Yes Monufacturing Practice Yes Mess Torosu (Autoclave) Max. ph-value in usage Concentration 10.5 pH GTIN-12 Number Soundation (Autoclave) Max. ph-value in Usage Concentration 10.5 pH GTIN-12 Number Soundation (Autoclave) Max. ph-value in Usage Concentration 10.5 pH GTIN-12 Number Soundate Max. Ph-value in Usage Concentration 10.5 pH GTIN-12 Number	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.08 2 lbs Cubic Feet 0.043 ft Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 176 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temper	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.082 lbs Cubic Feet 0.043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 176 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-val		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.082 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 176 "F Min. usage temperature 212 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	FDA-compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0 lbs Tare Cardboard 0.02 lbs Gross Weight 0.082 lbs Gross Weight 0.082 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 176 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-12 Number 5705020440144	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.082 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 176 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-value in usage concentration 5705020440144	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 002364174-1-2 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0661 lbs Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-12 Number 5705020440144	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Length 8.1 " Width 0.8 " Height 1.2 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0 lbs Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-12 Number 5705020440144	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width 0.8 " Height 1.2 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) Tare Cardboard 0.02 lbs Gross Weight Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number	Design Registration No.	EU 002364174-1-2
Quantity Per Layer (Pallet)180 Pcs.Length8.1 "Width0.8 "Height1.2 "Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0 lbsTare Cardboard0.02 lbsGross Weight0.082 lbsCubic Feet0.0043 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (Dishwasher)199.4 "FMax usage temperature (non food contact)176 "FMax usage temperature4 "FMin. usage temperature4 "FMax. drying temperature2 pHMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Box Quantity	10 Pcs.
Length 8.1 Width 0.8 Height 1.2 Net Weight 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0 lbs Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 212 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Quantity per Pallet (80 x 120 x 200 cm)	5760 Pcs.
Width 0.8 " Height 1.2 " Net Weight \ 0.0661 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature Min. usage temperature (2 PH Max. drying temperature Max. pH-value in usage concentration 2 PH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Quantity Per Layer (Pallet)	180 Pcs.
Height1.2 "Net Weight0.0661 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.0882 lbsCubic Feet0.0043 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Length	8.1 "
Net Weight0.0661 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.0882 lbsCubic Feet0.0043 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Width	0.8 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature Min. usage temperature Max. drying temperature	Height	1.2 "
CLDPE) Tare Cardboard 0.02 lbs Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 212 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Net Weight	0.0661 lbs
Tare Total 0.02 lbs Gross Weight 0.0882 lbs Cubic Feet 0.0043 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 212 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0 lbs
Gross Weight0.0882lbsCubic Feet0.0043ft3Recommended sterilisation temperature (Autoclave)249.8°FMax. cleaning temperature (Dishwasher)199.4°FMax usage temperature (food contact)176°FMax usage temperature (non food contact)212°FMin. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHGTIN-12 Number5705020440144	Tare Cardboard	0.02 lbs
Cubic Feet0.0043 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Tare Total	0.02 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Gross Weight	0.0882 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Cubic Feet	0.0043 ft3
Max usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact) Min. usage temperature -4 °F Max. drying temperature 212 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Max usage temperature (food contact)	176 °F
Max. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020440144	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Min. usage temperature	-4 °F
Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020440144	Max. drying temperature	212 °F
GTIN-12 Number 5705020440144	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-12 Number (Box quantity) 15705020440141	GTIN-12 Number	5705020440144
	GTIN-12 Number (Box quantity)	15705020440141

Customs Tariff No. 96039091

Country of Origin Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.