

## Designed to deliver continuous high-performance cleaning

The Viper AS5160 is a highly productive walk-behind scrubber dryer with high battery endurance and tank capacity to clean for hours. Being easy and comfortable to use with their ergonomic design, these robust machines are ready for an in-depth performance on indoor surfaces. Ideal for cleaning in hotels and restaurants, bus and train stations, factories, supermarkets, shopping malls, hospitals, schools, and other institutions.

With a working width of 51 cm and a powerful 450 W brush motor, these machines will get the job done with both speed and ease. Especially if you go for the model AS5160 T – for Traction – equipped with a 150 W drive motor bringing the scrubber dryer forward.

The machines are well-balanced and easy to maneuver thanks to their big wheels and strong casters. Hour meter and water level indicator will keep you updated, and the speed reducing gear drive system of the Traction version ensure smooth operation with a minimum of effort.



For intensive cleaning or maintaining large coated floor areas the AS5160TO with orbital scrub deck ensures multidirectional cleaning performance with low solution and detergent consumption and the square deck gives easy to access corners.



Picture shown may not represent model quoted






- Orbital version saving water and detergent equipped with traction motor and automatic raise and lowering of the scrub deck
- AS5160T - Traction-model: 150W drive motor
- Easy to maneuver and transport: Big wheels and strong casters, making the machine well-balanced
- Easy and convenient operation: 2 pcs safety switches
- Control panel with intuitive display and buttons
- Productive: Working width 51 cm
- Brush and pad driver can be installed/un-installed automatically
- Hour meter: Check how many hours the machine has been running
- Water level indicator with volume visible on the tank
- High capacity for increased productivity: 61-liter water tank/ 61-liter recovery tank
- Robust and solid: Steady chassis system and rotationally molded tanks
- Reliable: Heavy duty 79 cm aluminum squeegee
- Accessories: Brush, pad holder, batteries 12V x2 and onboard charger
- Optional brush skirt kit prevents the machine from splashing water splashing water

• Standard equipment




Included accessories	Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
<b>Pad Holder</b>					
 PAD HOLDER RETAINER 508MM 20	VF90454	1			
<b>Disc Brush</b>					
 BRUSH DISC 510MM 20 PPL	VF90417	1	•		
<b>Squeegee Blade</b>					



Designed to deliver continuous high-performance cleaning





Included accessories		Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2	•	•	
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1	•		
	CHARGER 24V 13A US	VS13260	0			
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1			•

• Standard equipment





Included accessories		Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
<b>Pad Holder</b>						
	PAD HOLDER RETAINER 508MM 20	VF90454	1	•		
<b>Disc Brush</b>						
	BRUSH DISC 510MM 20 PPL	VF90417	1		•	•
<b>Squeegee Blade</b>						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	•



Designed to deliver continuous high-performance cleaning




Included accessories	Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
 BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	•
<b>Battery</b>					
 AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2		•	•
<b>On-Board Charger</b>					
 CHARGER 24V 10A	VR27041	1		•	•
	CHARGER 24V 13A US	VS13260	0		
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
 SPLASHGUARD KIT 510MM 20	VS10151	1			

• Standard equipment






Included accessories	Ref. no.	Min. required	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
<b>Pad Holder</b>					
 PAD HOLDER RETAINER 508MM 20	VF90454	1		•	
<b>Disc Brush</b>					
 BRUSH DISC 510MM 20 PPL	VF90417	1			•
<b>Squeegee Blade</b>					
 BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1		•	•
 BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1		•	•
<b>Battery</b>					



Designed to deliver continuous high-performance cleaning



Included accessories	Ref. no.	Min. required	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
 AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2			•
<b>On-Board Charger</b>					
 CHARGER 24V 10A	VR27041	1			•
CHARGER 24V 13A US	VS13260	0			
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
 SPLASHGUARD KIT 510MM 20	VS10151	1			

• Standard equipment







Included accessories	Ref. no.	Min. required	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
<b>Pad Holder</b>					
 PAD HOLDER RETAINER 508MM 20	VF90454	1	•	•	
<b>Disc Brush</b>					
 BRUSH DISC 510MM 20 PPL	VF90417	1			
<b>Squeegee Blade</b>					
 BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	
 BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	
<b>Battery</b>					
 AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2			
<b>On-Board Charger</b>					



## Designed to deliver continuous high-performance cleaning


Included accessories		Ref. no.	Min. required	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1			

## ● Standard equipment








Included accessories		Ref. no.	Min. required	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
<b>Pad Holder</b>						
	PAD HOLDER RETAINER 508MM 20	VF90454	1			
<b>Disc Brush</b>						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
<b>Squeegee Blade</b>						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	•
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2			
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0		•	



Designed to deliver continuous high-performance cleaning

Included accessories	Ref. no.	Min. required	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
 SPLASHGUARD KIT 510MM 20	VS10151	1			

● Standard equipment

Included accessories	Ref. no.	Min. required	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
<b>Pad Holder</b>				
 PAD HOLDER RETAINER 508MM 20	VF90454	1		
<b>Disc Brush</b>				
 BRUSH DISC 510MM 20 PPL	VF90417	1		
<b>Squeegee Blade</b>				
 BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•
 BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•
<b>Battery</b>				
 AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2		
<b>On-Board Charger</b>				
 CHARGER 24V 10A	VR27041	1		
CHARGER 24V 13A US	VS13260	0		
<b>Squeegee, Blade, Skirt and Splash Guard</b>				
 SPLASHGUARD KIT 510MM 20	VS10151	1		



Designed to deliver continuous high-performance cleaning

Model	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
Ref. no.	50000398	50000399	50000400

PRODUCT FEATURES

Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•
Traction drive			
Orbital Scrubbing			

Model	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
Ref. no.	50000401	50000402	50000403

PRODUCT FEATURES

Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•
Traction drive			•
Orbital Scrubbing			

Model	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
Ref. no.	50000405	50000406	50000407

PRODUCT FEATURES

Hour Meter		•	•
Battery version		•	•
Recovery emptying hoses		•	•
Water level indicator		•	•
Traction drive	•	•	•
Orbital Scrubbing			



Designed to deliver continuous high-performance cleaning

Model	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
Ref. no.	50000430	50000431	50000532

PRODUCT FEATURES

Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•
Traction drive		•	
Orbital Scrubbing			

Model	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
Ref. no.	50000533	50000539	50000549

PRODUCT FEATURES

Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•
Traction drive	•	•	•
Orbital Scrubbing		•	•

Model	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
Ref. no.	50000550	50000551

PRODUCT FEATURES

Hour Meter		•	•
Battery version		•	•
Recovery emptying hoses		•	•
Water level indicator		•	•
Traction drive		•	•
Orbital Scrubbing		•	•



## Designed to deliver continuous high-performance cleaning

Technical specifications	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
Working speed (km/h)	N/A	N/A	N/A
Battery voltage (V)	24	24	24
Brush motor (W)	450	450	450
Traction motor power (W)	N/A	N/A	N/A
Vacuum motor power (W)	350	350	350
Battery type	2x12V 100Ah/C20 AGM	2x12V 100Ah/C20 AGM	2x12V 100Ah/C20 AGM
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (l/m)	0-2.4L/min	0-2.4L/min	0-2.4L/min
Squeegee width (mm)	790	790	790
Brush/pad diameter (mm)	510	510	510
Brush pressure (kg)	27	27	27
Brush speed (RPM)	150	150	150
Dimensions, L x W x H (mm)	1370x600x1220	1370x600x1220	1370x600x1220
Battery compartment size (L x W x H) (mm)	350x350x300	350x350x300	350x350x300
Net weight (kg)	85	85	85
Gross vehicle weight (gvw) (kg)	214.8	214.8	214.8
Shipping weight (kg)	175	175	115
Solution/recovery tank capacity	61/61L	61/61L	61/61L

Technical specifications	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
Working speed (km/h)	N/A	N/A	0-4.5
Battery voltage (V)	24	24	24
Brush motor (W)	450	450	450
Traction motor power (W)	N/A	N/A	150
Vacuum motor power (W)	350	350	350
Battery type	Option	2x12V 100Ah/C20 AGM	2x12V 100Ah/C20 AGM
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (l/m)	0-0.63gal	0-2.4L/min	0-2.4L/min
Squeegee width (mm)	31in	790	790
Brush/pad diameter (mm)	20in	510	510
Brush pressure (kg)	60lbs	27	23



## Designed to deliver continuous high-performance cleaning

Technical specifications	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
Brush speed (RPM)	150	150	150
Dimensions, L x W x H (mm)	52x22x39in	1370x600x1220	1370x600x1220
Battery compartment size (L x W x H) (mm)	14x14x48in	350x350x300	350x350x300
Net weight (kg)	187lbs	85	93
Gross vehicle weight (gvw) (kg)	474lbs	214.8	222.8
Shipping weight (kg)	254lbs	175	183
Solution/recovery tank capacity	16/16gall	61/61L	61/61L

Technical specifications	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
Working speed (km/h)	0-4.5	0-41ft/s	0-4.5
Battery voltage (V)	24	24	24
Brush motor (W)	450	450	450
Traction motor power (W)	150	150	150
Vacuum motor power (W)	350	350	350
Battery type	2x12V 100Ah/C20 AGM	Option	2x12V 100Ah/C20 AGM
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (l/m)	0-2.4L/min	0-0.63gal	0-2.4L/min
Squeegee width (mm)	790	31in	790
Brush/pad diameter (mm)	510	20in	510
Brush pressure (kg)	23	50lbs	23
Brush speed (RPM)	150	150	150
Dimensions, L x W x H (mm)	1370x600x1220	52x22x39in	1370x600x1220
Battery compartment size (L x W x H) (mm)	350x350x300	14x14x48in	350x350x300
Net weight (kg)	93	205lbs	93
Gross vehicle weight (gvw) (kg)	222.8	491lbs	222.8
Shipping weight (kg)	123	271lbs	183
Solution/recovery tank capacity	61/61L	16/16gall	61/61L



## Designed to deliver continuous high-performance cleaning

Technical specifications	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
Working speed (km/h)	N/A	0-41ft/s	N/A
Battery voltage (V)	24	24	24
Brush motor (W)	450	450	450
Traction motor power (W)	N/A	150	N/A
Vacuum motor power (W)	350	350	350
Battery type	Option	Option	2x12V 100Ah/C20 AGM
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (l/m)	0-0.63gal	0-0.63gal	0-2.4L/min
Squeegee width (mm)	31in	31in	790
Brush/pad diameter (mm)	20in	20in	510
Brush pressure (kg)	60lbs	50lbs	27
Brush speed (RPM)	150	150	150
Dimensions, L x W x H (mm)	52x22x39in	52x22x39in	1370x600x1220
Battery compartment size (L x W x H) (mm)	14x14x48in	14x14x48in	350x350x300
Net weight (kg)	187lbs	205lbs	85
Gross vehicle weight (gvw) (kg)	474lbs	491lbs	214.8
Shipping weight (kg)	254lbs	271lbs	175
Solution/recovery tank capacity	16/16gall	16/16gall	61/61L

Technical specifications	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
Working speed (km/h)	0-4.5	0-41ft/s	0-4,5
Battery voltage (V)	24	24	24
Brush motor (W)	450	1 HP	750
Traction motor power (W)	150	0,33 HP	150
Vacuum motor power (W)	350	0,74 HP	350
Battery type	2x12V 100Ah/C20 AGM	2x12V 100Ah/C20 AGM	
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (l/m)	0-2.4L/min	0-0.63gal	0-2,2L/min
Squeegee width (mm)	790	31in	790
Brush/pad diameter (mm)	510	20in	510 x 360
Brush pressure (kg)	23	50lbs	40/50



Designed to deliver continuous high-performance cleaning

Technical specifications	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
Brush speed (RPM)	150	2200	2200
Dimensions, L x W x H (mm)	1370x600x1220	52x22x39in	1370x600x1220
Battery compartment size (L x W x H) (mm)	350x350x300	13.8x13x8x11.8in	350x350x300
Net weight (kg)	93	205lbs	120
Gross vehicle weight (gvw) (kg)	222.8	491lbs	240
Shipping weight (kg)	123	271lbs	150
Solution/recovery tank capacity	61/61L	61/16gall	61/61










Technical specifications	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
Working speed (km/h)	0-4,5	0-4,5
Battery voltage (V)	24	24
Brush motor (W)	750	750
Traction motor power (W)	150	150
Vacuum motor power (W)	350	350
Battery type		
Vacuum (mm H2O)	1200	1200
Sound pressure level (dB(A))	69	69
Max. climbing rate (%)	2%	2%
Water flow (l/m)	0-2,2L/min	0-2,2L/min
Squeegee width (mm)	790	790
Brush/pad diameter (mm)	510 x 360	510 x 360
Brush pressure (kg)	40/50	40/50
Brush speed (RPM)	2200	2200
Dimensions, L x W x H (mm)	1370x600x1220	1370x600x1220
Battery compartment size (L x W x H) (mm)	350x350x300	350x350x300
Net weight (kg)	120	120
Gross vehicle weight (gvw) (kg)	240	240
Shipping weight (kg)	150	150
Solution/recovery tank capacity	61/61	61/61

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
<b>Pad Boost</b>					
	PAD-BLACK-14X20-5/CS	997022	0		






## Designed to deliver continuous high-performance cleaning





Accessories		Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
	PAD-BLUE-14X20-5/CS	997021	0			
	PAD-MAROON-14X20-10/CS	997024	0			
	PAD-RED-14X20-5/CS	997020	0			
	PAD-WHITE-14X20-5/CS	997023	0			
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2	•	•	
	BATTERY DISCOVER 12V 84AH	1464853000	2	○		
<b>Other</b>						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
<b>Squeegee Blade</b>						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○		
<b>Disc Brush</b>						
	BRUSH DISC 510MM 20 PPL	VF90417	1	•		
<b>Pad Holder</b>						
	PAD HOLDER 508MM 20	VF90416	1	○		



Designed to deliver continuous high-performance cleaning




Accessories		Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-UK SCRUBBER 20INCH 60L 24V	AS5160-CN SCRUBBER 20INCH 60L 24V
	PAD HOLDER RETAINER 508MM 20	VF90454	1	○		
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1	○	○	●
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1	●		
	CHARGER 24V 13A US	VS13260	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
<b>Pad Boost</b>						
	PAD-BLACK-14X20-5/CS	997022	0	○		
	PAD-BLUE-14X20-5/CS	997021	0	○		
	PAD-MAROON-14X20-10/CS	997024	0	○		
	PAD-RED-14X20-5/CS	997020	0	○		
	PAD-WHITE-14X20-5/CS	997023	0	○		
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2		●	●
	BATTERY DISCOVER 12V 84AH	1464853000	2		○	○
<b>Other</b>						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
<b>Squeegee Blade</b>						











## Designed to deliver continuous high-performance cleaning

Accessories		Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	•
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○	○	○
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	•
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○	○	○
<b>Disc Brush</b>						
	BRUSH DISC 510MM 20 PPL	VF90417	1	○	•	•
<b>Pad Holder</b>						
	PAD HOLDER 508MM 20	VF90416	1	○	○	○
	PAD HOLDER RETAINER 508MM 20	VF90454	1	•	○	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1	○	○	○
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1		•	•
	CHARGER 24V 13A US	VS13260	0			








## Designed to deliver continuous high-performance cleaning

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment




Accessories		Ref. no.	Min. required	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
<b>Pad Boost</b>						
	PAD-BLACK-14X20-5/CS	997022	0		○	
	PAD-BLUE-14X20-5/CS	997021	0		○	
	PAD-MAROON-14X20-10/CS	997024	0		○	
	PAD-RED-14X20-5/CS	997020	0		○	
	PAD-WHITE-14X20-5/CS	997023	0		○	
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2			●
	BATTERY DISCOVER 12V 84AH	1464853000	2			○
<b>Other</b>						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
<b>Squeegee Blade</b>						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1		●	●
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1		○	○
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1		●	●
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1		○	○
<b>Disc Brush</b>						



Designed to deliver continuous high-performance cleaning

Accessories		Ref. no.	Min. required	AS5160T-CN SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
	BRUSH DISC 510MM 20 PPL	VF90417	1		○	●
<b>Pad Holder</b>						
	PAD HOLDER 508MM 20	VF90416	1		○	○
	PAD HOLDER RETAINER 508MM 20	VF90454	1		●	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1	○	○	○
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1			●
	CHARGER 24V 13A US	VS13260	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
<b>Pad Boost</b>						
	PAD-BLACK-14X20-5/CS	997022	0	○	○	
	PAD-BLUE-14X20-5/CS	997021	0	○	○	
	PAD-MAROON-14X20-10/CS	997024	0	○	○	
	PAD-RED-14X20-5/CS	997020	0	○	○	
	PAD-WHITE-14X20-5/CS	997023	0	○	○	
<b>Battery</b>						




## Designed to deliver continuous high-performance cleaning







Accessories	Ref. no.	Min. required	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
 AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2			
BATTERY DISCOVER 12V 84AH	1464853000	2			
<b>Other</b>					
VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
<b>Squeegee Blade</b>					
 BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	○
 BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○	○	
 BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	
 BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○	○	
<b>Disc Brush</b>					
 BRUSH DISC 510MM 20 PPL	VF90417	1	○	○	○
<b>Pad Holder</b>					
 PAD HOLDER 508MM 20	VF90416	1	○	○	○
 PAD HOLDER RETAINER 508MM 20	VF90454	1	•	•	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
 SPLASHGUARD KIT 510MM 20	VS10151	1	○	○	○
<b>On-Board Charger</b>					



Designed to deliver continuous high-performance cleaning








Accessories		Ref. no.	Min. required	AS5160-CAN FOR CANADA	AS5160T-CAN FOR CANADA	AS5160-EUNB NO BATTERY WITH CHARGER
	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
<b>Pad Boost</b>						
	PAD-BLACK-14X20-5/CS	997022	0	○	○	○
	PAD-BLUE-14X20-5/CS	997021	0	○	○	○
	PAD-MAROON-14X20-10/CS	997024	0	○	○	○
	PAD-RED-14X20-5/CS	997020	0	○	○	○
	PAD-WHITE-14X20-5/CS	997023	0	○	○	○
<b>Battery</b>						
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2	□		□
	BATTERY DISCOVER 12V 84AH	1464853000	2		○	○
<b>Other</b>						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0		○	○
<b>Squeegee Blade</b>						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	●	●	●
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○	○	○



Designed to deliver continuous high-performance cleaning










Accessories		Ref. no.	Min. required	AS5160T-EUNB NO BATTERY WITH CHARGER	AS5160TO-US ORB OBC	AS5160TO-EU ORB OBC NO BATTERY
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	●	●	●
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○	○	○
<b>Disc Brush</b>						
	BRUSH DISC 510MM 20 PPL	VF90417	1	○		
<b>Pad Holder</b>						
	PAD HOLDER 508MM 20	VF90416	1	○		
	PAD HOLDER RETAINER 508MM 20	VF90454	1	○		
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SPLASHGUARD KIT 510MM 20	VS10151	1	○	○	
<b>On-Board Charger</b>						
	CHARGER 24V 10A	VR27041	1		○	
	CHARGER 24V 13A US	VS13260	0		●	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
<b>Pad Boost</b>					
	PAD-BLACK-14X20-5/CS	997022	0	○	○






Designed to deliver continuous high-performance cleaning

Accessories		Ref. no.	Min. required	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
	PAD-BLUE-14X20-5/CS	997021	0	○	○
	PAD-MAROON-14X20-10/CS	997024	0	○	
	PAD-RED-14X20-5/CS	997020	0	○	○
	PAD-WHITE-14X20-5/CS	997023	0	○	○
<b>Battery</b>					
	AGM BLOCKBATTERY DC 105 12 12V 86AH C5 1	80565522	2	□	
	BATTERY DISCOVER 12V 84AH	1464853000	2	○	○
<b>Other</b>					
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0	○	○
<b>Squeegee Blade</b>					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	●	●
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○	○
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	●	●
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○	○
<b>Disc Brush</b>					
	BRUSH DISC 510MM 20 PPL	VF90417	1		
<b>Pad Holder</b>					
	PAD HOLDER 508MM 20	VF90416	1		



Designed to deliver continuous high-performance cleaning

Accessories		Ref. no.	Min. required	AS5160TO-TR ORB OBC NO BATTERY	AS5160TO-CN ORB OBC NO BATTERY
	PAD HOLDER RETAINER 508MM 20	VF90454	1		
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
	SPLASHGUARD KIT 510MM 20	VS10151	1		
<b>On-Board Charger</b>					
	CHARGER 24V 10A	VR27041	1		
	CHARGER 24V 13A US	VS13260	0		

