



SHEET PAN RACKS



Winco's exclusive Weld2 System features fail-safe rigidity through both bolting and welding at all critical joints to prevent warping with long term, high-traffic use.



Specialty bolts secure each joint



Bolt caps are welded over completely to form extra-strength juncture

HEAVY DUTY 20-TIER END-LOAD SHEET PAN RACK, WITH BRAKES

Designed with heavy-duty welded construction and a reinforced base-frame to ensure stability and long-lasting performance.

- ◆ 20-tier sturdy aluminum construction
- ◆ Designed to hold and transport (20) full-size (18" x 26") sheet pans or 40 (13" x 18") half-size sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 1,000 Lbs
- ◆ 3" spacing between each tier
- ◆ Fully assembled dimensions: 21-3/4"L x 26"W x 70-1/2"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
AWRK-20HBK	20-Tier, Welded	Each	1
AWRC-5H	Caster for AWRK-20HBK, Heavyweight	Each	12
AWRC-5HK	Caster w/Brake for AWRK-20HBK, Heavyweight	Each	12



AWRC-5HK
5" plate caster
with brake

CAPACITY UP TO 1,000 LBS

HEAVY-DUTY ALUMINUM 20-TIER SHEET PAN RACK



FULLY WELDED



Double cross bars for extra strength

AWRK-20HBK **NSF**

UNIVERSAL CASTERS, EXTRA HEAVY-DUTY

- ◆ Use with most appliances including ranges or walk-in refrigerators
- ◆ Polyurethane, skid-free - will not mark floors
- ◆ High-quality grease-resistant wheel
- ◆ Temperature range from 14°F to 212°F
- ◆ Wheel capacity: 220 lbs each
- ◆ CT-1 and CT-1B fit standard 1-5/8" or 1-1/2" tubing
- ◆ Two (2) pieces per set

ITEM	DESCRIPTION	PLATE SIZE	UOM	CASE
CT-1	Worktable Stem Caster Set		Set	1/12
CT-1B	Worktable Stem Caster Set w/Brake		Set	1/12
CT-23	Universal Plate Caster Set	2-3/8" x 3-5/8"	Set	1/12
CT-23B	Universal Plate Caster Set w/ Brake	2-3/8" x 3-5/8"	Set	1/12
CT-33	Universal Plate Caster Set	3-1/2" x 3-1/2"	Set	1/12
CT-33B	Universal Plate Caster Set w/ Brake	3-1/2" x 3-1/2"	Set	1/12
CT-44	Universal Plate Caster Set	4" x 4"	Set	1/12
CT-44B	Universal Plate Caster Set w/Brake	4" x 4"	Set	1/12

UNIVERSAL CASTERS

5" DIA WHEEL
will raise height of equipment by 6"



CT-1



CT-1B



CT-23



CT-23B



CT-33



CT-33B



CT-44



CT-44B



ALUMINUM SHEET PAN RACKS



NSF AWRK-10
ALRK-10BK

NSF ALRK-10



NSF ALRK-20

NSF AWRK-20
ALRK-20BK



NSF ALRK-30BK

NSF ALRK-20R

Made for the most demanding restaurant kitchens, these aluminum sheet pan racks accommodate standard full-size 18" x 26" sheet pans, or twice the capacity with half-size 18" x 13" pans.

10-TIER SHEET PAN RACKS

- ◆ Sturdy aluminum construction
- ◆ Hold and transport 10 full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 400 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 21"L x 26-1/2"D x 39"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
AWRK-10	10-Tier, Welded	Each	1
ALRK-10BK	10-Tier, Knocked Down	Each	1
ALRK-10	10-Tier w/o Brakes, Knocked Down	Each	1
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12

20-TIER END-LOAD SHEET PAN RACKS

- ◆ Sturdy aluminum construction
- ◆ Hold and transport 20 full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity (ALRK-20R): up to 500 Lbs
- ◆ Capacity (ALRK-20 & ALRK-20BK): up to 700 Lbs
- ◆ Capacity (AWRK-20): up to 800 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions (ALRK-20, -20BK, AWRK-20): 21"L x 26-1/2"W x 70"H
- ◆ Fully assembled (ALRK-20R): 20-1/4"L x 26"W x 69-1/4"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
AWRK-20	20-Tier, Welded	Each	1
ALRK-20BK	20-Tier, Knocked Down	Each	1
ALRK-20	20-Tier w/o Brakes, Knocked Down	Each	1
ALRK-20R	20-Tier, Knocked Down, ECONOMY	Each	
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12

30-TIER END-LOAD SHEET PAN RACKS, WITH BRAKES

- ◆ Aluminum construction, 14 gauge
- ◆ Hold and transport 30 full-size (18" x 26") sheet pans
- ◆ 5" dia, heavyweight full-swivel casters; two (2) with brake
- ◆ Capacity: up to 700 Lbs
- ◆ 2" spacing between each tier
- ◆ Ships knocked down, assembly required
- ◆ Fully assembled dimensions: 21"L x 26-1/2"D x 70"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
ALRK-30BK	30-Tier, Knocked Down	Set	1
ALRC-5H	Caster for ALRK-30BK, Heavyweight	Each	12
ALRC-5HK	Caster w/Brake for ALRK-30BK, Heavyweight	Each	12

20-TIER NESTING RACK, WITH BRAKES

Designed with space-saving in mind, the Z-rack fits snugly with nesting racks to conserve floor space while in storage. The Z-rack accommodates standard full-size sheet pans, or double up with half-size pans.

- ◆ 20-tier sturdy aluminum construction
- ◆ Z-frame nesting design for compact storage
- ◆ Capacity: up to 650 lbs & 20 full-size (18" x 26") sheet pans
- ◆ Full-swivel casters; two (2) with brake
- ◆ 3" spacing between each tier
- ◆ Fully assembled: 22" L x 27-1/2"W x 70"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
 AWZK-20	20-Tier, Welded	Each	1
 ALZK-20BK	20-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12

ALUMINUM NESTING SHEET PAN RACKS



Empty racks nested together



ALZK-20BK
AWZK-20 

20-TIER SIDE-LOAD RACK, WITH BRAKES

Designed with side-load access for alternative convenience in tight kitchen and bakery spaces.

- ◆ 20-tier sturdy aluminum construction
- ◆ Designed to hold and transport (20) full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 650 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 29-1/2"L x 19-1/2"W x 70-3/8"H
- ◆ NSF listed


ITEM	DESCRIPTION	UOM	CASE
 AWRS-20BK	20-Tier, Welded	Each	1
 ALRS-20BK	20-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12

ALUMINUM SIDE-LOAD SHEET PAN RACKS



ALRS-20BK
AWRS-20BK 

ALUMINUM PIZZA PAN RACKS



NSF ALPR-26BK
AWPR-26BK

26-TIER PIZZA PAN RACK, WITH BRAKES

Each tier features an extended ledge to accommodate round or square pizza pans.

- ◆ 26-tier sturdy aluminum construction
- ◆ Designed to hold and transport 17" & 19" dia round pizza pans and 16" & 17" square Sicilian pizza pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 800 Lbs
- ◆ 2" spacing between each tier
- ◆ 4-1/8" wide ledge for round or square pizza pans
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 23"L x 21"W x 62-7/8"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
AWPR-26BK	26-Tier, Welded	Each	1
ALPR-26BK	26-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12



ALRC-5STK
5" caster with brake

ALUMINUM SHEET PAN RACK & TRUCK



NSF ALRK-15

ALUMINUM COUNTER-HEIGHT END-LOAD SHEET PAN RACK

- ◆ 15 plated steel wire slides at 1-3/4" spacing
- ◆ Stainless steel solid top is useful as a work surface, and can also help to transport bulky items
- ◆ 14 gauge 6063 aluminum with 1" extruded tube frame
- ◆ Full swivel casters, 5" diameter x 1-1/4"
- ◆ Holds 15 full-size (18" x 26") or 30 half-size (18" x 13") sheet pans (not included)
- ◆ Capacity: up to 400 lbs
- ◆ Ships knocked down
- ◆ Fully assembled: 20-7/8"L x 26-1/8"W x 31-5/8"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
ALRK-15	15-Tier	Set	1
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12



NSF ALRK-3

ALUMINUM SHEET PAN TRUCK

- ◆ 14 gauge 6063 aluminum with 1" extruded aluminum tube frame
- ◆ Full swivel casters, 5" diameter x 1-1/4" width
- ◆ Holds 54 full-size (18" x 26") or 108 half-size (13" x 18") sheet pans (not included)
- ◆ Ships knocked down
- ◆ Fully assembled: 28-7/8"L x 20-5/8"W x 33-3/8"H
- ◆ NSF listed

ITEM	DESCRIPTION	UOM	CASE
ALRK-3	Sheet Pan Truck	Set	1
ALRC-5P	Replacement Caster for ALRK-3	Each	12

STAINLESS STEEL STEAM TABLE PAN/FOOD PAN RACKS

- ◆ Stainless steel construction
- ◆ Customize with a variety of steam table pans and food pans for the best configuration
- ◆ Dual-ended locking bars prevent pans from sliding out
- ◆ Caster bumpers protect walls, doors and rack during minor collisions
- ◆ Channel ledges are tightly welded to rails providing better support for pans
- ◆ Double-bearing, full-swivel casters w/4" dia wheels help stabilize weight capacity
- ◆ Capacities: up to 1,000 Lbs (SRK-36) or up to 500 Lbs (SRK-12, SRK-12D)
- ◆ Ships knocked down
- ◆ 1-1/2" and 1-3/4" spacing between each tier

STAINLESS STEEL STEAM TABLE PAN/FOOD PAN RACKS

**36-TIER
CAPACITY UP
TO 1,000 LBS**



SRK-36

Fits a combination of full, half or third-size pans

ITEM	DESCRIPTION	SIZE	UOM	CASE
SRK-36	36-Tier END-LOAD Rack	15-1/8"L x 21-5/8"W x 63-1/4"H	Set	1
SRK-12	12-Tier END-LOAD Rack	15-1/8"L x 21-5/8"W x 31-1/2"H	Set	1
SRK-12D	12-Tier SIDE-LOAD Rack	23-1/4"L x 26"W x 31-1/2"H	Set	1
SRK-CT	Caster for SRK-Series		Each	4/16
SRK-CTB	Caster w/Brake for SRK-Series		Each	4/16



Caster bumpers protect walls, doors and rack against minor collisions



Customize with a variety of steam table pans and food pans for the best configuration

NEW SIZES

**12-TIER
CAPACITY UP
TO 1,000 LBS**



SRK-CT Swivel caster, 4" wheel



SRK-CTB Swivel caster w/brake, 4" wheel



NEW

SRK-12D

Fits full length pans only, two per tier



NEW

SRK-12

Fits a combination of full, half or third-size pans

SHEET PAN RACK COVERS

SHEET PAN RACK COVERS

ITEM	DESCRIPTION	UOM	CASE
ALRK-10-CV	Cover for 10-Tier Rack	Each	1/12
ALRK-20-CV	Cover for 20-Tier and 30-Tier Racks	Each	1/12



ALRK-10-CV



ALRK-20-CV



Easy-pull zipper for quick on and off

REPLACEMENT CASTERS

SHEET PAN RACK REPLACEMENT CASTERS

ITEM	DESCRIPTION	UOM	CASE
ALRC-5P	Caster for ALRK-3	Each	12
ALRC-5ST	Caster for ALRK & AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12
ALRC-5H	Caster for ALRK-30BK, Heavyweight	Each	12
ALRC-5HK	Caster w/Brake for ALRK-30BK, Heavy-duty	Each	12
AWRC-5H	Caster for AWRK-20HBK, Heavy-duty	Each	12
AWRC-5HK	Caster w/Brake for AWRK-20HBK, Heavy-duty	Each	12
SRK-CT	Caster for SRK-36	Each	4/16
SRK-CTB	Caster w/ Brake for SRK-36	Each	4/16



ALRC-5P



ALRC-5ST



ALRC-5STK



ALRC-5H



ALRC-5HK



AWRC-5HK



SRK-CTB

CASTER ITEM NUMBER

	ALRC-5P	ALRC-5ST	ALRC-5STK	ALRC-5H	ALRC-5HK	AWRC-5H	AWRC-5HK	SRK-CT	SRK-CTB
ALPR-26BK		2	2						
ALRK-3	4								
ALRK-10		4							
ALRK-10BK		2	2						
ALRK-15		2	2						
ALRK-20		4							
ALRK-20BK		2	2						
ALRK-30BK				2	2				
ALRS-20BK		2	2						
ALZK-20BK		2	2						
AWPR-26BK		2	2						
AWRK-10		2	2						
AWRK-20		2	2						
AWRK-20HBK						2	2		
AWRS-20BK		2	2						
AWZK-20		2	2						
SRK-36								2	2

RACK ITEM NUMBER